PolyOne

MATERIAL SAFETY DATA SHEET **EDGE GLOW BLUEA PEC**

Version Number 1.2 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/20/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	EDGE GLOW BLUEA PEC		
Product code	:	CC10129233		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use		Industrial Applications		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET **EDGE GLOW BLUEA PEC**

Version Number 1.2 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/20/2014

Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **EDGE GLOW BLUEA PEC**

Version Number 1.2 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/20/2014

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8.	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: S	Safety glasses with side-shields				
Hand protection	: P	Protective gloves				
Skin and body protection	: L	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures						
8 8		ppropriate exhaust ventilation		1. Provide		
Exposure limit(s)	aj	ppropriate exhaust ventilation	at machinery.			
Exposure limit(s) Components	aı Value	ppropriate exhaust ventilation Exposure time		List:		
Exposure limit(s)	aj	ppropriate exhaust ventilation Exposure time Time Weighted Average (TWA):	at machinery.			
Exposure limit(s) Components Silica, amorphous,	aı Value	ppropriate exhaust ventilation Exposure time Time Weighted Average	at machinery.	List:		
Exposure limit(s) Components Silica, amorphous,	ap Value 6 mg/m3	Exposure time Time Weighted Average (TWA): Time Weighted Average	at machinery.	List: OSHA Z1A		
Exposure limit(s) Components Silica, amorphous,	ar Value 6 mg/m3 10 mg/m3 0.8 mg/m3	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	at machinery. Exposure type	List: OSHA Z1A MX OEL		
Exposure limit(s) Components Silica, amorphous,	ap Value 6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	at machinery. Exposure type OPERTIES	List: OSHA Z1A MX OEL Z3		
Exposure limit(s) Components Silica, amorphous, precipitated and gel Form	ap Value 6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	at machinery. Exposure type OPERTIES Duration rate : Notesting	List: OSHA Z1A MX OEL		
Exposure limit(s) Components Silica, amorphous, precipitated and gel Form Appearance	ap Value 6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Speci	at machinery. Exposure type OPERTIES Duration rate : Notes that the second sec	List: OSHA Z1A MX OEL Z3 ot applicable		
Exposure limit(s) Components Silica, amorphous, precipitated and gel Form Appearance Colour	ap Value 6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : peller	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Evapo ts Speci LOW Bulk	at machinery. Exposure type Description OPERTIES Duration rate : Note offic Gravity Structure : Note offic Gravity Structure <td :="" not<="" td=""><td>List: OSHA Z1A MX OEL Z3 ot applicable ot determined</td></td>	<td>List: OSHA Z1A MX OEL Z3 ot applicable ot determined</td>	List: OSHA Z1A MX OEL Z3 ot applicable ot determined	
Exposure limit(s) Components Silica, amorphous, precipitated and gel Form Appearance Colour Odour	Value 6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : YEL : very	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRE Evaports Evaports LOW Bulk faint Vapo	at machinery. Exposure type Exposure type OPERTIES Ouration rate : Notest in the second secon	List: OSHA Z1A MX OEL Z3 ot applicable ot determined ot established		
Exposure limit(s) Components Silica, amorphous, precipitated and gel Form Appearance	Value 6 mg/m3 10 mg/m3 0.8 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : YEL : very : Not c	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Evapore ts Speci LOW Bulk faint Vapore determined Vapore pplicable pH	at machinery. Exposure type Exposure type OPERTIES Ouration rate : Net fic Gravity fic Gravity : Net fic Gravity ur pressure : net fic Gravity ur density : net fic Gravity ur density : net fic Gravity	List: OSHA Z1A MX OEL Z3 ot applicable ot determined ot established ot applicable		

10. STABILITY AND REACTIVITY

Stability	:	The product is stable if stored and handled as prescribed.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal	

PolyOne

MATERIAL SAFETY DATA SHEET EDGE GLOW BLUEA PEC

Version Number 1.2 Revision Date 03/13/2014 Page 4 of 6 Print Date 3/20/2014

		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 112926-00-8	Chemical Name Silica, amorphous,	Effect Irritant	Target OrganRespiratory system, Eyes.			
112920 00 0	precipitated and gel	IIIIuiit				
	12. ECOLOGIO	CAL INFORMATION	ON			
Persistence and degrada	bility : Not readily bi	odegradable.				
Environmental Toxicity		 Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. 				
Bioaccumulation Potent						
Additional advice	: no data availa	ble				
	13. DISPOSAL	CONSIDERATIO	NS			
Product	possible recyc generator of v classification,	cling is preferred to o vaste material has th transportation and o	he product can be recycled. When disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations.			
Contaminated packagin	material has t transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATIO	N			
U.S. DOT Classification	n : Not regulated	for transportation.				
ICAO/IATA	: Refer to speci	fic regulation.				

PolyOne.

MATERIAL SAFETY DATA SHEET **EDGE GLOW BLUEA PEC**

Version Number 1.2 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/20/2014

IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	trem	ely Hazardous Substance
	lenti	fied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox	lenti xic C	fied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox	lenti xic C	fied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations:	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI)
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable WHMIS Classification	lenti xic C lenti	 fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI) D2B All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL).
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Releat not applicable WHMIS Classification DSL	lenti xic C lenti	 fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI) D2B All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL).

PolyOne

MATERIAL SAFETY DATA SHEET **EDGE GLOW BLUEA PEC**

Version Number 1.2 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/20/2014

Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Not determined
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.