MATERIAL SAFETY DATA SHEET SILVER LC

Version Number 1.0 Revision Date 02/16/2010 Page 1 of 5 Print Date 1/10/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	SILVER LC
Product code :	CC10129257
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **SILVER LC**

Version Number 1.0 Revision Date 02/16/2010 Page 2 of 5 Print Date 1/10/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **SILVER LC**

Version Number 1.0 Revision Date 02/16/2010

Page 3 of 5 Print Date 1/10/2012

0. 12/1	POSURE CONTROLS	PERSONAL PROTECTION	
Respiratory protection	: Under normal handling conditions a respirator may not be requ		
Eye/Face Protection	: Safety glasses w	ith side-shields	
Hand protection	: Protective gloves	3	
Skin and body protection	: Long sleeved clo	thing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ance with good industrial hygiene and safety nands before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	-	ulatory thresholds in this product.	
Form	1: : 1		
гонн	: liquid	Evaporation rate : Not established	
Appearance	: viscous, liquid	Specific Gravity : Not determine	
Appearance Colour	: viscous, liquid : GREY	Specific Gravity: Not determineBulk density: Not applicable	
Appearance Colour Odour	: viscous, liquid : GREY : very faint	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determine	
Appearance Colour Odour Melting point/range	 viscous, liquid GREY very faint not applicable 	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determineVapour density: Not determine	
Appearance Colour Odour Melting point/range Boiling Point:	 viscous, liquid GREY very faint not applicable not applicable 	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determine	
Appearance Colour Odour Melting point/range	 viscous, liquid GREY very faint not applicable 	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determineVapour density: Not determine	
Appearance Colour Odour Melting point/range Boiling Point:	 viscous, liquid GREY very faint not applicable not applicable 	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determineVapour density: Not determinepH: Not applicable	
Appearance Colour Odour Melting point/range Boiling Point:	 viscous, liquid GREY very faint not applicable not applicable immiscible 	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determineVapour density: Not determinepH: Not applicable	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 viscous, liquid GREY very faint not applicable not applicable immiscible 10. STABILITY A	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determineVapour density: Not determinepH: Not applicable	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 viscous, liquid GREY very faint not applicable not applicable immiscible 10. STABILITY A Stable Will not occur. 	Specific Gravity: Not determineBulk density: Not applicableVapour pressure: Not determineVapour density: Not determinepH: Not applicable	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 : viscous, liquid : GREY : very faint : not applicable : not applicable : immiscible 10. STABILITY A : Stable : Will not occur. : Keep away from 	Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : Not determine Vapour density : Not determine pH : Not applicable ND REACTIVITY	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 viscous, liquid GREY very faint not applicable not applicable immiscible 10. STABILITY A Stable Will not occur. Keep away from Incompatible with Carbon dioxide (Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : Not determine Vapour density : Not determine pH : Not applicable ND REACTIVITY	

PolyOne.

MATERIAL SAFETY DATA SHEET SILVER LC

Version Number 1.0 Revision Date 02/16/2010 Page 4 of 5 Print Date 1/10/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO/IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET SILVER LC

Version Number 1.0 Revision Date 02/16/2010		Page 5 of 5 Print Date 1/10/2012			
		Fillit Date 1/10/2012			
California Proposition 65	:	Not applicable			
SARA Title III Section 302 Ext	rem	ely Hazardous Substance			
Unless specific chemicals are id	enti	ified under this section, this product is Not Applicable under this regulation			
SARA Title III Section 313 Tox	tic (Chemicals:			
Unless specific chemicals are id	Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation				
Canadian Regulations:					
National Pollutant Relea	se Iı	nventory (NPRI)			
not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.