PolvOne

MATERIAL SAFETY DATA SHEET **NEW GOLD NGS 322**

Version Number 1.0 Revision Date 03/05/2010

Page 1 of 7 Print Date 1/11/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	NEW GOLD NGS 322
Product code :	CC10129634
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Iron oxide	1309-37-1	5 - 10
Mica	12001-26-2	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **NEW GOLD NGS 322**

Version Number 1.0 Revision Date 03/05/2010 Page 2 of 7 Print Date 1/11/2012

4. FIRST AID MEASURES
: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
5. FIRE-FIGHTING MEASURES
: not applicable
 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.
. ACCIDENTAL RELEASE MEASURES
: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
-

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **NEW GOLD NGS 322**

ersion Number 1.0 Revision Date 03/05/2010	Page 3 of 7 Print Date 1/11/2012
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EX	OSURE CONTROLS/PERSONAL PROTECTION
Respiratory protection	: No personal respiratory protective equipment normally required.
Eye/Face Protection	: Safety glasses with side-shields
Hand protection	: Protective gloves
Skin and body protection	: Long sleeved clothing
Additional Protective Measures	: Safety shoes
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)	

PolyOne

MATERIAL SAFETY DATA SHEET NEW GOLD NGS 322

Version Number 1.0 Revision Date 03/05/2010 Page 4 of 7 Print Date 1/11/2012

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
Mica	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	3 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	3 mg/m3	Time Weighted Average (TWA):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

: solid pellets YELLOW : very faint Not determined : not applicable : insoluble

:

:

:

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН

- Not applicable : Not determined :
- Not established :
- : not applicable
- : not applicable
- not applicable :

10. STABILITY AND REACTIVITY

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

MATERIAL SAFETY DATA SHEET NEW GOLD NGS 322

Version Number 1.0 Revision Date 03/05/2010

Page 5 of 7 Print Date 1/11/2012

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

: Not readily biodegradable.	
: Chemicals are not readily available as they are bound within the polymer matrix.	
: Chemicals are not readily available as they are bound within the polymer matrix.	
: no data available	
13. DISPOSAL CONSIDERATIONS	
: Like most thermoplastic plastics the product can be recycled. We possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wast classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	 Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. no data available 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wast classification, transportation and disposal in accordance with

PolyOne.

MATERIAL SAFETY DATA SHEET **NEW GOLD NGS 322**

sion Number 1.0 ision Date 03/05/2010			I	Page 6 Print Date 1/11/2
Contaminated packaging	material h transporta	is preferred when post as the responsibility for tion and disposal in ac incial and local regula	or proper waste cla ccordance with app	ssification,
	14. TRANS	PORT INFORMATI	ION	
U.S. DOT Classification	: Not regula	ated for transportation		
ICAO/IATA	: Refer to s	pecific regulation.		
IMO/IMDG (maritime)	: Refer to s	pecific regulation.		
	15. REGULA	ATORY INFORMAT	ΓΙΟΝ	
US Regulations:				
OSHA Status	: Classified	as hazardous based of	n components.	
TSCA Status	: All comp TSCA Inv	onents of this product ventory.	are listed on or exe	empt from the
US. EPA CERCLA Hazardo	us Substances (40	CFR 302)		
not applicable				
California Proposition 65	1 : Not applie	cable		
SARA Title III Section 302 I	Extremely Hazard	ous Substance		
Unless specific chemicals are			ict is Not Applicab	le under this regul
-		-		-
SARA Title III Section 313	Toxic Chemicals:			
Unless specific chemicals are	e identified under	this section, this produ	ict is Not Applicab	le under this regul
Canadian Regulations:				
National Pollutant Re	ease Inventory (N	IPRI)		
	2	CAS-No.	Weight	NPRI ID#
Chemical Name			percent	

MATERIAL SAFETY DATA SHEET NEW GOLD NGS 322

Version Number 1.0 Revision Date 03/05/2010 Page 7 of 7 Print Date 1/11/2012

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-37-1	
12001-26-2	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determined	
Korea KECI	: Listed	
Philippines PICCS	: Listed	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.