

CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 1 of 17 Print Date 09/20/2022

SAFETY DATA SHEET

CC10129986 GN LLDPE UV SMARTBATCH

Section 1. Identification	on	
GHS product identifier Chemical name	:	CC10129986 GN LLDPE UV SMARTBATCH Mixture
CAS number Other means of identification Product type	:	Mixture CC10129986 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	e or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

ÄVIENT

CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 2 of 17 Print Date 09/20/2022

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10129986

CAS number/other identifiers

Ingredient name	%	CAS number
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	>= 10 - <= 25	52829-07-9
Nickel, 5,5'-azobis2,4,6(1H,3H,5H)-pyrimidinetrione (C.I. Pigment Yellow 150)	>= 5 - <= 10	68511-62-6
Titanium dioxide	>= 3 - <= 5	13463-67-7
Dioctyl sodium sulfosuccinate	>= 1 - <= 3	577-11-7
Quartz	> 0 - <= 0.3	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3				
Revision Date	09/19/2022			

Page 3 of 17 Print Date 09/20/2022

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tention	and special treatment needed, if necessary
Notes to physician		In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders		No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 4 of 17 Print Date 09/20/2022

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022



Page 5 of 17 Print Date 09/20/2022

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Decanedioic acid, bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	None.	
Nickel, 5,5'-azobis2,4,6(1H,3H,5H)- pyrimidinetrione (C.I. Pigment Yellow 150)	OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni) OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) ACGIH TLV (1998-09-01) TWA 0.2 mg/m3 (as Ni) Form: Inhalable fraction	
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18)	
5/17		



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 6 of 17 Print Date 09/20/2022

	TWA 10 mg/m3
Dioctyl sodium sulfosuccinate	None.
Quartz	OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dust OSHA PEL Z3 (1997-09-03) TWA 250 MPPCF / (%SiO2+5) Form: Respirable TWA 10 MG /M3 / (%SiO2+2) Form: Respirable OSHA PEL Z3 (1997-09-03) TWA 30 MG /M3 / (%SiO2+2) Form: Total dust NIOSH REL (1994-06-01) TWA 0.05 mg/m3 Form: Respirable dust ACGIH TLV (2005-12-09) TWA 0.025 mg/m3 Form: Respirable fraction OSHA PEL (2016-06-23) TWA 0.05 mg/m3 Form: Respirable dust
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 7 of 17 Print Date 09/20/2022

		if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based
		on the task being performed and the risks involved and should be
		approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures
		should be selected based on the task being performed and the risks
		involved and should be approved by a specialist before handling this
		product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that
		meets the appropriate standard or certification. Respirators must be
		used according to a respiratory protection program to ensure proper
		fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREEN
Odor	:	Faint odor.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Aerosol product



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 8 of 17 Print Date 09/20/2022

Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity Product/ingredient name Result Species Dose Exposure Decanedioic acid, 1,10-bis(2,2,6,6-tetramethyl-4-piperidinyl) ester 0.5 Mg/l 4 h LC50 Inhalation Rat Vapor Titanium oxide (TiO2) 6.82 Mg/l LC50 Inhalation Rat - Male 4 h Dusts and mists LD50 Dermal Rabbit > 5,000 mg/kg -Butanedioic acid, 2-sulfo-, 1,4-bis(2-ethylhexyl) ester, sodium salt (1:1) LD50 Oral 1,900 mg/kg Rat _ 10,000 mg/kg LD50 Dermal Rabbit

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 9 of 17 Print Date 09/20/2022

Product/ingredient name	Result	Species	Score	Exposure	Observation
Butanedioic acid, 2-sulfo-, 1,4-bis(2-ethylhexyl) ester, sodium salt (1:1)	Eyes - Severe irritant	Rabbit	-		-
	Skin - Moderate irritant	Rabbit	-	24 hrs	-
	Eyes - Mild irritant	Rabbit	-		-

Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	:	Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary <u>Carcinogenicity</u>	:	Mixture.Not fully tested.
Conclusion/Summary	:	Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Nickel, 5,5'-(1,2-	-	1	Known to be a human carcinogen.
diazenediyl)bis[2,4,6(1H,3			
H,5H)-pyrimidinetrione]			
complexes			
Titanium oxide (TiO2)	-	2B	-
Quartz	-	1	Known to be a human carcinogen.

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 10 of 17 Print Date 09/20/2022

Not available.

Specific target organ toxicity (repeated exposure)

Name	Cate	gory	Route of exposure	Target organs	
Quartz	Categ	gory 1	-	-	
Aspiration hazard Not available.					
Information on the likely routes of exposure	:	Not available.			
Potential acute health effects					
Eye contact Inhalation Skin contact Ingestion	 No known significant effects or critical hazards. 				
Symptoms related to the physical,	chemic	cal and toxicologica	al characteristics		
Eye contact Inhalation Skin contact Ingestion	:	No specific data. No specific data. No specific data. No specific data.			
Delayed and immediate effects and	l also c	hronic effects fron	n short and long term	<u>exposure</u>	
<u>Short term exposure</u> Potential immediate effects Potential delayed effects	:	Not available. Not available.			
Long term exposure					
Potential immediate effects Potential delayed effects	:	Not available. Not available.			
Potential chronic health effects					
Conclusion/Summary	:	Mixture.Not fully	tested.		
General Carcinogenicity Mutagenicity	:	No known signific	cant effects or critical has cant effects or critical has cant effects or critical has	azards.	
		10/17			

CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022



Page 11 of 17 Print Date 09/20/2022

Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
Acute toxicity estimates N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure			
Decanedioic acid, 1,10-bis(2,2,6,6-tetramethyl-4-piperidinyl) ester						
	Acute EC50 8.6 Mg/l Fresh	Daphnia	48 h			
	water					
Titanium oxide (TiO2)						
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h			
	Marine water					
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h			
		dubia				
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h			
	water					
Butanedioic acid, 2-sulfo-, 1,4-l	bis(2-ethylhexyl) ester, sodium salt (1:1)				
	Acute LC50 28 Mg/l Fresh water	Fish - Oncorhynchus mykiss	96 h			
	Acute EC50 43 Mg/l Fresh water	Daphnia - Daphnia magna	48 h			
CC10129986 GN LLDPE UV S	SMARTBATCH					
Remarks - Acute - Aquatic	Chemicals are not readily available	e as they are bound within the pol	ymer matrix.			
invertebrates.:			•			
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.					
Persistence and degradability						

Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.



CC10129986 GN LLDPE UV SMARTBATCH

:

Version Number 1.3 Revision Date 09/19/2022 Page 12 of 17 Print Date 09/20/2022

Conclusion/Summary

Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Decanedioic acid, 1,10-bis(2,2,6,6-	0.35	-	low
tetramethyl-4-piperidinyl) ester			
Butanedioic acid, 2-sulfo-, 1,4-bis(2-	-	9.33	low
ethylhexyl) ester, sodium salt (1:1)			

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and
		product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022

Page 13 of 17 Print Date 09/20/2022

International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Chromium (III) oxide
		Nickel, 5,5'-azobis2,4,6(1H,3H,5H)-pyrimidinetrione (C.I. Pigment Yellow 150) Rutile, antimony chromium buff
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 14 of 17 Print Date 09/20/2022

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)	•	
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Decanedioic acid, 1,10- bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	>= 10 - <= 25	ACUTE TOXICITY - inhalation - Category 1 SERIOUS EYE DAMAGE - Category 1
Nickel, 5,5'-(1,2- diazenediyl)bis[2,4,6(1H,3H ,5H)-pyrimidinetrione] complexes	>= 5 - <= 10	CARCINOGENICITY - Category 1A
Titanium oxide (TiO2)	>= 3 - <= 5	CARCINOGENICITY - Category 2
Butanedioic acid, 2-sulfo-, 1,4-bis(2-ethylhexyl) ester, sodium salt (1:1)	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
Quartz	> 0 - <= 0.3	CARCINOGENICITY - inhalation - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1

Form R - Reporting requirements

 Product name
 CAS number
 %



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022

Page 15 of 17 Print Date 09/20/2022

Chromium (III) oxide	1308-38-9	>= 10 - <= 25
Nickel, 5,5'-azobis2,4,6(1H,3H,5H)-pyrimidinetrione (C.I. Pigment Yellow 150)	68511-62-6	>= 5 - <= 10
Rutile, antimony chromium buff	68186-90-3	>= 3 - <= 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
e e e e e e e e e e e e e e e e e e e		Calcium carbonate
		Chromium (III) oxide
		Nickel, 5,5'-azobis2,4,6(1H,3H,5H)-pyrimidinetrione (C.I. Pigment
		Yellow 150)
		Titanium dioxide
		Rutile, antimony chromium buff
		Silica, amorphous, precipitated and gel
		Quartz
Pennsylvania	:	The following components are listed:
·		Calcium carbonate
		Chromium (III) oxide
		Nickel, 5,5'-azobis2,4,6(1H,3H,5H)-pyrimidinetrione (C.I. Pigment
		Yellow 150)
		Titanium dioxide
		Derile anti-constructions have
		Rutile, antimony chromium buff
		Silica, amorphous, precipitated and gel
		Quartz

California Prop. 65

WARNING: This product can expose you to chemicals including Nickel, 5,5'-azobis2,4,6(1H,3H,5H)pyrimidinetrione (C.I. Pigment Yellow 150), which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable
	15/17	

SAFETY DATA SHEET



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022

Page 16 of 17 Print Date 09/20/2022

				dosage level
Nickel, 5,5'-azobis2,4,6(1H,3H,5H)-			-	-
pyrimidinetrione (C.I. Pigment Yel	low	150)		
Titanium dioxide			-	-
Quartz			-	-
United States inventory (TSCA 8b)	:	All con	ponents are active or exempted.	
Canada inventory	:		one component is not listed in DSI ed in NDSL.	L but all such components
International regulations				
Inventory list				
Australia	:	All cor	nponents are listed or exempted.	
Canada	-		t one component is not listed in DS	L but all such components
			ed in NDSL.	I
China	:	All cor	nponents are listed or exempted.	
Europe inventory	:		nponents are listed or exempted.	
Japan	:		nponents are listed or exempted.	
New Zealand	:		nponents are listed or exempted.	
Philippines	:		nponents are listed or exempted.	
Republic of Korea	:		nponents are listed or exempted.	
Taiwan	:		nponents are listed or exempted.	
Turkey	:		termined.	
United States	:	All cor	nponents are active or exempted.	
			- 1	

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.



CC10129986 GN LLDPE UV SMARTBATCH

Version Number 1.3 Revision Date 09/19/2022 Page 17 of 17 Print Date 09/20/2022

History		
Date of printing	:	09/20/2022
Date of issue/Date of revision	:	09/19/2022
Date of previous issue	:	04/27/2015
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate
U C		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.