PolyOne

MATERIAL SAFETY DATA SHEET **ANTIBAC**

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/21/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	ANTIBAC		
Product code	:	CC10130795		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact	
: Resin particles, like other inert materials, can be mechanically irritating.	
: May be harmful if swallowed.	
: Resin particles, like other inert materials, are mechanically irritating to eyes.	
: Experience shows no unusual dermatitis hazard from routine handling.	
: Refer to Section 11 for Toxicological Information.	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET ANTIBAC

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/21/2014

Medical Conditions Aggravated by Exposure:	: None known.			
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIREFIGHTING MEASURES			
Flash point	: not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			



MATERIAL SAFETY DATA SHEET **ANTIBAC**

Version Number 1.1 Revision Date 03/13/2014

Page 3 of 6 Print Date 3/21/2014

	u	nd contamination. Keep in a dr	y, cool place.		
8. I	EXPOSURE	CONTROLS/PERSONAL P	ROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Sa	afety glasses with side-shields			
Hand protection	: Pi	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous, 6 mg/n precipitated and gel		Time Weighted Average (TWA):		OSHA Z1A	
	10 mg/m3	Time Weighted Average (TWA):		MX OEL	
0.8 mg/		Time Weighted Average (TWA):		Z3	

Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets TRANSPARENT very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
Water solubility	: insoluble 10. STABILITY ANI	DREACTIVITY	
Stability : The product is stable if stored and handled as prescribed.			
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from or	xidizing agents and open fl	ame. To avoid thermal

PolyOne.

MATERIAL SAFETY DATA SHEET **ANTIBAC**

ion Number 1.1 sion Date 03/13/20	14			Page Print Date 3/21/	
		decomposition	, do not overheat.		
Incompatible Materia	ıls	: Incompatible v	vith strong acids an	d oxidizing agents.	
Hazardous decompos products	ition			pnoxide (CO), oxides of nitrogen and smoke are all possible.	
		11. TOXICOLOGI	CAL INFORMAT	TION	
health data for the ind Toxicity Overview	lividual co	mponents which cor	nprise the mixture.	osure effects listed are based on ex	
CAS-No.		hemical Name	Effect		
112926-00-8		amorphous,	Irritant	Target OrganRespiratory system, Eyes.	
		tated and gel			
			AL INFORMATIO	<u> N</u>	
Persistence and degra	ity	polymer matrix	not readily availabl x.	le as they are bound within the	
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice :		: no data available			
		13. DISPOSAL (CONSIDERATIO	NS	
Product		: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPOR	T INFORMATIO	N	
		. Nat na malata d f	for transportation.		
U.S. DOT Classificat	10 n	: Not regulated I	or transportation.		

PolyOne.

MATERIAL SAFETY DATA SHEET **ANTIBAC**

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/21/2014

IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	3. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	cic C	Chemicals:
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulatio
Canadian Regulations:		
National Pollutant Relea	se Ir	ventory (NPRI)
not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed

POLYONE CORPORA	101yone	
MATERIAL SAFETY DAT	A SHEET	
ANTIBAC		
Version Number 1.1 Revision Date 03/13/2014		Page 6 of 6 Print Date 3/21/2014
Japan ENCS	: Not determined	
Korea KECI	: Listed	
Philippines PICCS	: Listed	
	16. OTHER INFORMATION	

PolyOne

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.