PolyOne

## MATERIAL SAFETY DATA SHEET UVPVC 131125

Version Number 1.1 Revision Date 03/25/2014 Page 1 of 6 Print Date 4/1/2014

1. PRODUCT AND COMPANY IDENTIFICATION         POLYONE CORPORATION         33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	UVPVC 131125	
Product code	:	CC10131126	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
8-Oxa-3,5-dithia-4-stannatetradecanoic acid, 10-ethyl-4,4-dimethyl-7-oxo-, 2-ethylhexyl	57583-35-4	1 - 5
ester		
Miscellaneous Amide Compounds	0-50-0	10 - 30

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET UVPVC 131125

Version Number 1.1 Revision Date 03/25/2014 Page 2 of 6 Print Date 4/1/2014

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET UVPVC 131125

sion Date 03/25/2014	Print Date 4/		
Handling	: Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide		
Engineering measures	appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
Exposure limit(s)			
Exposure limit(s)	appropriate exhaust ventilation at machinery.		
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. <b>PHYSICAL AND CHEMICAL PROPERTIES</b> : solid       Evapouration rate         : pellets       Specific Gravity         : NO PIGMENT       Bulk density         : very faint       Vapour pressure         : Not determined       Vapour density         : Not determined       Papour density         : not applicable       pH		
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. <b>PHYSICAL AND CHEMICAL PROPERTIES</b> : solid       Evapouration rate         : pellets       Specific Gravity         : NO PIGMENT       Bulk density         : very faint       Vapour pressure         : Not determined       Vapour density         : not applicable       pH         : not applicable       insoluble		
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust ventilation at machinery. <b>PHYSICAL AND CHEMICAL PROPERTIES</b> : solid       Evapouration rate         : pellets       Specific Gravity         : NO PIGMENT       Bulk density         : very faint       Vapour pressure         : Not determined       Vapour density         : not applicable       pH         : not applicable       pH		
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust ventilation at machinery. <b>PHYSICAL AND CHEMICAL PROPERTIES</b> : solid       Evapouration rate         : pellets       Specific Gravity         : NO PIGMENT       Bulk density         : very faint       Vapour pressure         : Not determined       Vapour density         : not applicable       pH         : insoluble       Inot applicable         :       Inot applicable         :       The product is stable if stored and handled as prescribed.		

PolvOne.

## MATERIAL SAFETY DATA SHEET UVPVC 131125

### Version Number 1.1

Revision Date 03/25/2014

Page 4 of 6 Print Date 4/1/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57583-35-4	8-Oxa-3,5-dithia-4-	Irritant	Eyes, Skin.
	stannatetradecanoic acid,		
	10-ethyl-4,4-dimethyl-7-		
	oxo-, 2-ethylhexyl ester		
0-50-0	Miscellaneous Amide	Toxic	central nervous system (CNS),
	Compounds		digestive system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	(	Chemical Name	Route	Value	Species
0-50-0	Miscel Comp	llaneous Amide ounds	Oral LD50	> 350 mg/kg	rat
		12. ECOLOGIC	AL INFORMAT	ION	
Persistence and degra	adability	: Not readily bio	odegradable.		
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice		: no data availal	ble		
		13. DISPOSAL	CONSIDERATIO	ONS	
Product		possible recyc generator of w classification,	ling is preferred to aste material has transportation and	the product can be disposal or inciner the responsibility for disposal in accorda- ial and local regulat	ration. The or proper waste ance with

PolyOne.

# MATERIAL SAFETY DATA SHEET UVPVC 131125

Version Number 1.1 Revision Date 03/25/2014 Page 5 of 6 Print Date 4/1/2014

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
not applicable	
California Propositior 65	• WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 E	Extremely Hazardous Substance
	e identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	'oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Rel	ease Inventory (NPRI)
not applicable	
	n : D2B

PolvOne

# MATERIAL SAFETY DATA SHEET UVPVC 131125

Version Number 1.1 Revision Date 03/25/2014

Quantity use in Canada is restricted by regulations. National Inventories: Australia AICS : Not determined China IECS Not determined : Europe EINECS : Listed Japan ENCS Not determined : Korea KECI Not determined : **Philippines PICCS** Not determined : **16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 6 of 6 Print Date 4/1/2014

E