PolyOne

MATERIAL SAFETY DATA SHEET FL MAGENTA PEC

Version Number 1.1 Revision Date 03/25/2014

Page 1 of 6 Print Date 4/1/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	FL MAGENTA PEC	
Product code	:	CC10131313	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	•	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Miscellaneous Zinc Compounds	0-48-6	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET FL MAGENTA PEC

Version Number 1.1 Revision Date 03/25/2014 Page 2 of 6 Print Date 4/1/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

MATERIAL SAFETY DATA SHEET *FL MAGENTA PEC*

Version Number 1.1 Revision Date 03/25/2014 Page 3 of 6 Print Date 4/1/2014

		y and tightly closed to avoid moisture absorption Keep in a dry, cool place.		
8. EX	POSURE CONTROLS/P	ERSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved cloth	ing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		the with good industrial hygiene and safety and sefore breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
9	. PHYSICAL AND CHEN	AICAL PROPERTIES		
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEN solid pellets RED very faint Not determined not applicable insoluble 	MICAL PROPERTIESEvapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets RED very faint Not determined not applicable 	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AND	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AND	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableDREACTIVITY		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY ANI The product is stab Will not occur. 	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY le if stored and handled as prescribed. xidizing agents and open flame. To avoid thermal		
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY ANI The product is stab Will not occur. Keep away from or decomposition, do 	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable O REACTIVITY le if stored and handled as prescribed. xidizing agents and open flame. To avoid thermal		

PolyOne

MATERIAL SAFETY DATA SHEET FL MAGENTA PEC

Version Number 1.1 Revision Date 03/25/2014

Page 4 of 6 Print Date 4/1/2014

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

Compounds system. I. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available IIII DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation.		Chemical Name	Effect	Target Organ	
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.	0-48-6 Miscellaneous Zinc		Systemic effects	Eyes, Skin, Respiratory system.	
Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Lister/provincial and local regulations. : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Lister/provincial and local regulations. : Refer to specific regulation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.		12. ECOLOGIC	CAL INFORMATION	1	
polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.	Persistence and degradability	: Not readily bi	odegradable.		
Additional advice in o data available Image: Additional advice in o data available Product Image: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging in Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Image: Advice Advic	Environmental Toxicity		2	as they are bound within the	
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.	Bioaccumulation Potential			as they are bound within the	
Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.	Additional advice	: no data availa	ble		
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.		13. DISPOSAL	CONSIDERATIONS	6	
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.	Product	possible recyc generator of w classification,	ling is preferred to dis vaste material has the r transportation and dis	posal or incineration. The esponsibility for proper waste posal in accordance with	
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.	Contaminated packaging	material has the transportation	he responsibility for pr and disposal in accord	oper waste classification, lance with applicable federal,	
ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation.		14. TRANSPO	RT INFORMATION		
IMO/IMDG (maritime) : Refer to specific regulation.	U.S. DOT Classification	: Not regulated	Not regulated for transportation.		
	ICAO/IATA	: Refer to speci	Refer to specific regulation.		
15. REGULATORY INFORMATION	IMO/IMDG (maritime)	: Refer to speci	fic regulation.		
		15. REGULATO	DRY INFORMATION	N	

PolyOne.

MATERIAL SAFETY DATA SHEET **FL MAGENTA PEC**

sion Number 1.1 ⁄ision Date 03/25/2014						F	Page 5 c Print Date 4/1/20
OSHA Status	:	Classified as haz	zardous ł	based on co	mponen	ts.	
TSCA Status	TSCA Status : All component TSCA Inventor				listed or	ı or exen	npt from the
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 3	302)				
not applicable							
California Proposition 65	:	Not applicable					
SARA Title III Section 302 Ext	rem	ely Hazardous Su	bstance				
Unless specific chemicals are id		-		s product is	Not Ar	plicable	under this regulati
chiess spectric chemicals are r	.01111		etion, th	s producer is	, 110t 11p	phonoic	under tins regulat
SARA Title III Section 313 Tos Unless specific chemicals are ic Chemical Name			ction, thi				
ZINC COMPOUNDS				CAS-No. 0-48-6	•	10.00 ·	percent - 30.00
Canadian Regulations: National Pollutant Relea	se Ir	nventory (NPRI)	CAS-N	10.	Weigh	t	NPRI ID#
					percen	t	
Miscellaneous Zinc Compour	nds		0-48-6		10.00 -	30.00	241
WHMIS Classification DSL	:	Not controlled. DSL status has restricted by reg			l. Quan	tity use i	n Canada may be
National Inventories:							
Australia AICS	:	Not determined					
China IECS	:	Not determined					
Europe EINECS	:	Not determined					
Japan ENCS	:	Not determined					

P	bh	one.

MATERIAL SAFETY DATA SHEET FL MAGENTA PEC

Version Number 1.1 Revision Date 03/25/2014 Page 6 of 6 Print Date 4/1/2014

Korea KECI

: Not determined

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.