MATERIAL SAFETY DATA SHEET LIGHT PURPLE LC 2

Version Number 1.1 Revision Date 05/21/2010

Page 1 of 5 Print Date 1/12/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIGHT PURPLE LC 2
Product code	:	CC10131913
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	f Exposure: : Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Irritating to eyes and respiratory system.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

PolyOne.

MATERIAL SAFETY DATA SHEET LIGHT PURPLE LC 2

Version Number 1.1 Revision Date 05/21/2010 Page 2 of 5 Print Date 1/12/2012

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.	
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Greater than 200 °F (93 °C)	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.	
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	

PolyOne.

MATERIAL SAFETY DATA SHEET LIGHT PURPLE LC 2

Version Number 1.1 Revision Date 05/21/2010 Page 3 of 5 Print Date 1/12/2012

8. EXI	POSURE CONTROLS/P	ERSONAL PROTECTION		
Respiratory protection	: Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: Safety glasses with	Safety glasses with side-shields		
Hand protection	: Protective gloves	Protective gloves		
Skin and body protection	: Long sleeved cloth	Long sleeved clothing		
Additional Protective Measures	: Safety shoes	Safety shoes		
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
9.	PHYSICAL AND CHE	MICAL PROPERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid PURPLE very faint not applicable not applicable 	MICAL PROPERTIESEvaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Not determinedpH: Not applicable		
Form Appearance Colour Odour Melting point/range	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Not determinedpH: Not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid PURPLE very faint not applicable not applicable 	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Not determinedpH: Not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Not determinedpH: Not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 10. STABILITY AN 	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Not determinedpH: Not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 10. STABILITY AN Stable Will not occur. 	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Not determinedpH: Not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 10. STABILITY AN Stable Will not occur. Keep away from o 	Evaporation rate : Not established Specific Gravity : Not determined Bulk density : Not applicable Vapour pressure : Not determined Vapour density : Not determined pH : Not applicable D REACTIVITY		
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 10. STABILITY AN Stable Will not occur. Keep away from o Incompatible with Carbon dioxide (C 	Evaporation rate : Not established Specific Gravity : Not determined Bulk density : Not applicable Vapour pressure : Not determined Vapour density : Not determined pH : Not applicable D REACTIVITY		

PolyOne.

MATERIAL SAFETY DATA SHEET LIGHT PURPLE LC 2

Version Number 1.1 Revision Date 05/21/2010 Page 4 of 5 Print Date 1/12/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.	
Bioaccumulation Potential	: Does not bioaccumulate.	
Additional advice	: no data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA	: Not regulated for transportation.	
IMO/IMDG (maritime)	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
not applicable		

PolyOne

MATERIAL SAFETY DATA SHEET LIGHT PURPLE LC 2

Version Number 1.1 Revision Date 05/21/2010		Page 5 of 5 Print Date 1/12/2012				
California Proposition 65	: Not applicable					
SARA Title III Section 302 Extr	emely Hazardous Substance					
Unless specific chemicals are ide	entified under this section, this product is Not A	pplicable under this regulation				
SARA Title III Section 313 Tox	ic Chemicals:					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
Canadian Regulations:						
-	a Inventory (NIDDI)					
National Pollutant Releas	e inventory (NPRI)					
not applicable						
WHMIS Classification	: Not controlled.					
DSL	: DSL status has not been determined. Qua restricted by regulations.	ntity use in Canada may be				
National Inventories:						
Australia AICS	: Not determined					
China IECS	: Not determined					
Europe EINECS	: Not determined					
Japan ENCS	: Not determined					
Korea KECI	: Not determined					
Philippines PICCS	: Not determined					
	16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.