PolvOne

MATERIAL SAFETY DATA SHEET ABS BLUE 285C

Version Number 1.1 Revision Date 03/26/2014

Page 1 of 6 Print Date 4/1/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	ABS BLUE 285C	
Product code	:	CC10132318	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **ABS BLUE 285C**

Version Number 1.1 Revision Date 03/26/2014 Page 2 of 6 Print Date 4/1/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **ABS BLUE 285C**

Version Number 1.1	
Revision Date 03/26/2014	

Page 3 of 6 Print Date 4/1/2014

torage :		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets BLUE very faint Not determined not applicable insoluble 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
water solubility	10. STABILITY AN	D REACTIVITY	

PolyOne

MATERIAL SAFETY DATA SHEET **ABS BLUE 285C**

Version Number 1.1 Revision Date 03/26/2014 Page 4 of 6 Print Date 4/1/2014

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available

13. DISPOSAL CONSIDERATIONS



MATERIAL SAFETY DATA SHEET **ABS BLUE 285C**

ersion Number 1.1 evision Date 03/26/2014			Page : Print Date 4/1/	
Product	possibl genera classifi	e recycling is preferred tor of waste material has cation, transportation an	es the product can be recycled. When to disposal or incineration. The the responsibility for proper waste d disposal in accordance with cial and local regulations.	e
Contaminated packaging	materia transpo	al has the responsibility	ossible. The generator of waste for proper waste classification, accordance with applicable federal, ations.	
	14. TRA	NSPORT INFORMAT	ION	
U.S. DOT Classification	: Not rea	gulated for transportation	1.	
ICAO/IATA			-	
		o specific regulation.		
IMO/IMDG (maritime)	: Refer t	o specific regulation.		
	15. REGU	LATORY INFORMA	TION	
US Regulations:				
OSHA Status	: Classif	ied as hazardous based o	on components.	
TSCA Status		mponents of this produc Inventory.	t are listed on or exempt from the	
US. EPA CERCLA Hazard		·		
			Doc	
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product	
Chromium (III) oxide	1308-38-9	010 lbs	1,513 LB	
onide				
oxide California Propositi 65	on : Not ap	plicable		
SARA Title III Section 302	Extremely Haza	urdous Substance		
Unless specific chemicals a	re identified und	er this section, this prod	uct is Not Applicable under this regu	latio
*				
SARA Title III Section 313	Toxic Chemical	s:		

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET ABS BLUE 285C

Version Number 1.1	Page 6 of 6
Revision Date 03/26/2014	Print Date <i>4/1/2014</i>

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name		CAS-No.	Weight	NPRI ID#
			percent	
Chromium (III) oxide		1308-38-9	0.10 - 1.00	
Phthalocyanine blue		147-14-8	1.00 - 5.00	
WHMIS Classification	· D2A			
WHMIS Ingredient Dis	sclosure List			
CAS-No.				
147-14-8				
DSL	: All c	components of this product	are on the Canadia	n Domestic
DSL		components of this product cances List (DSL) or are exe		n Domestic
				n Domestic
DSL tional Inventories:				n Domestic
		ances List (DSL) or are exe		n Domestic
tional Inventories: Australia AICS	Subst	ances List (DSL) or are exe		n Domestic
tional Inventories:	Subst	ances List (DSL) or are exe		n Domestic
tional Inventories: Australia AICS China IECS	Subst : Listed : Listed	ances List (DSL) or are exe d		n Domestic
tional Inventories: Australia AICS	Subst	ances List (DSL) or are exe d		in Domestic
tional Inventories: Australia AICS China IECS	Subst : Lister : Lister : Lister	ances List (DSL) or are exe d		in Domestic
tional Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	Subst : Listed : Listed : Listed : Not d	ances List (DSL) or are exe d d d letermined		in Domestic
tional Inventories: Australia AICS China IECS Europe EINECS	Subst : Lister : Lister : Lister	ances List (DSL) or are exe d d d letermined		in Domestic
tional Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	Subst : Listed : Listed : Listed : Not d	ances List (DSL) or are exe d d d letermined d		in Domestic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.