PolvOne

MATERIAL SAFETY DATA SHEET BLUE ANTISTAT

Version Number 1.2 Revision Date 03/26/2012 Page 1 of 6 Print Date 8/25/2012

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Product name	:	BLUE ANTISTAT		
Product code	:	CC10132748		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	•	Industrial Applications		

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Ethanol, 2,2'-iminobis-, N-C12-18-alkyl derivs	71786-60-2	1 - 5
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET BLUE ANTISTAT

Version Number 1.2 Revision Date 03/26/2012 Page 2 of 6 Print Date 8/25/2012

Medical Conditions : None known.					
Aggravated by Exposure:					
	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: not applicable				
Flammable Limits					
Upper explosion limit	: not applicable				
Lower explosion limit	: not applicable				
Autoignition temperature	: not applicable				
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.				
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive				
Procedures	pressure mode should be worn to prevent inhalation of airborne				
Llauren al Eine (Errala ai an	contaminants. C_{2} contaminants (CO) contaminants (CO)				
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as				
reisonal precations	impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				



MATERIAL SAFETY DATA SHEET **BLUE ANTISTAT**

sion Date 03/26/2012			Print	Page Date <i>8/25/</i>	
Handling		ake measures to prevent the built of the bui		harge. Heat	
Storage	: K	eep containers dry and tightly	closed to avoid moistur	e absorption	
	aı	nd contamination. Keep in a d	lry, cool place.		
8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	: Safety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
	Value	Exposure time	Exposure type	List:	
Exposure limit(s) Components Silica, amorphous, precipitated and gel	Value 6 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type		
Components Silica, amorphous,	6 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Exposure type	OSHA Z1 MX OEI	
Components Silica, amorphous,	6 mg/m3	Time Weighted Average (TWA): Time Weighted Average	Exposure type	OSHA Z1	
Components Silica, amorphous,	6 mg/m3 10 mg/m3 0.8 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average		OSHA Z1 MX OEI	
Components Silica, amorphous, precipitated and gel	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	DPERTIES	OSHA Z1 MX OEI Z3	
Components Silica, amorphous,	6 mg/m3 10 mg/m3 0.8 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specifi	DPERTIES ration rate : No ic Gravity : No	OSHA Z1 MX OEI Z3 t applicable t determined	
Components Silica, amorphous, precipitated and gel Form Appearance Colour	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : BLU	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specifi E Bulk d	DPERTIES ration rate : No ic Gravity : No lensity : No	OSHA Z1 MX OEI Z3 t applicable t determined t established	
Components Silica, amorphous, precipitated and gel Form Appearance Colour Odour	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : BLU : very	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specif E Bulk d faint Vapou	DPERTIES ration rate : No ic Gravity : No lensity : No ir pressure : not	OSHA Z1 MX OEI Z3 t applicable t determined t established applicable	
Components Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : BLU : very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specif E Bulk d faint Vapou letermined Vapou	OPERTIES ration rate : No ic Gravity : No lensity : No rr pressure : not rr density : not	OSHA Z1 MX OEI Z3 t applicable t determined t established applicable applicable	
Components Silica, amorphous, precipitated and gel Form Appearance Colour Odour	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : BLU : very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specif E Bulk d faint Vapou determined Vapou pplicable pH	OPERTIES ration rate : No ic Gravity : No lensity : No rr pressure : not rr density : not	OSHA Z1 MX OEI Z3 t applicable t determined t established applicable	
Components Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range Boiling Point:	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : BLU : very : Not c : not a : insol	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specif E Bulk d faint Vapou determined Vapou pplicable pH	DPERTIES ration rate : No ic Gravity : No lensity : No ir pressure : not ir density : not	OSHA Z1 MX OEI Z3 t applicable t determined t established applicable applicable	
Components Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range Boiling Point:	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : BLU : very : Not c : not a : insol 10. S	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts Specif E Bulk d faint Vapou letermined Vapou pplicable pH uble	DPERTIES ration rate : No ic Gravity : No lensity : No ir pressure : not ir density : not	OSHA Z1 MX OEI Z3 t applicable t determined t established applicable applicable	

PolyOne

MATERIAL SAFETY DATA SHEET **BLUE ANTISTAT**

Version Number 1.2Page 4 of 6Revision Date 03/26/2012Print Date 8/25/2012

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
71786-60-2	Ethanol, 2,2'-iminobis-, N- C12-18-alkyl derivs	Toxic	digestive system.
		Corrosive	Eyes, Skin, digestive system.
112926-00-8	Silica, amorphous, precipitated and gel	Irritant	Respiratory system, Eyes.

12. ECOLOGICAL INFORMATION				
Persistence and degradability	:	Not readily biodegradable.		
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.		

Bioaccumulation Potentia	1 :	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available

13. DISPOSAL CONSIDERATIONS

Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE ANTISTAT**

Version Number 1.2 Revision Date 03/26/2012 Page 5 of 6 Print Date 8/25/2012

U.S. DOT Classification	: N	lot regulated for	transportation		
ICAO/IATA : Refer to specific regulation.					
IMO/IMDG (maritime)	: R	Refer to specific	regulation.		
	15. F	REGULATORY	Y INFORMAT	TION	
US Regulations:					
OSHA Status	: C	Classified as haz	ardous based o	n components.	
TSCA Status		All components SCA Inventory		are listed on or ex	empt from the
US. EPA CERCLA Hazardo	ous Substa	nces (40 CFR 3	02)		
not applicable					
California Propositio 65	on : N	lot applicable			
SARA Title III Section 302	Fytremely	Hazardous Sul	stance		
Unless specific chemicals ar	-			ct is Not Applicab	le under this regula
1				11	C
SARA Title III Section 313	Toxic Che	emicals:			
Unless specific chemicals ar	e identifie	d under this sec	tion, this produ	ect is Not Applicab	le under this regula
Canadian Regulations:			_		-
National Pollutant Re	elease Inve	entory (NPRI)			
Chemical Name			CAS-No.	Weight percent	NPRI ID#
Phthalocyanine blue			147-14-8	0.10 - 1.00	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **BLUE ANTISTAT**

Version Number 1.2 Revision Date 03/26/2012		Page 6 of 6 Print Date <i>8/25/2012</i>
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.