## MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Version Number 1.2 Revision Date 03/20/2014 Page 1 of 7 Print Date 3/24/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	966296 BISCUIT / SD0150 HABS
Product code	:	CC10132851
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact		
: Resin particles, like other inert materials, can be mechanically irritating.		
: May be harmful if swallowed.		
: Resin particles, like other inert materials, are mechanically irritating to eyes.		
: Experience shows no unusual dermatitis hazard from routine handling.		
: Refer to Section 11 for Toxicological Information.		

PolyOne.

## MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Version Number 1.2 Revision Date 03/20/2014 Page 2 of 7 Print Date 3/24/2014

Medical Conditions       : None known.         Aggravated by Exposure:					
	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIREFIGHTING MEASURES				
Flash point	: not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				

PolyOne

## MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Version Number 1.2 Revision Date 03/20/2014 Page 3 of 7 Print Date 3/24/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: N	No personal respiratory protective equipment normally required.
Eye/Face Protection	: S	Safety glasses with side-shields
Hand protection	: P	Protective gloves
Skin and body protection	: L	Long sleeved clothing
Additional Protective Measures	: S	Safety shoes
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide ppropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour : solid : pellets : TAN Evapouration rate Specific Gravity Bulk density

Not applicableNot determinedNot established

# MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Version Number 1.2 Revision Date 03/20/2014 Page 4 of 7 Print Date 3/24/2014

Odour Melting point/range Boiling Point: Water solubility	<ul><li>very faint</li><li>Not determined</li><li>not applicable</li><li>insoluble</li></ul>	Vapour pressure Vapour density pH	<ul><li>not applicable</li><li>not applicable</li><li>not applicable</li></ul>
	10. STABILITY AN	D REACTIVITY	
Stability	: The product is stab	le if stored and handled as	s prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	gagents.
Hazardous decomposition products		O2), carbon monoxide (CC dous materials, and smoke	U U

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

PolyOne.

## MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Bioaccumulation Potentialpolymer matrix.Bioaccumulation Potential: Chemicals are not repolymer matrix.Additional advice: no data available <b>13. DISPOSAL CONS</b> Product: Like most thermopla possible recycling is generator of waste reclassification, transp applicable federal, stContaminated packaging: Recycling is preferrer material has the resp transportation and di state/provincial and IU.S. DOT Classification: Not regulated for tra ICAO/IATAICAO/IATA: Refer to specific reg IMO/IMDG (maritime)US Regulations: OSHA Status: Classified as hazardo	
polymer matrix.Bioaccumulation Potential: Chemicals are not repolymer matrix.Additional advice: no data availableImage: Construct of the state of the s	
Additional advice : no data available <b>13. DISPOSAL CONS</b> Product : Like most thermopla possible recycling is generator of waste m classification, transp applicable federal, st Contaminated packaging : Recycling is preferrer material has the resp transportation and di state/provincial and I U.S. DOT Classification : Not regulated for tra ICAO/IATA : Refer to specific reg IMO/IMDG (maritime) : Refer to specific reg IMO/IMDG (maritime) : Refer to specific reg US Regulations: OSHA Status : Classified as hazardo TSCA Status : All components of t TSCA Status : All components of t TSCA CERCLA Hazardous Substances (40 CFR 302)	dily available as they are bound within the
I3. DISPOSAL CONSProduct: Like most thermopla possible recycling is generator of waste m classification, transp applicable federal, stContaminated packaging: Recycling is preferre material has the resp transportation and di state/provincial and IU.S. DOT Classification: Not regulated for tra ICAO/IATAICAO/IATA: Refer to specific regIMO/IMDG (maritime): Refer to specific regUS Regulations:OSHA StatusOSHA Status: Classified as hazarde TSCA Inventory.US. EPA CERCLA Hazardous Substances (40 CFR 302)	dily available as they are bound within the
Product       : Like most thermopla possible recycling is generator of waste m classification, transp applicable federal, st         Contaminated packaging       : Recycling is preferred material has the resp transportation and di state/provincial and I         U.S. DOT Classification       : Not regulated for tra         ICAO/IATA       : Refer to specific reg         IMO/IMDG (maritime)       : Refer to specific reg         US Regulations:       :         OSHA Status       : Classified as hazarde TSCA Status         US. EPA CERCLA Hazardous Substances (40 CFR 302)	
possible recycling is generator of waste m classification, transp applicable federal, st         Contaminated packaging       :         Recycling is preferred material has the resp transportation and di state/provincial and 1         U.S. DOT Classification       :         Not regulated for tra         ICAO/IATA       :         Refer to specific reg         IMO/IMDG (maritime)       :         Refer to specific reg         US Regulations:         OSHA Status       :         Classified as hazarded 	DERATIONS
material has the resp         transportation and distate/provincial and l         14. TRANSPORT INIT         U.S. DOT Classification       : Not regulated for tra         ICAO/IATA       : Refer to specific reg         IMO/IMDG (maritime)       : Refer to specific reg         US Regulations:	tic plastics the product can be recycled. Where referred to disposal or incineration. The terial has the responsibility for proper waste rtation and disposal in accordance with te/provincial and local regulations.
U.S. DOT Classification       : Not regulated for tra         ICAO/IATA       : Refer to specific reg         IMO/IMDG (maritime)       : Refer to specific reg         US Regulations:	when possible. The generator of waste nsibility for proper waste classification, posal in accordance with applicable federal, cal regulations.
ICAO/IATA : Refer to specific reg IMO/IMDG (maritime) : Refer to specific reg IS. REGULATORY IN US Regulations: OSHA Status : Classified as hazardo TSCA Status : All components of t TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	ORMATION
IMO/IMDG (maritime)       : Refer to specific reg         15. REGULATORY IN         US Regulations:         OSHA Status       : Classified as hazardo         TSCA Status       : All components of t         TSCA Status       : All components of t         US. EPA CERCLA Hazardous Substances (40 CFR 302)	sportation.
15. REGULATORY IN         US Regulations:         OSHA Status       :       Classified as hazardo         TSCA Status       :       All components of t         TSCA Status       :       All components of t         US. EPA CERCLA Hazardous Substances (40 CFR 302)	ation.
US Regulations: OSHA Status : Classified as hazardo TSCA Status : All components of t TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	ation.
OSHA Status : Classified as hazardo TSCA Status : All components of t TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	FORMATION
TSCA Status : All components of t TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	
TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	is based on components.
	is product are listed on or exempt from the
not applicable	
California Proposition : Not applicable 65	

## MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Version Number 1.2 Revision Date 03/20/2014 Page 6 of 7 Print Date 3/24/2014

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Rutile, antimony chromium buff	68186-90-3	0.10 - 1.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
7631-86-9

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne.

## MATERIAL SAFETY DATA SHEET 966296 BISCUIT / SD0150 HABS

Version Number 1.2 Revision Date 03/20/2014 Page 7 of 7 Print Date 3/24/2014