PolvOne

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 7 Print Date 3/23/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IR REFLECTIVE BROWN
Product code	:	CC10132935
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Iron oxide	1309-37-1	1 - 5
Miscellaneous Chromium Compounds (Cr II	0-02-2	1 - 5
& III)		
Rutile, antimony chromium buff	68186-90-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 7 Print Date 3/23/2014

Chronic exposure : Refer to Section 11 for Toxicological Information.						
Medical Conditions : None known. Aggravated by Exposure: :						
		4. FIRST AID MEASURES				
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
		5. FIREFIGHTING MEASURES				
Flash point	:	not applicable				
Flammable Limits						
Upper explosion limit	:	not applicable				
Lower explosion limit	:	not applicable				
Auto-ignition temperature Suitable extinguishing media	:	not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.				
Suitable extinguishing media	•	Carbon dioxide blanket, water spray, Dry powder, roani.				
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.				
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. A	CCIDENTAL RELEASE MEASURES				
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.				
		7. HANDLING AND STORAGE				

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

sion Number 1.1 /ision Date 03/13/2014		Page 3 Print Date 3/23/2
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EX	POSUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 7 Print Date 3/23/2014

Components Value		Exposure time	Exposure type	List:	
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1	
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL	
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL	
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH	
	0.5 mg/m3	PEL:	as Cr	OSHA Z1	
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH	
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH	
	0.5 mg/m3	PEL:	as Sb	OSHA Z1	
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A	
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL	
Miscellaneous Chromium Compounds (Cr II & III)	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH	
·	1 mg/m3	PEL:	as Cr	OSHA Z1	
	0.5 mg/m3	Time Weighted Average (TWA):		MX OEL	

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

: pellets : BROWN : very faint : Not determined : not applicable : insoluble

: solid

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH

Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

Version Number 1.1 Revision Date 03/13/2014

Page 5 of 7 Print Date 3/23/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
0-02-2	Miscellaneous Chromium Compounds (Cr II & III)	Irritant	Eyes, Skin.
		sensitizer	Skin.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.

Additional Health Hazard Information:

Miscellaneous Chromium Compounds (Cr II & III) 0-02-2 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

12. ECOLOGICAL INFORMATION					
: Not readily biodegradable.					
: Chemicals are not readily available as they are bound within the polymer matrix.					
: Chemicals are not readily available as they are bound within the polymer matrix.					
: no data available					
13. DISPOSAL CONSIDERATIONS					
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
-					

PolyOne.

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 7 Print Date 3/23/2014

	14	4. TRANSPORT	INFOR	MATION	1		
U.S. DOT Classification	:	Not regulated for	r transpoi	tation.			
ICAO/IATA	:	Refer to specific	regulatio	n.			
IMO/IMDG (maritime)	:	Refer to specific	regulatio	n.			
	15	REGULATORY	Y INFOI	RMATIO	N		
US Regulations:		<u>MEGULITON</u>					
-							
OSHA Status	:	Classified as haz	ardous ba	ased on co	omponent	ts.	
TSCA Status	:	All components TSCA Inventory		oduct are	listed on	or exer	npt from the
US. EPA CERCLA Hazardo	ous Subs	tances (40 CFR 3	02)				
not applicable							
California Propositio 65	on :	Not applicable					
SARA Title III Section 302	Extreme	ely Hazardous Sut	ostance				
Unless specific chemicals ar	e identif	fied under this sec	tion, this	product i	s Not Ap	plicable	under this regula
SARA Title III Section 313	Toxic C	hemicals:					
Unless specific chemicals ar	e identif	fied under this sec	tion, this	product i	s Not Ap	plicable	under this regula
Chemical Name				CAS-No).	Weight	percent
CHROMIUM III COMPO		CHROMIUM III		68186-90	-3	5.00 -	10.00
COMPOUNDSANTIMO COMPOUNDSCHROMI							
CHROMIUM III COMPC				0-02-2		1.00 -	5.00
ennennen meestin e	011251			0 02 2		1100	
Canadian Regulations:							
C	lease In	ventory (NPRI)					
Canadian Regulations: National Pollutant Re Chemical Name	elease In	ventory (NPRI)	CAS-N	Э.	Weight	t	NPRI ID#
National Pollutant Re		ventory (NPRI)	CAS-No		Weight percent 5.00 -	t	NPRI ID#

PolyOne

MATERIAL SAFETY DATA SHEET IR REFLECTIVE BROWN

Version Number 1.1 Revision Date 03/13/2014

Page 7 of 7 Print Date 3/23/2014

Miscellaneous Chromium Cor	npounds (Cr II &	0-02-2	1.00 - 5.00	69
III)			1.00 - 5.00	69
WHMIS Classification WHMIS Ingredient Discl	: D2B osure List			
1309-37-1 68186-90-3 0-02-2 DSL			mined. Quantity use	in Canada may
ational Inventories:	restricted by re	gulations.		
Australia AICS	: Not determined	1		
China IECS	: Not determined	1		
Europe EINECS	: Not determined	1		
Japan ENCS	: Not determined	1		
Korea KECI	: Not determined	1		
Philippines PICCS	: Not determined	1		
	16 ОТНЕР І	NFORMATIO	N	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.