MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

Version Number 1.1 Revision Date 03/26/2014 Page 1 of 7 Print Date 4/2/2014

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORAT 33587 Walker Road, Avo		ОН 44012
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV JERRI CAN RED
Product code	:	CC10134388
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	1 - 5
Benzenesulfonic acid, 5-chloro-2-[(2- hydroxy-1-naphthalenyl)azo]-4-methyl-, barium salt (2:1)	5160-02-1	10 - 30
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact

Acute exposure

Inhalation

: Resin particles, like other inert materials, can be mechanically irritating.

PolyOne.

MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

ion Number 1.1 sion Date 03/26/2014	Page 2 Print Date 4/2/2
Ingestion Eyes	May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating t
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit Auto-ignition temperature	: not applicable : not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

Version Number 1.1 Revision Date 03/26/2014 Page 3 of 7 Print Date 4/2/2014

Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal.	l in
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt and contamination. Keep in a dry, cool place.	ion
8. EX	OSURE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour
- : solid: pellets: RED: very faint
- Evapouration rate Specific Gravity Bulk density Vapour pressure
- Not applicableNot determinedNot establishednot applicable

MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

Version Number 1.1 Revision Date 03/26/2014

_

Melting point/range Boiling Point: Water solubility	:	Not determined not applicable insoluble	Vapour density pH	:	not applicable not applicable
		10. STABILITY AND RI	EACTIVITY		
Stability		: The product is stable if	stored and handled a	as presc	ribed.
Hazardous Polymerization		: Will not occur.			
Conditions to avoid		: Keep away from oxidiz decomposition, do not o	0 0 1	flame.	To avoid thermal
Incompatible Materials		: Incompatible with stror	ng acids and oxidizin	g agent	S.
Hazardous decomposition products		: Carbon dioxide (CO2), (NOx), other hazardous	,	, .	U U

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-	Irritant	Eyes, Skin, Respiratory
	bis(2,2,6,6-tetramethyl-4-		system.
	piperidinyl)-,polymer with		
	2,4,6-trichloro-1,3,5-		
	triazine, reaction products		
5160-02-1	Benzenesulfonic acid, 5-	Irritant	Eyes, Skin.
	chloro-2-[(2-hydroxy-1-		
	naphthalenyl)azo]-4-		
	methyl-, barium salt (2:1)		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-	Oral LD50	> 2,000 mg/kg	rat
	bis(2,2,6,6-tetramethyl-4-	Dermal LD50	> 3,000 mg/kg	rat
	piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-			
	triazine, reaction products			

Carcinogenicity

PolyOne

Page 4 of 7 Print Date 4/2/2014

PolyOne

MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

Version Number 1.1 Revision Date 03/26/2014 Page 5 of 7 Print Date 4/2/2014

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal and local regulations.
	transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

sion Date 03/26/2014		Print Da	Page (ate 4/2/
US Regulations:			
OSHA Status : Classified as hazardou	s based on compo	onents.	
TSCA Status : All components of thi TSCA Inventory.	s product are liste	ed on or exempt from	1 the
US. EPA CERCLA Hazardous Substances (40 CFR 302)			
not applicable			
California Proposition : WARNING! This pro 65 California to cause car		nemical known to the	e State o
SARA Title III Section 302 Extremely Hazardous Substanc	e		
Unless specific chemicals are identified under this section, t	his product is No	t Applicable under tl	his regu
SARA Title III Section 313 Toxic Chemicals:			
SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, the Chemical Name	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, t			
Unless specific chemicals are identified under this section, t Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, t Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4]	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, t Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4] Canadian Regulations:	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, t Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4] Canadian Regulations: National Pollutant Release Inventory (NPRI)	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, t Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4] Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, to Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4] Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A	CAS-No.	Weight percent	
Unless specific chemicals are identified under this section, t Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4] Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No.	CAS-No. 5160-02-1	Weight percent 10.00 - 30.00	
Unless specific chemicals are identified under this section, the Chemical Name BARIUM COMPOUNDSBARIUM COMPOUNDS [EXCEPT BASO4] Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 5160-02-1 DSL : All components of thi	CAS-No. 5160-02-1	Weight percent 10.00 - 30.00	

PolyOne.

MATERIAL SAFETY DATA SHEET UV JERRI CAN RED

Version Number 1.1 Revision Date 03/26/2014 Page 7 of 7 Print Date 4/2/2014

China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.