PolvOne

MATERIAL SAFETY DATA SHEET MILK CHOCOLATE 464C

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 7 Print Date 3/26/2014

1. PRODUCT AND COMPANY IDENTIFICATION						
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012						
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).				
Product name	:	MILK CHOCOLATE 464C				
Product code	:	CC10135188				
Chemical Name	:	Mixture				
CAS-No.	:	Mixture				
Product Use	:	Industrial Applications				

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	1 - 5
Rutile, antimony chromium buff	68186-90-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET MILK CHOCOLATE 464C

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 7 Print Date 3/26/2014

Medical Conditions : None known. Aggravated by Exposure:						
	4. FIRST AID MEASURES					
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all ca doubt seek medical advice.						
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.					
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.					
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.					
	5. FIREFIGHTING MEASURES					
Flash point	: not applicable					
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 					
	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.					
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.					
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.					
	7. HANDLING AND STORAGE					
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.					

PolyOne.

MATERIAL SAFETY DATA SHEET *MILK CHOCOLATE 464C*

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 7 Print Date 3/26/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	No personal respiratory protective equipment nor	mally required.
Eye/Face Protection	Safety glasses with side-shields	
Hand protection	Protective gloves	
Skin and body protection	Long sleeved clothing	
Additional Protective Measures	Safety shoes	
General Hygiene Considerations	Handle in accordance with good industrial hygier practice. Wash hands before breaks and at the en	•
Engineering measures	Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery.	ation. Provide
$\mathbf{E}_{\mathbf{r}}$		

Exposure limit(s)

PolyOne

MATERIAL SAFETY DATA SHEET MILK CHOCOLATE 464C

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 7 Print Date 3/26/2014

Components	Value	Exposure time	Exposure type	List:
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	
Appearance	
Colour	
Odour	
Melting point/range	
Boiling Point:	
Water solubility	

solid pellets BROWN very faint Not determined not applicable insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH

- : Not applicable
- : Not determined
- : Not established
- : not applicable
- : not applicable
- : not applicable

10. STABILITY AND REACTIVITY

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

MATERIAL SAFETY DATA SHEET MILK CHOCOLATE 464C

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 7 Print Date 3/26/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

:	Not readily biodegradable.
•	Chemicals are not readily available as they are bound within the polymer matrix.
:	Chemicals are not readily available as they are bound within the polymer matrix.
:	no data available
1	3. DISPOSAL CONSIDERATIONS
:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
-	1

PolyOne.

MATERIAL SAFETY DATA SHEET MILK CHOCOLATE 464C

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 7 Print Date 3/26/2014

	14. '	FRANSPORT INFO	ORMATIC	DN		
U.S. DOT Classification	: N	ot regulated for trans	portation.			
ICAO/IATA	: R	efer to specific regula	ation.			
IMO/IMDG (maritime)	: R	efer to specific regul	ation.			
	15. R	EGULATORY INF	ORMATI	ON		
US Regulations:						
OSHA Status	: C	lassified as hazardou	s based on	componen	ts.	
TSCA Status		Il components of thi SCA Inventory.	s product a	re listed or	or exer	npt from the
US. EPA CERCLA Hazardo	us Substar	aces (40 CFR 302)				
not applicable						
California Proposition 65	n : N	ot applicable				
SARA Title III Section 302 I	Extremely	Hazardous Substanc	e			
Unless specific chemicals are	-			t is Not An	nlicable	under this regula
oness speeme chemicars are		i under uns section, i	ins produc	t is Not Ap	pheaole	under this regula
SARA Title III Section 313	Toxic Che	micals:				
Unless specific chemicals are	dentified	l under this section, t				
Chemical Name			CAS-N			percent
CHROMIUM III COMPO COMPOUNDSANTIMON		ROMIUM III	68186-	90-3	10.00	- 30.00
COMPOUNDSANTIMON		POUNDS				
Canadian Regulations:						
Canadian Regulations.						
	anca Inva	ntory (NPRI)				
National Pollutant Re			NT.	*** *		NIDDI ID //
National Pollutant Rel Chemical Name		CAS	-No.	Weigh		NPRI ID#

PolyOne

MATERIAL SAFETY DATA SHEET MILK CHOCOLATE 464C

Version Number 1.1 Revision Date 03/13/2014 Page 7 of 7 Print Date 3/26/2014

WHMIS Classification	:	D2A
WHMIS Ingredient Disclosure List		
CAS-No. 68186-90-3		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.