PolyOne

MATERIAL SAFETY DATA SHEET **DENTI-GREEN**

Version Number 1.3 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/26/2014

POLYONE CORPORATI 33587 Walker Road, Avor		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DENTI-GREEN
Product code	:	CC10135459
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Iron oxide	1309-37-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **DENTI-GREEN**

Version Number 1.3 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/26/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **DENTI-GREEN**

Version Number 1.3 Revision Date 03/13/2014

Page 3 of 6 Print Date 3/26/2014

: not applicable

Storage		Keep containers dry and tightly nd contamination. Keep in a d		e absorption
8. 1	EXPOSURE	CONTROLS/PERSONAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	Protective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		Iandle in accordance with good ractice. Wash hands before brown		
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:
	Value 10 mg/m3	Exposure time PEL:	Exposure type Fume.	List: OSHA Z1
Components				
Components	10 mg/m3	PEL: Time Weighted Average	Fume.	OSHA Z1
Components	10 mg/m3 5 mg/m3	PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Fume. as Fe	OSHA Z1 MX OEL
Components	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average	Fume. as Fe as Fe Respirable fraction.	OSHA Z1 MX OEL MX OEL
Components Iron oxide	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 9. PHYSI	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Fume. as Fe as Fe Respirable fraction.	OSHA Z1 MX OEL MX OEL ACGIH
Components Iron oxide	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 9. PHYSIC : solid	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Fume. as Fe as Fe Respirable fraction. OPERTIES uration rate : Not	OSHA Z1 MX OEL MX OEL ACGIH
Components Iron oxide Generation of the second seco	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 9. PHYSIC : solid : pelle	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Fume. as Fe as Fe Respirable fraction. OPERTIES uration rate : Not ic Gravity : Not	OSHA Z1 MX OEL MX OEL ACGIH
Components Iron oxide	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 9. PHYSIC : solid	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Exapore Specific EEN Bulk d	Fume. as Fe as Fe Respirable fraction. OPERTIES uration rate : Not ensity : Not	OSHA Z1 MX OEL MX OEL ACGIH

10. STABILITY AND REACTIVITY

pН

: The product is stable if stored and handled as prescribed.

Stability

Boiling Point:

Water solubility

Hazardous Polymerization

: Will not occur.

: not applicable

: insoluble



MATERIAL SAFETY DATA SHEET **DENTI-GREEN**

sion Number 1.3 ision Date 03/13/2014				Page 4 Print Date 3/26/2
Conditions to avoid	:		om oxidizing agents an n, do not overheat.	d open flame. To avoid thermal
Incompatible Materials	:	Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomposition products	:			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. '	FOXICOLOG	ICAL INFORMATIO	DN
This mixture has not been health data for the individu				are effects listed are based on ex-
<u>Toxicity Overview</u> This product contains the f	ollowing	components w	hich in their pure form	have the following characteristic
CAS-No.		nical Name	Effect	Target Organ
1309-37-1 Ir	on oxide		Systemic effects	Respiratory system.
Dereistance and degradabil			AL INFORMATION	
Persistence and degradabil Environmental Toxicity	ity : :	Not readily bi Chemicals are polymer matri	e not readily available a	as they are bound within the
Bioaccumulation Potential	:	Chemicals are polymer matri		as they are bound within the
Additional advice	:	no data availa	ble	
	1	3. DISPOSAL	CONSIDERATIONS	
Product	:	possible recyc generator of w classification,	cling is preferred to dis vaste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packaging	:	material has the transportation	he responsibility for pr	e. The generator of waste oper waste classification, lance with applicable federal, s.
	1	4. TRANSPOI	RT INFORMATION	
U.S. DOT Classification	:	Not regulated	for transportation.	
ICAO/IATA	:	Refer to speci	fic regulation.	

PolyOne.

MATERIAL SAFETY DATA SHEET **DENTI-GREEN**

Version Number 1.3 Revision Date 03/13/2014

_

Page 5 of 6 Print Date 3/26/2014

		15	5. REGULATOR	Y INFORMAT	ION		
US Regulation	s:						
OSHA	Status	:	Classified as ha	zardous based on	components.		
TSCA	Status	:	All components		are listed on or exe	empt from the	
US. EPA CER	CLA Hazardous	Sub	stances (40 CFR 3	302)			
no	t applicable						
Califor 65	nia Proposition	:	Not applicable				
CADA T'IL II			1 11	1			
SARA Title II	Section 302 Ext	rem	ely Hazardous Su	bstance			
					et is Not Applicab	le under this reg	gulat
					ct is Not Applicab	le under this reg	gulat
					ct is Not Applicab	le under this reg	gulat
Unless specific	e chemicals are id	lenti	fied under this se		et is Not Applicab	le under this reg	gulat
Unless specific		lenti	fied under this se		ct is Not Applicab	le under this reg	gulat
Unless specific SARA Title II	c chemicals are id I Section 313 Tox	lenti kic C	fied under this se	ction, this produc			-
Unless specific SARA Title II	c chemicals are id I Section 313 Tox	lenti kic C	fied under this se	ction, this produc	ct is Not Applicab ct is Not Applicab		-
Unless specific SARA Title II Unless specific	e chemicals are id I Section 313 Tox e chemicals are id	lenti kic C	fied under this se	ction, this produc			-
Unless specific SARA Title II Unless specific	e chemicals are id I Section 313 Tox e chemicals are id	lenti kic C	fied under this se	ction, this produc			-
Unless specific SARA Title II Unless specific Canadian Regu Nationa	c chemicals are id Section 313 Tox c chemicals are id ilations: l Pollutant Relea:	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc	et is Not Applicab	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu	c chemicals are id Section 313 Tox c chemicals are id ilations: l Pollutant Relea:	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc	ct is Not Applicab		-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> ame	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc ction, this produc CAS-No.	t is Not Applicab Weight percent	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> ame	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc	et is Not Applicab	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> ame	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc ction, this produc CAS-No.	t is Not Applicab Weight percent	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> ame	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc ction, this produc CAS-No.	t is Not Applicab Weight percent	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na Phthalocyan	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> ame	lenti tic C	fied under this se Chemicals: fied under this se	ction, this produc ction, this produc CAS-No.	t is Not Applicab Weight percent	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na Phthalocyan WHMI	c chemicals are id [Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> : ame ine green	lenti kic C lenti se In	fied under this se Chemicals: fied under this se nventory (NPRI)	ction, this produc ction, this produc CAS-No. 1328-53-6	Weight percent 1.00 - 5.00	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na Phthalocyan	c chemicals are id [Section 313 Tox c chemicals are id ilations: <u>l Pollutant Relea</u> : ame ine green	lenti kic C lenti	fied under this se Chemicals: fied under this se nventory (NPRI) Not controlled. All components	ction, this produc ction, this produc CAS-No. 1328-53-6	Weight percent 1.00 - 5.00	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na Phthalocyan WHMI DSL	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>l Pollutant Releas</u> ame <u>ine green</u> S Classification	lenti kic C lenti se In	fied under this se Chemicals: fied under this se nventory (NPRI) Not controlled. All components	ction, this produc ction, this produc CAS-No. 1328-53-6	Weight percent 1.00 - 5.00	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na Phthalocyan WHMI DSL National Inver	c chemicals are id I Section 313 Tox c chemicals are id ilations: <u>I Pollutant Releas</u> ine green S Classification tories:	lenti kic C lenti se In	fied under this se Chemicals: fied under this se nventory (NPRI) Not controlled. All components Substances List	ction, this produc ction, this produc CAS-No. 1328-53-6	Weight percent 1.00 - 5.00	le under this reg	-
Unless specific SARA Title II Unless specific Canadian Regu Nationa Chemical Na Phthalocyan WHMI DSL National Inver	e chemicals are id I Section 313 Tox e chemicals are id ilations: <u>I Pollutant Releas</u> ame ine green S Classification tories: ia AICS	lenti kic C lenti se In	fied under this se Chemicals: fied under this se nventory (NPRI) Not controlled. All components	ction, this produc ction, this produc CAS-No. 1328-53-6	Weight percent 1.00 - 5.00	le under this reg	-

PolyOne

MATERIAL SAFETY DATA SHEET **DENTI-GREEN**

Version Number 1.3 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/26/2014

Europe EINECS:ListedJapan ENCS:Not determinedKorea KECI:ListedPhilippines PICCS:Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.