MATERIAL SAFETY DATA SHEET TRBOPE 135493

Version Number 1.1 Revision Date 03/26/2014

Page 1 of 6 Print Date 4/2/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRBOPE 135493
Product code	:	CC10135493
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRBOPE 135493**

Version Number 1.1 Revision Date 03/26/2014 Page 2 of 6 Print Date 4/2/2014

Medical Conditions Aggravated by Exposure:	: None known.		
4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **TRBOPE 135493**

Revision Date 03/26/2014	

Page 3 of 6 Print Date 4/2/2014

Storage	·	Keep containers dry and tightly closed to avoid moisture absorand contamination. Keep in a dry, cool place.	rption
8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	:	No personal respiratory protective equipment normally require	ed.
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday	
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
-	us com	ponents above regulatory thresholds in this product.	
		ponents above regulatory thresholds in this product.	
There are no known hazardou		SICAL AND CHEMICAL PROPERTIES	cable
There are no known hazardou 9. Form	. PHY : sc	SICAL AND CHEMICAL PROPERTIES	
There are no known hazardou 9. Form Appearance	. PHY : sc : pe	SICAL AND CHEMICAL PROPERTIES olid Evapouration rate : Not applie ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not establ	mined
There are no known hazardou 9. Form Appearance Colour Odour	• PHY : so : pe : N : ve	SICAL AND CHEMICAL PROPERTIES olid Evapouration rate : Not applie ellets Specific Gravity : Not deterr O PIGMENT Bulk density : Not estable ery faint Vapour pressure : not applic	mined lished able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	. PHY : sc : pe : N : ve : N	SICAL AND CHEMICAL PROPERTIES olid Evapouration rate : Not applid ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not estable erry faint Vapour pressure : not applic ot determined Vapour density : not applic	mined lished able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHY : sc : pe : N : ve : N : no	SICAL AND CHEMICAL PROPERTIES blid Evapouration rate : Not applie ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not estable ery faint Vapour pressure : not applic ot determined Vapour density : not applic ot applicable pH : not applic	mined lished able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	. PHY : sc : pe : N : ve : N : no	SICAL AND CHEMICAL PROPERTIES olid Evapouration rate : Not applid ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not estable erry faint Vapour pressure : not applic ot determined Vapour density : not applic	mined lished able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHY : sc : pe : N : ve : N : nc : in	SICAL AND CHEMICAL PROPERTIES blid Evapouration rate : Not applie ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not estable ery faint Vapour pressure : not applic ot determined Vapour density : not applic ot applicable pH : not applic	mined lished able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHY : sc : pe : N : ve : N : nc : in	SICAL AND CHEMICAL PROPERTIES olid Evapouration rate : Not applie ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not estable ery faint Vapour pressure : not applic ot determined Vapour density : not applic ot applicable pH : not applic	mined lished able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	. PHY : sc : pe : N : ve : N : nc : in	SICAL AND CHEMICAL PROPERTIES blid Evapouration rate : Not applie clids Specific Gravity : Not determ O PIGMENT Bulk density : Not estable cry faint Vapour pressure : not applic ot determined Vapour density : not applic ot applicable pH : not applic soluble STABILITY AND REACTIVITY Stability	mined lished able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	. PHY : sc : pe : N : ve : N : nc : in	SICAL AND CHEMICAL PROPERTIES blid Evapouration rate : Not applie ellets Specific Gravity : Not detern O PIGMENT Bulk density : Not estable ery faint Vapour pressure : not applic ot determined Vapour density : not applic ot applicable pH : not applic soluble . . D. STABILITY AND REACTIVITY The product is stable if stored and handled as prescribed.	mined lished able able able
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	. PHY : sc : pe : N : ve : N : nc : in	SICAL AND CHEMICAL PROPERTIES Olid Evapouration rate : Not applie Selects Specific Gravity : Not detern O PIGMENT Bulk density : Not estable ery faint Vapour pressure : not applic ot determined Vapour density : not applic ot applicable pH : not applic soluble . . D. STABILITY AND REACTIVITY . The product is stable if stored and handled as prescribed. . Will not occur. . Keep away from oxidizing agents and open flame. To avoid t	mined lished able able able

PolyOne.

MATERIAL SAFETY DATA SHEET **TRBOPE 135493**

Version Number 1.1 Revision Date 03/26/2014 Page 4 of 6 Print Date 4/2/2014

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.

MATERIAL SAFETY DATA SHEET TRBOPE 135493

Version Number 1.1 Revision Date 03/26/2014 Page 5 of 6 Print Date 4/2/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI) Chemical Name CAS-No. Weight

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Molybdenum oxide	1313-27-5	0.10 - 1.00	

WHMIS Classification : Not controlled.

DSL

All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Listed
Korea KECI	: Listed
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

PolyOne.

MATERIAL SAFETY DATA SHEET TRBOPE 135493

Version Number 1.1 Revision Date 03/26/2014 Page 6 of 6 Print Date 4/2/2014

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.