MATERIAL SAFETY DATA SHEET **PG 135755.00 BU PE**

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/26/2014

POLYONE CORPORATI 33587 Walker Road, Avoi		ОН 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 135755.00 BU PE
Product code	:	CC10135755
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Calcium stearate	1592-23-0	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 135755.00 BU PE**

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/26/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 135755.00 BU PE**

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/26/2014

		Keep containers dry and tightly nd contamination. Keep in a		e absorption
8.]	EXPOSURE	E CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: N	No personal respiratory protect	tive equipment normally	required.
Eye/Face Protection	: S	Safety glasses with side-shield	S	
Hand protection	: P	Protective gloves		
Skin and body protection	: L	long sleeved clothing		
Additional Protective Measures	: S	Safety shoes		
General Hygiene Considerations		Handle in accordance with goo practice. Wash hands before b		
Engineering measures		Heat only in areas with approp ppropriate exhaust ventilation		Provide
Components Calcium stearate	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: ACGIH
		$(\mathbf{I} \mathbf{W} \mathbf{A})$:		
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES	
		CAL AND CHEMICAL PR		
Form	: solid	l Evapo	ouration rate : No	t applicable
Appearance	: solid : pelle	l Evapo ets Speci	ouration rate : No fic Gravity : No	t determined
Appearance Colour	: solid : pelle : BLU	l Evapo ets Speci JE Bulk	ouration rate : No fic Gravity : No density : No	t determined t established
Appearance	: solid : pelle : BLU : very	l Evapo ets Speci JE Bulk faint Vapo	ouration rate : No fic Gravity : No density : No ur pressure : not	t determined
Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : BLU : very : Not	l Evapo ets Speci JE Bulk faint Vapo	Duration rate : No fic Gravity : No density : No ur pressure : not ur density : not	t determined t established applicable
Appearance Colour Odour Melting point/range	: solid : pelle : BLU : very : Not : not a	l Evapo ets Speci JE Bulk faint Vapo determined Vapo	Duration rate : No fic Gravity : No density : No ur pressure : not ur density : not	t determined t established applicable applicable
Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : BLU : very : Not : not a : insol	l Evapo ets Speci JE Bulk faint Vapo determined Vapo applicable pH	Duration rate : No fic Gravity : No density : No ur pressure : not ur density : not : not	t determined t established applicable applicable
Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : BLU : very : Not : not a : insol	l Evapo ets Speci JE Bulk faint Vapo determined Vapo applicable pH luble	ouration rate : No fic Gravity : No density : No ur pressure : not ur density : not : not VITY	t determined t established applicable applicable applicable
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solid : pelle : BLU : very : Not : not a : insol 10. \$: T	l Evapo ets Speci JE Bulk faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI	ouration rate : No fic Gravity : No density : No ur pressure : not ur density : not : not VITY	t determined t established applicable applicable applicable
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: solid : pelle : BLU : very : Not : not a : insol 10.5 : T n : V : K	I Evapo ets Speci JE Bulk faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI	ouration rate : No fic Gravity : No density : No ur pressure : not ur density : not : not VITY and handled as prescribed	t determined t established applicable applicable applicable d.

MATERIAL SAFETY DATA SHEET **PG 135755.00 BU PE**

Version Number 1.1 Revision Date 03/13/2014

Page 4 of 6 Print Date 3/26/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS No. Chamical Name Effect Target Organ				
CAS-NO. Chemical Name Effect Target Organ	CAS-NO.	Chemical Name	Effect	Target Organ

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

1592-23-0 Calcium stearate Oral LD50 > 10 gm/kg rat I2. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available ISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation.	CAS-No.	Chemical Name	Route	Value	Species
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation.	1592-23-0	Calcium stearate	Oral LD50	> 10 gm/kg	rat
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation.		12 ECOLOGIC	'AL INFORMAT	ION	
polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation.	Persistence and degrada				
polymer matrix. Additional advice : no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Lite TRANSPORT INFORMATION : Not regulated for transportation.	Environmental Toxicity		•	ble as they are bound	d within the
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation.	Bioaccumulation Poten			ble as they are bound	d within the
Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation.	Additional advice	: no data availa	ble		
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. III. TRANSPORT INFORMATION : Not regulated for transportation.		13. DISPOSAL	CONSIDERATIO	DNS	
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation.	Product	possible recyc generator of v classification,	cling is preferred to vaste material has t transportation and	disposal or incinera he responsibility for disposal in accordar	tion. The proper waste nce with
U.S. DOT Classification : Not regulated for transportation.	Contaminated packagin	material has the transportation	he responsibility fo and disposal in ac	or proper waste class cordance with applic	ification,
		14. TRANSPO	RT INFORMATI	ON	
ICAO/IATA : Refer to specific regulation.	U.S. DOT Classification	n : Not regulated	for transportation.		
	ICAO/IATA	: Refer to speci	fic regulation.		

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 135755.00 BU PE**

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/26/2014

IMO/IMDG (maritime)					
	15	. REGULATORY INFORMATI	ION		
US Regulations:					
OSHA Status	:	Classified as hazardous based on	components.		
TSCA Status	:	All components of this product a TSCA Inventory.	re listed on or exer	mpt from the	
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)			
not applicable					
California Proposition 65	:	Not applicable			
SARA Title III Section 302 Ext	treme	ely Hazardous Substance			
		ely Hazardous Substance fied under this section, this product	t is Not Applicable	e under this reg	gulation
Unless specific chemicals are id SARA Title III Section 313 Toy Unless specific chemicals are id Canadian Regulations:	dentif xic C dentif	fied under this section, this product Chemicals: fied under this section, this product		-	
Unless specific chemicals are id SARA Title III Section 313 Toy Unless specific chemicals are id	dentif xic C dentif	fied under this section, this product Chemicals: fied under this section, this product		-	
Unless specific chemicals are id SARA Title III Section 313 Toy Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u>	dentif xic C dentif	fied under this section, this product Chemicals: fied under this section, this product iventory (NPRI)	t is Not Applicable	e under this reg	

PolyOne

MATERIAL SAFETY DATA SHEET **PG 135755.00 BU PE**

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/26/2014

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.