## MATERIAL SAFETY DATA SHEET **PAPS 135828**

Version Number 1.1 Revision Date 03/21/2014

Page 1 of 6 Print Date 3/25/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PAPS 135828
Product code	:	CC10135828
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET **PAPS 135828**

Version Number 1.1 Revision Date 03/21/2014 Page 2 of 6 Print Date 3/25/2014

Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET **PAPS 135828**

Version Number	er 1.1
<b>Revision Date</b>	03/21/2014

Page 3 of 6 Print Date 3/25/2014

	: Keep containers dry and tightly closed to avoid moist and contamination. Keep in a dry, cool place.			
8. EXI	POSU	RE CONTROLS/PE	RSONAL PROTECTIO	ON
Respiratory protection	:	No personal respirate	ory protective equipment	t normally required.
Eye/Face Protection	:	: Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
There are no known hazardou				oduct.
There are no known hazardou 9.	. PHYS	SICAL AND CHEMI	ICAL PROPERTIES	
There are no known hazardou 9. Form	. <b>PHY</b> : so	SICAL AND CHEMI	<b>ICAL PROPERTIES</b> Evapouration rate	: Not applicable
There are no known hazardou 9. Form Appearance	• <b>PHY</b>	SICAL AND CHEMI lid llets	<b>Evapouration rate</b> Specific Gravity	: Not applicable : Not determined
There are no known hazardou 9. Form Appearance Colour	. PHY? : so : pe : N	SICAL AND CHEMI lid lilets O PIGMENT	<b>Evapouration rate</b> Specific Gravity Bulk density	<ul><li>Not applicable</li><li>Not determined</li><li>Not established</li></ul>
There are no known hazardou 9. Form Appearance Colour Odour	. PHY: : so : pe : No : ve	SICAL AND CHEMI lid llets O PIGMENT ry faint	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> </ul>
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	. PHY : so : pe : No : ve : No	SICAL AND CHEMI lid ellets O PIGMENT ery faint ot determined	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHYS : so : pe : Ne : ve : Ne : no	SICAL AND CHEMI lid llets O PIGMENT ry faint	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> </ul>
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	: so : pe : N : ve : N : ve : nc : in	SICAL AND CHEMI lid ellets O PIGMENT ory faint ot determined ot applicable	<b>EVAPOPERTIES</b> Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: so : pe : N : ve : N : ve : nc : in	SICAL AND CHEMI lid ollets O PIGMENT ory faint ot determined ot applicable soluble	<b>EVAPOPERTIES</b> Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: so : pe : N : ve : N : ve : nc : in	SICAL AND CHEMI lid ollets O PIGMENT ory faint ot determined ot applicable soluble	ICAL PROPERTIES         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: so : pe : N : ve : N : ve : nc : in	SICAL AND CHEMI lid lids O PIGMENT ry faint ot determined ot applicable soluble D. STABILITY AND The product is stable Will not occur.	ICAL PROPERTIES         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH         REACTIVITY         if stored and handled as         dizing agents and open fl	: Not applicable : Not determined : Not established : not applicable : not applicable : not applicable
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: so : pe : N : ve : N : ve : nc : in	SICAL AND CHEMI lid lid llets O PIGMENT try faint ot determined ot applicable soluble D. STABILITY AND The product is stable Will not occur. Keep away from oxid decomposition, do no	ICAL PROPERTIES         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH         REACTIVITY         if stored and handled as         dizing agents and open fl	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>s prescribed.</li> </ul>

PolyOne.

### MATERIAL SAFETY DATA SHEET PAPS 135828

Version Number 1.1 Revision Date 03/21/2014 Page 4 of 6 Print Date 3/25/2014

	12. ECOLO	OGICAL INFORMATION
Persistence and degradability	: Not read	ily biodegradable.
Environmental Toxicity	: Chemica polymer	ls are not readily available as they are bound within the matrix.
Bioaccumulation Potential	: Chemica polymer	ls are not readily available as they are bound within the matrix.
Additional advice	: no data a	available
	13. DISPO	SAL CONSIDERATIONS
Product	possible generato classific	st thermoplastic plastics the product can be recycled. When recycling is preferred to disposal or incineration. The r of waste material has the responsibility for proper waste ation, transportation and disposal in accordance with le federal, state/provincial and local regulations.
Contaminated packaging	material transpor	g is preferred when possible. The generator of waste has the responsibility for proper waste classification, tation and disposal in accordance with applicable federal, vincial and local regulations.
	14. TRAN	SPORT INFORMATION
U.S. DOT Classification	: Not regu	lated for transportation.
ICAO/IATA	: Refer to	specific regulation.
IMO/IMDG (maritime)	: Refer to	specific regulation.
	15. REGUI	ATORY INFORMATION
US Regulations:		
OSHA Status		e no known hazardous components above regulatory ds in this product.
TSCA Status		ponents of this product are listed on or exempt from the aventory.

PolyOne.

## MATERIAL SAFETY DATA SHEET **PAPS 135828**

Version Number 1.1 Revision Date 03/21/2014 Page 5 of 6 Print Date 3/25/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

 National Pollutant Release Inventory (NPRI)

 Chemical Name
 CAS-No.
 Weight percent
 NPRI ID#

 Zinc stearate
 557-05-1
 0.10 - 1.00
 Image: Colspan="2">Colspan="2">CAS-No.

WHMIS Classification	:	Not controlled.		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
16. OTHER INFORMATION				
		5/6		

PolyOne

## MATERIAL SAFETY DATA SHEET **PAPS 135828**

Version Number 1.1 Revision Date 03/21/2014

Page 6 of 6 Print Date 3/25/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.