PolyOne

## MATERIAL SAFETY DATA SHEET IMBIOL 137327

Version Number 1.1 Revision Date 03/21/2014 Page 1 of 6 Print Date 3/25/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	IMBIOL 137327	
Product code	:	CC10137327	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

Components	CAS-No.	Weight percent
Sulfonic acids, C10-18-alkane, sodium salts	68037-49-0	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET *IMBIOL 137327*

Version Number 1.1 Revision Date 03/21/2014 Page 2 of 6 Print Date 3/25/2014

Medical Conditions Aggravated by Exposure:	: None known.				
	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIREFIGHTING MEASURES				
Flash point	: not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				

POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET *IMBIOL 137327*

Version Number 1.1				
<b>Revision Date</b>	03/21/2014			

Page 3 of 6 Print Date 3/25/2014

		ry and tightly closed to avoid moisture absorption h. Keep in a dry, cool place.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	: No personal respin	ratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with	h side-shields		
Hand protection	: Protective gloves	Protective gloves		
Skin and body protection	: Long sleeved cloth	Long sleeved clothing		
Additional Protective Measures	: Safety shoes	Safety shoes		
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
Exposure limit(s)				
	PHVSICAL AND CHE	MICAL PROPERTIES		
	. PHYSICAL AND CHE	MICAL PROPERTIES		
9. Form	: solid	Evapouration rate : Not applicable		
9. Form Appearance	: solid : pellets	Evapouration rate : Not applicable Specific Gravity : Not determined		
9. Form Appearance Colour	: solid : pellets : NO PIGMENT	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not established		
9. Form Appearance Colour Odour	: solid : pellets : NO PIGMENT : very faint	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable		
9. Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable		
9. Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is stal</li> <li>Will not occur.</li> </ul>	Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         ID REACTIVITY         ble if stored and handled as prescribed.         pxidizing agents and open flame. To avoid thermal		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is stal</li> <li>Will not occur.</li> <li>Keep away from or decomposition, do</li> </ul>	Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         ID REACTIVITY         ble if stored and handled as prescribed.         pxidizing agents and open flame. To avoid thermal		

PolyOne

## MATERIAL SAFETY DATA SHEET *IMBIOL 137327*

#### Version Number 1.1 Revision Date 03/21/2014

Page 4 of 6 Print Date 3/25/2014

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68037-49-0	Sulfonic acids, C10-18-	Irritant	Eyes, Skin, Respiratory
	alkane, sodium salts		system, digestive system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	

PolyOne.

# MATERIAL SAFETY DATA SHEET *IMBIOL 137327*

Version Number 1.1 Revision Date 03/21/2014	Page 5 of 6 Print Date <i>3/25/2014</i>
	Fillt Date 3/23/2014
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extrem	ely Hazardous Substance
Unless specific chemicals are identi	ified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic C	Chemicals:
Unless specific chemicals are identi-	ified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release I	nventory (NPRI)
not applicable	
WHMIS Classification :	Not controlled.
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Not determined
Korea KECI :	Listed
Philippines PICCS :	Not determined

PolyOne

## MATERIAL SAFETY DATA SHEET *IMBIOL 137327*

Version Number 1.1 Revision Date 03/21/2014 Page 6 of 6 Print Date 3/25/2014

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.