PolyOne

MATERIAL SAFETY DATA SHEET AMPC 138970

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 7 Print Date 3/28/2014

POLYONE CORPORATI 33587 Walker Road, Avor		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AMPC 138970
Product code	:	CC10138970
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Zinc oxide	1314-13-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET *AMPC 138970*

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 7 Print Date 3/28/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET AMPC 138970

Version Number 1.1 Revision Date 03/23/2014

Page 3 of 7 Print Date 3/28/2014

Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET AMPC 138970

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 7 Print Date 3/28/2014

Components	Value	Exposure time	Exposure type	List:
Zinc oxide	2 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	Short Term Exposure Limit (STEL):	Respirable fraction.	ACGIH
	5 mg/m3	Recommended exposure limit (REL):	Fume.	NIOSH
	5 mg/m3	Recommended exposure limit (REL):	Dust.	NIOSH
	15 mg/m3	Ceiling Limit Value and Time Period (if specified):	Dust.	NIOSH
	10 mg/m3	Short Term Exposure Limit (STEL):	Fume.	NIOSH
	5 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Fume.	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Short Term Exposure Limit (STEL):	Fume.	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Fume.	MX OEL
	10 mg/m3	Time Weighted Average (TWA):	Dust.	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	Fume.	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
 pellets
 NO PIGMENT
 very faint
 Not determined
 not applicable
 insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH

- Not applicableNot determinedNot establishednot applicablenot applicable
- : not applicable

10. STABILITY AND REACTIVITY

Stability	The product is stabl	e if stored and handled as prescribed.
Hazardous Polymerization	Will not occur.	
Conditions to avoid	Keep away from ox decomposition, do n	idizing agents and open flame. To avoid thermal not overheat.

PolyOne.

MATERIAL SAFETY DATA SHEET AMPC 138970

Page Page Page Print Date 3/23/2014 Print Date 3/28/					Page 5 of Print Date 3/28/20		
151011 Date 05/25/20	014					I	
Incompatible Materi	als	:	Incompatible w	ith strong acids a	and o	xidizing agent	S.
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.							
products			(ITOX), other he		is, un	a shioke are a	n possiole.
	1	11.]	FOXICOLOGI	CAL INFORMA	TIC	DN	
This mixture has not health data for the in						ire effects liste	d are based on exist
Toxicity Overview This product contain	ns the follow	ing	components whi	ch in their pure f	orm	have the follo	wing characteristics:
CAS-No.			ical Name	Effect		Target Organ	
1314-13-2	Zinc ox	ide		Systemic effect	ts	Respiratory	system.
LC50 / LD50 This product contain			-	-	form		
CAS-No. 1314-13-2			ical Name	Route LC50		Value	Species
1314-13-2	Zinc ox	Zinc oxide		LC50 2 LC50		500 mg/m3	mouse
				Oral LD50	7	,950 mg/kg	mouse
		10					
		12	2. ECULUGICA	L INFORMAT	IUN		
Persistence and degr	adability	:	Not readily bio	degradable.			
Environmental Toxicity :		:	Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential :		Chemicals are not readily available as they are bound within the polymer matrix.					
Additional advice : no		no data available					
		13	3. DISPOSAL C	ONSIDERATIO	ONS		
Product :		Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
Contaminated packaging		:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				

PolyOne.

MATERIAL SAFETY DATA SHEET AMPC 138970

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 7 Print Date 3/28/2014

J.S. DOT Classification	:	Not regulated for				
			or transportation	1.		
CAO/IATA	:	Refer to specific	regulation.			
MO/IMDG (maritime)	:	Refer to specific	regulation.			
	15	S. REGULATOR	Y INFORMA	TION		
US Regulations:						
OSHA Status	:	Classified as ha	zardous based o	on componen	ts.	
TSCA Status	:	All components		t are listed or	n or exemp	ot from the
JS. EPA CERCLA Hazardous	s Sub	stances (40 CFR 3	302)			
not applicable						
65 ARA Title III Section 302 Ex	trem	ely Hazardous Su	bstance			
Inless specific chemicals are i	identi	fied under this se	ction, this produ	uct is Not Ap	plicable u	nder this regu
ARA Title III Section 313 To	oxic (Chemicals:				
Unless specific chemicals are i	identi	fied under this se				
Chemical Name				S-No.	Weight p	
ZINC COMPOUNDS			1314	-13-2	1.00 - 5.	.00
Canadian Regulations:						
National Pollutant Rele	ase I	nventory (NPRI)				
Chemical Name		• \ /	CAS-No.	Weigh		NPRI ID#
				percen 1.00 -		
Zinc oxide			1314-13-2		י טטר	



MATERIAL SAFETY DATA SHEET AMPC 138970

Version Number 1.1 Revision Date 03/23/2014		Page 7 of 7 Print Date 3/28/2014
WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.