MATERIAL SAFETY DATA SHEET TR POLAR BLUE

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 5 Print Date 3/29/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR POLAR BLUE
Product code	:	CC10139916
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	osure: : Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Particulates, like other inert materials can be mechanically irritating.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **TR POLAR BLUE**

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 5 Print Date 3/29/2014

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit		not applicable
Lower explosion limit	:	not applicable
Auto-ignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET **TR POLAR BLUE**

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 5 Print Date 3/29/2014

0, EAF	POSURE CONTROLS/PE	RSONAL PROTECTION	
Respiratory protection		ory protective equipment nor ur wear appropriate respirato	
Eye/Face Protection	: Safety glasses		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ng	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e before breaks and immediat in accordance with good ind agnostics.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
There are no known hazardou	s components above regulat	ory thresholds in this produc	t.
There are no known hazardou	s components above regulat	ory thresholds in this produc	t.
		•	t.
	s components above regulat PHYSICAL AND CHEM	•	t.
There are no known hazardou 9. Form		ICAL PROPERTIES Evapouration rate	: Not applicable
9. Form	PHYSICAL AND CHEM	ICAL PROPERTIES	
9.	PHYSICAL AND CHEM : solid	ICAL PROPERTIES Evapouration rate	: Not applicable
9. Form Appearance	PHYSICAL AND CHEM : solid : flakes	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density	: Not applicable : Not determined
9. Form Appearance Colour Odour	PHYSICAL AND CHEM : solid : flakes : BLUE	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not determined
9. Form Appearance Colour Odour Melting point/range	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not determined not determined Not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not determined not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not determined not determined Not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not determined not determined Not determined not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not determined not determined Not determined not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND : The product is stable : Will not occur.	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not determined not determined Not determined not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND : The product is stable : Will not occur. : To avoid thermal dec	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not determined not determined Not determined not applicable
9. Form Appearance Colour	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND : The product is stable : Will not occur. : To avoid thermal dea : Incompatible with st	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as press composition, do not overheat rong acids and oxidizing age 2), carbon monoxide (CO), o	 Not applicable Not determined Not determined not determined not applicable

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET *TR POLAR BLUE*

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 5 Print Date 3/29/2014

There are no known hazardous components above regulatory thresholds in this product.

polymer matrix. Bioaccumulation Potential : Not inherently biodeg Additional advice : Chemicals are not read polymer matrix. 13. DISPOSAL CONSID Product : Where possible recycl generator of waste ma classification, transpor applicable federal, stat Contaminated packaging : Recycling is preferred material has the respondence	dily available as they are bound within the radable. dily available as they are bound within the DERATIONS
polymer matrix. Bioaccumulation Potential : Not inherently biodeg Additional advice : Chemicals are not read polymer matrix. I3. DISPOSAL CONSID Product : Where possible recycl generator of waste ma classification, transpot applicable federal, stat Contaminated packaging : Recycling is preferred material has the respondence	radable. dily available as they are bound within the DERATIONS ing is preferred to disposal or incineration. Th terial has the responsibility for proper waste rtation and disposal in accordance with te/provincial and local regulations.
Additional advice : Chemicals are not read polymer matrix. 13. DISPOSAL CONSID Product : Where possible recycl generator of waste ma classification, transpor applicable federal, stat Contaminated packaging : Recycling is preferred material has the respondence of the state of the st	dily available as they are bound within the DERATIONS ing is preferred to disposal or incineration. Th terial has the responsibility for proper waste rtation and disposal in accordance with te/provincial and local regulations.
Product : Where possible recycl generator of waste ma classification, transpor applicable federal, stat Contaminated packaging : Recycling is preferred material has the respon	DERATIONS ing is preferred to disposal or incineration. Th terial has the responsibility for proper waste rtation and disposal in accordance with te/provincial and local regulations.
Product : Where possible recycl generator of waste ma classification, transpon applicable federal, star Contaminated packaging : Recycling is preferred material has the respon	ing is preferred to disposal or incineration. Th terial has the responsibility for proper waste rtation and disposal in accordance with te/provincial and local regulations.
contaminated packaging : Recycling is preferred material has the respon	terial has the responsibility for proper waste rtation and disposal in accordance with te/provincial and local regulations.
material has the respon	when possible. The generator of waste
transportation and disp state/provincial and lo	nsibility for proper waste classification, posal in accordance with applicable federal,
14. TRANSPORT INF	ORMATION
U.S. DOT Classification : Refer to specific regul	ation.
ICAO/IATA : Refer to specific regul	ation.
IMO/IMDG (maritime) : Refer to specific regul	ation.
15. REGULATORY INI	FORMATION
US Regulations:	
OSHA Status : There are no known he thresholds in this prod	azardous components above regulatory uct.
TSCA Status : All components of the TSCA Inventory.	is product are listed on or exempt from the
US. EPA CERCLA Hazardous Substances (40 CFR 302)	
not applicable	

MATERIAL SAFETY DATA SHEET TR POLAR BLUE

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 5 Print Date 3/29/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.