### MATERIAL SAFETY DATA SHEET CONCRETE YELLOW LC

Version Number 1.2 Revision Date 03/30/2014 Page 1 of 5 Print Date 4/9/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CONCRETE YELLOW LC
Product code	:	CC10140419
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Irritating to eyes and respiratory system.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

## MATERIAL SAFETY DATA SHEET CONCRETE YELLOW LC

Version Number 1.2 Revision Date 03/30/2014 Page 2 of 5 Print Date 4/9/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

PolyOne

## MATERIAL SAFETY DATA SHEET CONCRETE YELLOW LC

Version Number 1.2 Revision Date 03/30/2014 Page 3 of 5 Print Date 4/9/2014

0.171	POSURE CONTROLS/PE	RSONALIROIECTION
Respiratory protection	: Under normal handl	ing conditions a respirator may not be required.
Eye/Face Protection	: Safety glasses with s	side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothin	ng
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		e with good industrial hygiene and safety ds before breaks and at the end of workday.
Engineering measures		vith appropriate exhaust ventilation. Provide ventilation at machinery.
Exposure limit(s)		
There are no known hazardou	as components above regula	tory thresholds in this product.
9.	PHYSICAL AND CHEM	ICAL PROPERTIES
<b>9.</b> Form	. PHYSICAL AND CHEM	ICAL PROPERTIES Evapouration rate : Not established
<b>9.</b> Form Appearance	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>ilquid</li> <li>viscous, liquid</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined
<b>9.</b> Form Appearance Colour	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable
<b>9.</b> Form Appearance Colour Odour	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined
<b>9.</b> Form Appearance Colour Odour Melting point/range	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> <li>not applicable</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined         Vapour density       : Not determined
<b>9.</b> Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>ilquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined         Vapour density       : Not determined         pH       : not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined         Vapour density       : Not determined         pH       : not applicable
<b>9.</b> Form Appearance Colour	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined         Vapour density       : Not determined         pH       : not applicable         REACTIVITY
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND <ul> <li>The product is stable</li> <li>Will not occur.</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined         Vapour density       : Not determined         pH       : not applicable         REACTIVITY
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>viscous, liquid</li> <li>YELLOW</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND <ul> <li>The product is stable</li> <li>Will not occur.</li> <li>Keep away from oxid</li> </ul>	ICAL PROPERTIES         Evapouration rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : not determined         Vapour density       : Not determined         pH       : not applicable         REACTIVITY         e if stored and handled as prescribed.

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

## MATERIAL SAFETY DATA SHEET CONCRETE YELLOW LC

Version Number 1.2 Revision Date 03/30/2014 Page 4 of 5 Print Date 4/9/2014

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO/IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition	: Not applicable

<u>PolyOne</u>

### MATERIAL SAFETY DATA SHEET CONCRETE YELLOW LC

Version Number 1.2	Page 5 of 5
Revision Date 03/30/2014	Print Date 4/9/2014

65

\_

SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
SARA Title III Section 313 Toxic Chemicals:					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
not applicable					
WHMIS Classification : Not controlled.					
DSL : DSL status has not been determined. Quantity use in Canada may be restricted by regulations.					
National Inventories:					
Australia AICS : Not determined					
China IECS : Not determined					
Europe EINECS : Not determined					
Japan ENCS : Not determined					
Korea KECI : Not determined					
Philippines PICCS : Not determined					
 16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.