PolvOne

MATERIAL SAFETY DATA SHEET SPRAY TANK YELLOW UV

Version Number 1.1 Revision Date 03/23/2014

Product Use

Page 1 of 7 Print Date 3/29/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SPRAY TANK YELLOW UV
Product code	:	CC10140687
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	1 - 5
Phenol, 2-(2H-benzotriazol-2-yl)-4,6- bis(1,1-dimethylpropyl)-	25973-55-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.

PolyOne.

MATERIAL SAFETY DATA SHEET **SPRAY TANK YELLOW UV**

sion Number 1.1 ision Date 03/23/2014	Page 2 Print Date 3/29/2
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in

POLYONE CORPORATION

PolyOne

MATERIAL SAFETY DATA SHEET **SPRAY TANK YELLOW UV**

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 7 Print Date 3/29/2014

and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally requi Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda				
and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally requi Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provappropriate exhaust ventilation at machinery.	ge. Heat			
Respiratory protection: No personal respiratory protective equipment normally requiEye/Face Protection: Safety glasses with side-shieldsHand protection: Protective glovesSkin and body protection: Long sleeved clothingAdditional Protective: Safety shoesMeasures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workdaEngineering measures: Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
Eye/Face Protection:Safety glasses with side-shieldsHand protection:Protective glovesSkin and body protection:Long sleeved clothingAdditional Protective:Safety shoesMeasures:Safety shoesGeneral Hygiene:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workdaEngineering measures:Heat only in areas with appropriate exhaust ventilation. Provappropriate exhaust ventilation at machinery.				
Hand protection:Protective glovesSkin and body protection:Long sleeved clothingAdditional Protective:Safety shoesMeasures:Safety shoesGeneral Hygiene:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workdayEngineering measures:Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.	uired.			
Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workdate Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provappropriate exhaust ventilation at machinery.	Safety glasses with side-shields			
Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workdate Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provappropriate exhaust ventilation at machinery.	Protective gloves			
Measures	Long sleeved clothing			
Considerationspractice. Wash hands before breaks and at the end of workdayEngineering measures: Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery.	Safety shoes			
appropriate exhaust ventilation at machinery.	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Exposure limit(s)				
Components Value Exposure time Exposure type	List:			

Components	value	Exposure time	Exposure type	LISt.
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	Total dust.	OSHA Z1A
		(TWA):		
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
	_	(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range
- : solid
 : pellets
 : YELLOW
 : very faint
 : Not determined
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable

PolyOne.

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **SPRAY TANK YELLOW UV**

Version Number 1.1 Revision Date 03/23/2014

_

_

Page 4 of 7 Print Date 3/29/2014

Boiling Point: Water solubility	: not applicable : insoluble	рН	: not applicable
	10. STABILITY A	ND REACTIVITY	
Stability	: The product is s	table if stored and han	dled as prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from decomposition, o	00	open flame. To avoid thermal
Incompatible Materials	: Incompatible wi	th strong acids and ox	idizing agents.
Hazardous decomposition products		. ,.	ide (CO), oxides of nitrogen smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products	Irritant	Eyes, Skin, Respiratory system.
25973-55-1	Phenol, 2-(2H- benzotriazol-2-yl)-4,6- bis(1,1-dimethylpropyl)-	Systemic effects	Kidney, Liver, reproductive system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne.

MATERIAL SAFETY DATA SHEET **SPRAY TANK YELLOW UV**

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 7 Print Date 3/29/2014

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7 Titaniu	ım dioxide	no	2B	no
IARC Carcinogen Classificatio 1 - The component is carcinoge 2A - The component is probabl 2B - The component is possibly NTP Carcinogen Classification 1 - The component is known to 2 - The component is reasonabl	enic to humans. y carcinogenic to hun y carcinogenic to hun s: be a human carcinog	nans. gen.		
	12. ECOLOGICA	AL INFORMATION		
Persistence and degradability	: Not readily bio	degradable.		
Environmental Toxicity	: Chemicals are polymer matrix	not readily available a	s they are bound v	vithin the
Bioaccumulation Potential	: Chemicals are polymer matrix	not readily available a	s they are bound v	vithin the
Additional advice	: no data availab	le		
	13. DISPOSAL C	CONSIDERATIONS		
Product	possible recycl generator of wa classification, t	moplastic plastics the p ing is preferred to disp aste material has the re ransportation and disp ral, state/provincial an	oosal or incinerations possibility for prosal in accordance	on. The coper waste e with
Contaminated packaging	material has the transportation a	eferred when possible e responsibility for pro and disposal in accorda l and local regulations.	oper waste classific ance with applicab	cation,
	14. TRANSPOR	T INFORMATION		
U.S. DOT Classification	: Not regulated f	or transportation.		
ICAO/IATA	: Refer to specifi	ic regulation.		
IMO/IMDG (maritime)	: Refer to specifi	ic regulation.		
	15. REGULATO	RY INFORMATION		
US Regulations:				

olyOne

MATERIAL SAFETY DATA SHEET SPRAY TANK YELLOW UV

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 7 Print Date 3/29/2014

TSCA Status All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS : Listed **Europe EINECS** : Listed Japan ENCS Not determined : Korea KECI : Not determined Philippines PICCS : Not determined **16. OTHER INFORMATION**

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET SPRAY TANK YELLOW UV

Version Number 1.1 Revision Date 03/23/2014 Page 7 of 7 Print Date 3/29/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.