PolyOne.

MATERIAL SAFETY DATA SHEET 11LC04

Version Number 1.1 Revision Date 03/23/2014 Page 1 of 6 Print Date 3/31/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	11LC04		
Product code	:	CC10140732		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent	
Benzoxazole, 2,2'-(1,2-ethenediyldi-4,1-	1533-45-5	10 - 30	
phenylene)bis-			

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET 11LC04

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes for overheating or combustion. When symptoms persist or in al doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When sympersist or in all cases of doubt seek medical advice.	ptoms
Eyes	: Rinse immediately with plenty of water, also under the eyeli least 15 minutes. If eye irritation persists, seek medical atte	
Skin	: Wash off with soap and plenty of water. If skin irritation pe seek medical attention.	rsists
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni (NOx), other hazardous materials, and smoke are all possibl 	trogen
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls.	IS
Environmental precautions	: Should not be released into the environment. The product site be allowed to enter drains, water courses or the soil.	hould not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all ma plastic, cardboard or metal containers for disposal.	terial in
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge only in areas with appropriate exhaust ventilation.	e. Heat



MATERIAL SAFETY DATA SHEET 11LC04

Version Number 1.1					
Revision Date	03/23/2014				

		y and tightly closed to avoi . Keep in a dry, cool place.	
8. EXI	POSURE CONTROLS/P	ERSONAL PROTECTIO	N
Respiratory protection	: No personal respira	atory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with	n side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hyands before breaks and at the	
Engineering measures		with appropriate exhaust ve st ventilation at machinery.	entilation. Provide
<u>Exposure mint(s)</u>			
Exposure limit(s) 9.	PHYSICAL AND CHEN	MICAL PROPERTIES	
9.	PHYSICAL AND CHEM	MICAL PROPERTIES	: Not applicable
9. Form Appearance	: solid : pellets	Evapouration rate Specific Gravity	: Not applicable : Not determined
	: solid	Evapouration rate Specific Gravity Bulk density	
9. Form Appearance Colour Odour	 solid pellets NO PIGMENT very faint 	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
9. Form Appearance Colour Odour Melting point/range	 solid pellets NO PIGMENT very faint Not determined 	Evapouration rate Specific Gravity Bulk density	 Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint 	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANDIALITY	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANDIALITY	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN The product is stab Will not occur. 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH D REACTIVITY ole if stored and handled as	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN The product is stab Will not occur. Keep away from or decomposition, do 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH D REACTIVITY ole if stored and handled as	 Not determined Not established not applicable not applicable not applicable prescribed. ame. To avoid therma

PolyOne

MATERIAL SAFETY DATA SHEET 11LC04

Version Number 1.1

Revision Date 03/23/2014

Page 4 of 6 Print Date 3/31/2014

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1533-45-5	Benzoxazole, 2,2'-(1,2- ethenediyldi-4,1- phenylene)bis-	Irritant	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET 11LC04

Version Number 1.1 Revision Date 03/23/2014	Page 5 of 6 Print Date <i>3/31/2014</i>
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	
ISCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
not applicable	
California Proposition : 65	Not applicable
SADA Title III Section 202 Extrem	alu Hazardova Subatanaa
SARA Title III Section 302 Extrem	
Unless specific chemicals are ident	ified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic	
-	ified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release I	nventory (NPRI)
not applicable	
WHMIS Classification :	Not controlled.
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Not determined
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Not determined
Korea KECI :	Listed
Philippines PICCS :	Not determined

PolyOne

MATERIAL SAFETY DATA SHEET 11LC04

Version Number 1.1 Revision Date 03/23/2014

Page 6 of 6 Print Date 3/31/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.