PolyOne

MATERIAL SAFETY DATA SHEET AMTPU 140843

Version Number 1.1 Revision Date 03/23/2014 Page 1 of 6 Print Date 3/31/2014

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AMTPU 140843
Product code	:	CC10140843
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET AMTPU 140843

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **AMTPU 140843**

Version Number 1.1	
Revision Date 03/23/2014	

Page 3 of 6 Print Date 3/31/2014

	·	Keep containers da and contamination	n. Keep in a dry, cool place		
8. EX	POSU	RE CONTROLS/P	PERSONAL PROTECTIO	DN	
Respiratory protection	:	No personal respiratory protective equipment normally required.			
Eye/Face Protection	:	Safety glasses with side-shields			
Hand protection	:	Protective gloves			
Skin and body protection	:	Long sleeved clothing			
Additional Protective Measures	:	Safety shoes			
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Exposure limit(s) 9	. PHYS	SICAL AND CHE	MICAL PROPERTIES		
9. Form Appearance	: so : pe	lid ellets	Evapouration rate Specific Gravity	: Not applicable : Not determined	
9. Form Appearance Colour	: so : pe : N	lid ellets O PIGMENT	Evapouration rate Specific Gravity Bulk density	Not determinedNot established	
9. Form Appearance	: so : pe : N : ve	lid ellets	Evapouration rate Specific Gravity	: Not determined	
9 Form Appearance Colour Odour Melting point/range Boiling Point:	: so : pe : No : ve : No : no	lid Ellets O PIGMENT ery faint ot determined ot applicable	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable	
9. Form Appearance Colour Odour Melting point/range	: so : pe : No : ve : No : no	lid ellets O PIGMENT ery faint ot determined	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not determined Not established not applicable not applicable 	
9 Form Appearance Colour Odour Melting point/range Boiling Point:	: so : pe : No : ve : No : no : int	lid Ellets O PIGMENT ery faint ot determined ot applicable	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable 	
9 Form Appearance Colour Odour Melting point/range Boiling Point:	: so : pe : No : ve : No : no : int	lid Ellets O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable 	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: so : pe : No : ve : No : no : int	lid Ellets O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable 	
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: so : pe : No : ve : No : no : int	lid ellets O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN The product is stat Will not occur.	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY ble if stored and handled as	: Not determined : Not established : not applicable : not applicable : not applicable	
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: so : pe : No : ve : No : no : int	lid ellets O PIGMENT ery faint ot determined ot applicable soluble D. STABILITY AN The product is stat Will not occur. Keep away from o decomposition, do	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY ble if stored and handled as	: Not determined : Not established : not applicable : not applicable : not applicable prescribed.	

PolyOne.

MATERIAL SAFETY DATA SHEET AMTPU 140843

Version Number 1.1 Revision Date 03/23/2014

Page 4 of 6 Print Date 3/31/2014

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

		AL INFORMATION				
Persistence and degradability	: Not readily biodegradable.					
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: no data availab	: no data available				
	13. DISPOSAL C	CONSIDERATIONS				
Product	possible recycl generator of wa classification, t	ing is preferred to dispo				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	14. TRANSPOR	T INFORMATION				
U.S. DOT Classification						
ICAO/IATA	: Refer to specific regulation.					
IMO/IMDG (maritime)	: Refer to specific regulation.					
	15. REGULATO	RY INFORMATION				
US Regulations:						
OSHA Status	: Classified as ha	azardous based on comp	oonents.			

4/6

blvU<u>ne</u>

MATERIAL SAFETY DATA SHEET AMTPU 140843

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

TSCA Status All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic · Substances List (DSL) or are exempt. National Inventories: : Listed Australia AICS China IECS Not determined : Europe EINECS Listed : Japan ENCS Not determined : Korea KECI Not determined : Philippines PICCS : Not determined **16. OTHER INFORMATION**

PolyOne

MATERIAL SAFETY DATA SHEET AMTPU 140843

Version Number 1.1 Revision Date 03/23/2014

Page 6 of 6 Print Date 3/31/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.