MATERIAL SAFETY DATA SHEET **DARK GRAY CC**

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 6 Print Date 3/31/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|--|
| Product name | : | DARK GRAY CC |
| Product code | : | CC10140861 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---------------------|---|
| Acute exposure | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK GRAY CC**

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

| Medical Conditions Aggravated by Exposure: | : None known. |
|---|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIREFIGHTING MEASURES |
| Flash point | : not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **DARK GRAY CC**

| Version Number | er 1.1 |
|----------------|------------|
| Revision Date | 03/23/2014 |

Page 3 of 6 Print Date 3/31/2014

| | • | | and tightly closed to avo Keep in a dry, cool place | |
|--|--|---|---|--|
| 8. EX | POSU | URE CONTROLS/PEI | RSONAL PROTECTIO | ON |
| Respiratory protection | : | No personal respirate | ory protective equipment | t normally required. |
| Eye/Face Protection | : | Safety glasses with s | ide-shields | |
| Hand protection | : | Protective gloves | | |
| Skin and body protection | : | Long sleeved clothin | g | |
| Additional Protective Measures | : | Safety shoes | | |
| General Hygiene Considerations | : | | e with good industrial hy s before breaks and at th | |
| Engineering measures | : | | ith appropriate exhaust v ventilation at machinery. | |
| | | appropriate exhaust v | entitution at machinery. | |
| <u>Exposure limit(s)</u> There are no known hazardo | us con | | | |
| There are no known hazardo | | | ory thresholds in this pro | |
| There are no known hazardo | • PHY : s : p : C : v : N : n | nponents above regulate | ory thresholds in this pro | |
| There are no known hazardo 9 Form Appearance Colour Odour Melting point/range Boiling Point: | • PHY : s : p : C : v : N : n : in | nponents above regulate SICAL AND CHEMI olid wellets GREY very faint Not determined ot applicable | ory thresholds in this pro ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH | Not applicable Not determined Not established not applicable not applicable |
| There are no known hazardo 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility | • PHY : s : p : C : v : N : n : in | nponents above regulate SICAL AND CHEMI olid wellets GREY ery faint Not determined tot applicable nsoluble 0. STABILITY AND | ory thresholds in this pro ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH | oduct. : Not applicable : Not determined : Not established : not applicable : not applicable : not applicable |
| There are no known hazardo 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability | • PHY : s : p : C : v : N : n : in | nponents above regulate SICAL AND CHEMI olid wellets GREY ery faint Not determined tot applicable nsoluble 0. STABILITY AND | ory thresholds in this pro ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY | oduct. : Not applicable : Not determined : Not established : not applicable : not applicable : not applicable |
| There are no known hazardo 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | • PHY : s : p : C : v : N : n : in | nponents above regulate SICAL AND CHEMI olid ellets GREY ery faint Not determined ot applicable nsoluble IO. STABILITY AND The product is stable Will not occur. | ory thresholds in this pro ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY if stored and handled as dizing agents and open f | educt. : Not applicable : Not determined : Not established : not applicable : not applicable : not applicable |
| There are no known hazardo 9 Form Appearance Colour Odour Melting point/range Boiling Point: | • PHY : s : p : C : v : N : n : in | nponents above regulate ZSICAL AND CHEMI olid ellets GREY ery faint Not determined tot applicable nsoluble D. STABILITY AND The product is stable Will not occur. Keep away from oxid decomposition, do no | ory thresholds in this pro ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY if stored and handled as dizing agents and open f | educt. : Not applicable : Not determined : Not established : not applicable : not applicable : not applicable : s prescribed. |

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK GRAY CC**

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 6 Print Date 3/31/2014

| There are no known nazardous | mponents above regulatory thresholds in this product. | | | |
|-------------------------------|---|----------------|--|--|
| | 12. ECOLOGICAL INFORMATION | | | |
| Persistence and degradability | Not readily biodegradable. | | | |
| Environmental Toxicity | Chemicals are not readily available as they are bound within polymer matrix. | n the | | |
| Bioaccumulation Potential | Chemicals are not readily available as they are bound withi polymer matrix. | n the | | |
| Additional advice | no data available | | | |
| | 13. DISPOSAL CONSIDERATIONS | | | |
| Product | Like most thermoplastic plastics the product can be recycle possible recycling is preferred to disposal or incineration. ' generator of waste material has the responsibility for prope classification, transportation and disposal in accordance wir applicable federal, state/provincial and local regulations. | The r waste | | |
| Contaminated packaging | Recycling is preferred when possible. The generator of wa material has the responsibility for proper waste classification transportation and disposal in accordance with applicable for state/provincial and local regulations. | on, | | |
| | 14. TRANSPORT INFORMATION | | | |
| U.S. DOT Classification | Not regulated for transportation. | | | |
| CAO/IATA | Refer to specific regulation. | | | |
| MO/IMDG (maritime) | Refer to specific regulation. | | | |
| 15. REGULATORY INFORMATION | | | | |
| US Regulations: | | | | |
| OSHA Status | There are no known hazardous components above regulator thresholds in this product. | ry | | |
| | All components of this product are listed on or exempt from | m the | | |
| C | There are no known hazardous components above regulator | ry | | |

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **DARK GRAY CC**

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

| Chemical Name | CAS-No. | Weight percent |
|----------------|------------|----------------|
| ZINC COMPOUNDS | 68187-51-9 | 0.10 - 1.00 |
| ZINC COMPOUNDS | 1314-98-3 | 5.00 - 10.00 |

Canadian Regulations:

| National Pollutant Release Inventory (NPRI) | | | |
|--|------------|--------------|----------|
| Chemical Name | CAS-No. | Weight | NPRI ID# |
| | | percent | |
| Zinc ferrite brown spinel (C.I. Pigment Yellow | 68187-51-9 | 0.10 - 1.00 | |
| 119) | | | |
| Zinc sulfide | 1314-98-3 | 5.00 - 10.00 | |

| | WHMIS Classification | : | Not controlled. |
|--------|----------------------|---|--|
| | DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| Natior | al Inventories: | | |
| | Australia AICS | : | Listed |
| | China IECS | : | Listed |
| | Europe EINECS | : | Listed |
| | Japan ENCS | : | Not determined |
| | Korea KECI | : | Listed |

PolyOne

MATERIAL SAFETY DATA SHEET DARK GRAY CC

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 6 Print Date 3/31/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.