PolvOne

MATERIAL SAFETY DATA SHEET NARANJA TRANSLUCIDO PE

Version Number 1.1 Revision Date 03/23/2014 Page 1 of 6 Print Date 3/31/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION				
33587 Walker Road, Avor	1 Lake,	OH 44012		
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	NARANJA TRANSLUCIDO PE		
Product code	:	CC10141086		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	•	Industrial Applications		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET NARANJA TRANSLUCIDO PE

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne

MATERIAL SAFETY DATA SHEET NARANJA TRANSLUCIDO PE

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 6 Print Date 3/31/2014

Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
8.]	EXPOSURI	E CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: 1	No personal respiratory protecti	ive equipment normally r	equired.	
Eye/Face Protection	: 5	Safety glasses with side-shields			
Hand protection	: I	Protective gloves			
Skin and body protection	: I	Long sleeved clothing			
Additional Protective Measures	: 5	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):	r · · · · · · · · · · · · ·	NIOSH	
	0.8 mg/m3			Z3	
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL	
3 mg/m3		Time Weighted Average (TWA):	Respirable dust.	MX OEL	

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- : solid : pellets ORANGE : very faint : Not determined not applicable insoluble

:

:

:

:

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pН

The product is stable if stored and handled as prescribed.

Not applicable : Not determined : Not established : not applicable : not applicable : not applicable :

10. STABILITY AND REACTIVITY

Stability

Hazardous Polymerization

: Will not occur.

3/6

PolyOne.

MATERIAL SAFETY DATA SHEET NARANJA TRANSLUCIDO PE

sion Number 1.1 ision Date 03/23/2014			Page / Print Date 3/31/
Conditions to avoid		m oxidizing agents , do not overheat.	and open flame. To avoid therma
Incompatible Materials : Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxid (NOx), other hazardous materials, and smoke are all			
	11. TOXICOLOGI	CAL INFORMAT	TION
health data for the individual <u>Toxicity Overview</u>	components which con	nprise the mixture.	osure effects listed are based on ex m have the following characterist
CAS-No.	Chemical Name	Effect	Target Organ
	a, amorphous	Irritant	Eyes, Respiratory system.
		AL INFORMATIO	XXX
Environmental Toxicity Bioaccumulation Potential	polymer matrix	x. not readily available	e as they are bound within the e as they are bound within the
Additional advice	: no data availab	le	
	13. DISPOSAL (CONSIDERATION	NS
Product	possible recycl generator of w classification,	ing is preferred to d aste material has the transportation and d	he product can be recycled. When lisposal or incineration. The e responsibility for proper waste isposal in accordance with and local regulations.
Contaminated packaging	material has th transportation	e responsibility for	ble. The generator of waste proper waste classification, ordance with applicable federal, ons.
	14 TRANSPOR	T INFORMATIO	N
	14. 1101 (61 01		
U.S. DOT Classification		for transportation.	

PolyOne.

MATERIAL SAFETY DATA SHEET NARANJA TRANSLUCIDO PE

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

IMO/IMDG (maritime)	:	Refer to specific regulation.		
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
not applicable				
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation		
SARA Title III Section 313 Tox	kic C	Themicals:		
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation		
Canadian Regulations:				
National Pollutant Relea	se Ir	nventory (NPRI)		
not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Europe EINECS	:	Listed		

PolyOne.

MATERIAL SAFETY DATA SHEET NARANJA TRANSLUCIDO PE

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 6 Print Date 3/31/2014

Japan ENCS

: Not determined

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.