PolvOne

MATERIAL SAFETY DATA SHEET STREAKER OPTIMIZED 2

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 6 Print Date 3/31/2014

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORATI 33587 Walker Road, Avo		OH 44012
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STREAKER OPTIMIZED 2
Product code	:	CC10141784
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET STREAKER OPTIMIZED 2

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

MATERIAL SAFETY DATA SHEET STREAKER OPTIMIZED 2

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 6 Print Date 3/31/2014

		and contamination. Keep in a dry, cool place.				
8.	EXPOSURE	CONTROLS/PERSONAL F	PROTECTION			
Respiratory protection	: N	lo personal respiratory protectiv	ve equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	Protective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective : Measures		Safety shoes				
General Hygiene : Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures :		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
Calcium carbonate	15 mg/m3	PEL:	Total dust.	OSHA Z1		
Calcium carbonate	10	Time Weighted Average		MX OEL		
	10 mg/m3	(TWA):				

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets TAN very faint Not determined not applicable insoluble 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
	10. STABILITY AN	ND REACTIVITY	
Stability	: The product is sta	ble if stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from	oxidizing agents and open fl	ame. To avoid thermal

PolyOne

MATERIAL SAFETY DATA SHEET STREAKER OPTIMIZED 2

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 6 Print Date 3/31/2014

		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

: : 13	Not readily biodegradable. Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. no data available B. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where
:	polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. no data available 3. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where
:	polymer matrix. no data available B. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where
	3. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where
	Like most thermoplastic plastics the product can be recycled. Where
:	
	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14	4. TRANSPORT INFORMATION
:	Not regulated for transportation.
:	Refer to specific regulation.
	: 1 :

PolyOne.

MATERIAL SAFETY DATA SHEET STREAKER OPTIMIZED 2

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	trem	ely Hazardous Substance
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To:	xic (Chemicals:
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Relea	se Ii	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
		Listed
China IECS	:	Listed
China IECS Europe EINECS	:	Listed

PolyOne.

MATERIAL SAFETY DATA SHEET STREAKER OPTIMIZED 2

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 6 Print Date 3/31/2014

Japan ENCS : Listed

Korea KECI : Not determined

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.