PolyOne

MATERIAL SAFETY DATA SHEET **PINK PP2**

Version Number 1.1 Revision Date 03/26/2012 Page 1 of 6 Print Date 8/25/2012

| POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 | | | | |
|---|---|--|--|--|
| Telephone | : | 1 (440) 930-1000 or 1 (866) POLYONE | | |
| Emergency telephone | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | | |
| Product name | : | PINK PP2 | | |
| Product code | : | CC10141881 | | |
| Chemical Name | : | Mixture | | |
| CAS-No. | : | Mixture | | |
| Product Use | • | Industrial Applications | | |

| Components | CAS-No. | Weight percent |
|-------------------|-----------|----------------|
| Calcium carbonate | 1317-65-3 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|----------------------------|---|--|
| Acute exposure | | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. | |
| Ingestion | : May be harmful if swallowed. | |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |



MATERIAL SAFETY DATA SHEET **PINK PP2**

Version Number 1.1 Revision Date 03/26/2012 Page 2 of 6 Print Date 8/25/2012

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |



MATERIAL SAFETY DATA SHEET **PINK PP2**

| Version Number 1.1 | | | | |
|----------------------|------------|--|--|--|
| Revision Date | 03/26/2012 | | | |

Page 3 of 6 Print Date 8/25/2012

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Respiratory protection | : | No personal respiratory protective equipment normally required. |
|-----------------------------------|---|--|
| Eye/Face Protection | : | Safety glasses with side-shields |
| Hand protection | : | Protective gloves |
| Skin and body protection | : | Long sleeved clothing |
| Additional Protective Measures | : | Safety shoes |
| General Hygiene Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures | : | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|-------------------|----------|---------------------------|----------------------|---------|
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | | MX OEL |
| | | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | | MX OEL |
| | | (STEL): | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Form |
|---------------------|
| Appearance |
| Colour |
| Odour |
| Melting point/range |
| Boiling Point: |
| Water solubility |

solid
pellets
PINK
very faint
Not determined
not applicable
insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable

Hazardous Polymerization

: Will not occur.



MATERIAL SAFETY DATA SHEET PINK PP2

| vision Date 03/26/2012 | | | | Page 4 Print Date 8/25/2 | |
|--|--|----------------|---|---|--|
| Conditions to avoid | | | om oxidizing agents ar n, do not overheat. | nd open flame. To avoid thermal | |
| Incompatible Materials | : Incompatible with strong acids and oxidizing agents. | | | | |
| Hazardous decomposition products | | | | oxide (CO), oxides of nitrogen nd smoke are all possible. | |
| | en evaluated | as a whole for | | DN ure effects listed are based on exi | |
| health data for the indiv Toxicity Overview | - | | - | have the following characteristic | |
| | | | | | |
| This product contains th | | cal Name | Effect | Target Organ | |
| This product contains th | Chemi Calcium car | | Effect Irritant | Target Organ Eyes, Skin. | |

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : no data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| | : Not regulated for transportation. |

PolyOne.

MATERIAL SAFETY DATA SHEET PINK PP2

| sion Date 03/26/2012 | Print Date 8/25 |
|----------------------------------|--|
| ICAO/IATA | : Refer to specific regulation. |
| IMO/IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : Classified as hazardous based on components. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| not applicable | |
| California Proposition 65 | : Not applicable |
| SARA Title III Section 302 Ex | tremely Hazardous Substance |
| Unless specific chemicals are id | dentified under this section, this product is Not Applicable under this regu |
| SARA Title III Section 313 To | xic Chemicals: |
| Unless specific chemicals are id | dentified under this section, this product is Not Applicable under this regu |
| Canadian Regulations: | |
| National Pollutant Relea | ise Inventory (NPRI) |
| not applicable | |
| | : Not controlled. |
| WHMIS Classification | |
| WHMIS Classification | : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| | |
| DSL | |

| POLYONE CORPORA | PolyOne. | |
|--|------------------|--|
| MATERIAL SAFETY DAT | TA SHEET | |
| PINK PP2 | | |
| Version Number 1.1 Revision Date 03/26/2012 | | Page 6 of 6 Print Date <i>8/25/2012</i> |
| Europe EINECS | : Listed | |
| Japan ENCS | : Not determined | |
| Korea KECI | : Listed | |
| Philippines PICCS | : Listed | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.