PolyOne

MATERIAL SAFETY DATA SHEET WINTERGREEN 6107

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 6 Print Date 3/31/2014

POLYONE CORPORATI 33587 Walker Road, Avor		ОН 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
		, ,
Product name	:	WINTERGREEN 6107
Product code	:	CC10142178
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

Components	CAS-No.	Weight percent
Rutile, antimony chromium buff	68186-90-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET WINTERGREEN 6107

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne

MATERIAL SAFETY DATA SHEET WINTERGREEN 6107

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 6 Print Date 3/31/2014

Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
 pellets
 GREEN
 very faint
 Not determined
 not applicable
 insoluble
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable
 not applicable

10. STABILITY AND REACTIVITY

PolyOne

MATERIAL SAFETY DATA SHEET WINTERGREEN 6107

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 6 Print Date 3/31/2014

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	C	hemical Name	Effect	Target Organ
68186-90-3		antimony um buff	Irritant	Eyes, Skin, Respiratory system.
		12. ECOLOGIO	CAL INFORMATIO	DN
Persistence and degr	adability	: Not readily bi	odegradable.	
Environmental Toxi	city	: Chemicals are polymer matr	•	e as they are bound within the
Bioaccumulation Po	tential	: Chemicals are polymer matr	•	e as they are bound within the
Additional advice		: no data availa	ble	
		13. DISPOSAL	CONSIDERATION	NS
Product		possible recyc generator of v classification,	cling is preferred to d vaste material has the transportation and d	he product can be recycled. Where lisposal or incineration. The e responsibility for proper waste isposal in accordance with and local regulations.
Contaminated packa	ging	material has t transportation	he responsibility for	ble. The generator of waste proper waste classification, ordance with applicable federal, ons.

PolyOne.

MATERIAL SAFETY DATA SHEET WINTERGREEN 6107

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

]	14. TRANSPOR	T INFOR	MATION			
U.S. DOT Classification	:	Not regulated for	or transpor	rtation.			
ICAO/IATA	:	Refer to specifi	c regulatio	on.			
IMO/IMDG (maritime)	:	Refer to specifi	c regulatio	on.			
	1	5. REGULATOR	RY INFO	RMATIO	N		
US Regulations:							
OSHA Status	:	Classified as ha	zardous b	ased on co	mponent	s.	
TSCA Status	:	All component TSCA Inventor		roduct are	listed on	or exen	npt from the
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR	302)				
not applicable							
California Propositio 65	n :	Not applicable					
SARA Title III Section 302	Extrem	ely Hazardous Su	ubstance				
Unless specific chemicals are	e ident	ified under this se	ection, this	product is	s Not Apj	plicable	under this regul
SARA Title III Section 313	Foxic (Chemicals:					
Unless specific chemicals are	e ident	ified under this se	ection, this				
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON	٧Y		I	CAS-No 68186-90		10.00	- 30.00
COMPOUNDSCHROMI	JM CO	OMPOUNDS		1214 09 2	2	10.00	20.00
ZINC COMPOUNDS				1314-98-3	5	10.00	- 30.00
Canadian Regulations:							
	lease I	nventory (NPRI)			XX7 · 1		NIDDI ID //
National Pollutant Re			CAS-N	0.	Weight		NPRI ID#
National Pollutant Re Chemical Name Phthalocyanine green			1328-5		percent 1.00 - 5		

PolyOne

MATERIAL SAFETY DATA SHEET WINTERGREEN 6107

Version Number 1.1 Revision Date 03/23/2014

Page 6 of 6 Print Date 3/31/2014

Rutile, antimony chromium	buff		68186-90-3	10.00 - 30.00	
Zinc sulfide			1314-98-3	10.00 - 30.00	
WHMIS Classification	1 :	D2B			
WHMIS Ingredient Dis	sclosu	re List			
CAS-No. 1328-53-6 68186-90-3					
DSL	:		ts of this product a t (DSL) or are exe	re on the Canadian Dome mpt.	estic
tional Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined	1		
Korea KECI	:	Not determined	1		
Philippines PICCS	:	Not determined	1		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.