PolvOne

### MATERIAL SAFETY DATA SHEET CARA LATTE PP3

Version Number 1.1 Revision Date 04/30/2012

Page 1 of 6 Print Date 8/26/2012

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CARA LATTE PP3
Product code	:	CC10143116
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Iron oxide	1309-37-1	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **CARA LATTE PP3**

Version Number 1.1 Revision Date 04/30/2012 Page 2 of 6 Print Date 8/26/2012

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION

PolyOne

### **MATERIAL SAFETY DATA SHEET CARA LATTE PP3**

Version Number 1.1 Revision Date 04/30/2012 Page 3 of 6 Print Date 8/26/2012

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
	_	(TWA):	-	

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Colour
Odour
Melting point/range
Boiling Point:
Water solubility

: solid : pellets : BROWN : very faint Not determined : not applicable : insoluble :

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН

Not applicable : Not determined : Not established : not applicable : : not applicable not applicable :

#### **10. STABILITY AND REACTIVITY**

Stability

: Stable

: Will not occur.

Hazardous Polymerization

3/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **CARA LATTE PP3**

sion Date 04/30/20	)12			Page / Print Date 8/26/2
Conditions to avoid			om oxidizing agents an n, do not overheat.	d open flame. To avoid thermal
Incompatible Materi	als	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	sition			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11	. TOXICOLOG	ICAL INFORMATIO	DN
health data for the in Toxicity Overview	dividual com	ponents which co	omprise the mixture.	ure effects listed are based on ex have the following characteristi
CAS-No.	Che	mical Name	Effect	Target Organ
1309-37-1	Iron oxid		Systemic effects	Respiratory system.
		12 ECOLOGIC	CAL INFORMATION	I
Environmental Toxic	city	C1 1		
Bioaccumulation Po		polymer matr	ix. e not readily available a	as they are bound within the as they are bound within the
Bioaccumulation Por Additional advice		polymer matr	ix. e not readily available a ix.	
	tential	<ul> <li>polymer matr</li> <li>Chemicals are polymer matr</li> <li>no data availa</li> </ul>	ix. e not readily available a ix.	as they are bound within the
	tential	<ul> <li>polymer matr</li> <li>Chemicals are polymer matr</li> <li>no data availa</li> </ul> <b>13. DISPOSAL</b> Like most the possible recycle generator of v classification,	ix. e not readily available a ix. ble <b>CONSIDERATIONS</b> rmoplastic plastics the cling is preferred to dis vaste material has the r	as they are bound within the product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Additional advice	tential	<ul> <li>polymer matr</li> <li>Chemicals are polymer matr</li> <li>no data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recyclogenerator of v classification, applicable fect</li> <li>Recycling is p material has the transportation</li> </ul>	ix. e not readily available a ix. ble <b>CONSIDERATIONS</b> rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible he responsibility for pr	as they are bound within the product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste oper waste classification, lance with applicable federal,
Additional advice	tential	<ul> <li>polymer matr</li> <li>Chemicals are polymer matr</li> <li>no data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recyce generator of v classification, applicable fect</li> <li>Recycling is p material has the transportation state/provinci</li> </ul>	ix. e not readily available a ix. ble <b>CONSIDERATIONS</b> rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible he responsibility for pr and disposal in accord	as they are bound within the product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste oper waste classification, lance with applicable federal,
Additional advice	ging	<ul> <li>polymer matr</li> <li>Chemicals are polymer matr</li> <li>no data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recyclogenerator of v classification, applicable fect</li> <li>Recycling is p material has the transportation state/provinci</li> <li>14. TRANSPO</li> </ul>	ix. e not readily available a ix. ble <b>CONSIDERATIONS</b> rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible he responsibility for pr and disposal in accord al and local regulations	as they are bound within the product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste oper waste classification, lance with applicable federal,

PolyOne.

# MATERIAL SAFETY DATA SHEET **CARA LATTE PP3**

Version Number 1.1 Revision Date 04/30/2012 Page 5 of 6 Print Date 8/26/2012

IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition	:	Not applicable
65		
SARA Title III Section 302 Ext		
SARA Title III Section 302 Ext		
SARA Title III Section 302 Ext Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox	lenti xic C	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id	lenti xic C	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations:	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI)
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable WHMIS Classification	denti xic C denti sse In :	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI) Not controlled.
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable	lenti xic C lenti	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI)
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable WHMIS Classification	denti xic C denti sse In :	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable WHMIS Classification DSL	denti xic C denti sse In :	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Relea not applicable WHMIS Classification DSL National Inventories:	denti xic C denti use In : :	fied under this section, this product is Not Applicable under this regulation Chemicals: fied under this section, this product is Not Applicable under this regulation nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.



### MATERIAL SAFETY DATA SHEET CARA LATTE PP3

Version Number 1.1 Revision Date 04/30/2012 Page 6 of 6 Print Date 8/26/2012

Japan ENCS

: Not determined

Korea KECI : Listed

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.