#### MATERIAL SAFETY DATA SHEET BLACK ABS

Version Number 1.1 Revision Date 03/23/2014 Page 1 of 6 Print Date 3/31/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLACK ABS
Product code	:	CC10143587
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

### MATERIAL SAFETY DATA SHEET BLACK ABS

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET **BLACK ABS**

Version Number	er 1.1
<b>Revision Date</b>	03/23/2014

Page 3 of 6 Print Date 3/31/2014

		tion. Keep in a dry, cool place		
8. EXI	POSURE CONTROL	S/PERSONAL PROTECTIO	DN	
Respiratory protection	: No personal res	spiratory protective equipment	normally required.	
Eye/Face Protection	: Safety glasses	with side-shields		
Hand protection	: Protective glov	7es		
Skin and body protection	: Long sleeved c	lothing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		rdance with good industrial hy n hands before breaks and at the		
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
<u>Exposure minu(s)</u>				
•	is components above re	egulatory thresholds in this pro	duct.	
There are no known hazardou	-	egulatory thresholds in this pro	duct.	
There are no known hazardou	-	HEMICAL PROPERTIES		
There are no known hazardou 9.	PHYSICAL AND CH		duct. : Not applicable : Not determined	
There are no known hazardou 9. Form	PHYSICAL AND CH : solid	HEMICAL PROPERTIES Evapouration rate	: Not applicable	
There are no known hazardou 9. Form Appearance Colour Odour	PHYSICAL AND CH : solid : pellets : BLACK : very faint	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	: Not applicable : Not determined	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined : not applicable	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CH</li> <li>solid</li> <li>pellets</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined : not applicable : insoluble 10. STABILITY	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined : not applicable : insoluble 10. STABILITY	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH AND REACTIVITY stable if stored and handled as	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined : not applicable : insoluble 10. STABILITY A : The product is : Will not occur. : Keep away from	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH AND REACTIVITY stable if stored and handled as	: Not applicable : Not determined : Not established : not applicable : not applicable : not applicable	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CH : solid : pellets : BLACK : very faint : Not determined : not applicable : insoluble 10. STABILITY A : The product is : Will not occur. : Keep away from decomposition,	HEMICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH AND REACTIVITY stable if stored and handled as	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul> prescribed. ame. To avoid thermal	

PolyOne.

# MATERIAL SAFETY DATA SHEET **BLACK ABS**

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 6 Print Date 3/31/2014

There are no known nazardous	com	ponents above regulatory thresholds in this product.
	12	. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
15. REGULATORY INFORMATION		
US Regulations:		
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances $(40 \text{ CFR } 302)$

PolyOne

# MATERIAL SAFETY DATA SHEET **BLACK ABS**

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Phthalocyanine blue	147-14-8	10.00 - 30.00	
Phthalocyanine green	1328-53-6	0.10 - 1.00	

WHMIS Classification	:	Not controlled.
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

PolyOne

## MATERIAL SAFETY DATA SHEET **BLACK ABS**

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 6 Print Date 3/31/2014

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.