PolvOne

MATERIAL SAFETY DATA SHEET CARA APPLE PP3 DC

Version Number 1.1 Revision Date 03/30/2014 Page 1 of 6 Print Date 4/9/2014

1. PRODUCT AND COMPANY IDENTIFICATION				
POLYONE CORPORATE 33587 Walker Road, Avo		OH 44012		
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, expo		

:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	CARA APPLE PP3 DC
:	CC10143940
:	Mixture
:	Mixture
:	Industrial Applications
	: : :

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5
Magnesium stearate	557-04-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.			
Ingestion	: May be harmful if swallowed.			
Eyes	: Particulates, like other inert materials can be mechanically irritating.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			

PolyOne.

MATERIAL SAFETY DATA SHEET **CARA APPLE PP3 DC**

Version Number 1.1 Revision Date 03/30/2014 Page 2 of 6 Print Date 4/9/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable Not relevant Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **CARA APPLE PP3 DC**

Version Number 1.1 Revision Date 03/30/2014 Page 3 of 6 Print Date 4/9/2014

Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8.1	EXPOSURE	E CONTROLS/PERSONAL I	PROTECTION			
Respiratory protection		No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.				
Eye/Face Protection	: \$	afety glasses with side-shields				
Hand protection	: F	Protective gloves. Refer to equip	pment supplier to ensur	e protection.		
Skin and body protection	: I	Long sleeved clothing				
Additional Protective Measures	: S	Safety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Magnesium stearate	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
Silica, amorphous,	6 mg/m3	Time Weighted Average		OSHA Z1A		

Silica, amorphous,	6 mg/m3	Time Weighted Average	OSHA Z1A
precipitated and gel		(TWA):	
	10 mg/m3	Time Weighted Average	MX OEL
	_	(TWA):	
	0.8 mg/m3	Time Weighted Average	Z3
	_	(TWA):	

Form	: solid	Evapouration rate	: Not applicable
Appearance	: powder, granular	Specific Gravity	: Not applicable
Colour	: ORANGE	Bulk density	: Not determined
Odour	: very faint	Vapour pressure	: not applicable
Melting point/range	: Not determined	Vapour density	: not applicable
Boiling Point:	: not applicable	pH	: not applicable
Water solubility	: insoluble		
	10. STABILITY ANI	D REACTIVITY	
Stability	: The product is stab	le if stored and handled as	prescribed.

PolyOne.

MATERIAL SAFETY DATA SHEET **CARA APPLE PP3 DC**

Version Number 1.1 Revision Date 03/30/2014 Page 4 of 6 Print Date 4/9/2014

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	14. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET **CARA APPLE PP3 DC**

ersion Number 1.1 evision Date 03/30/2014				Page 5 of Print Date 4/9/201
ICAO/IATA	: Refer to specifi	c regulation.		
IMO/IMDG (maritime)	: Refer to specifi	c regulation.		
	15. REGULATOR	RY INFORMA	TION	
US Regulations:				
OSHA Status	: Classified as ha	zardous based o	n component	ts.
TSCA Status	: All component TSCA Inventor		are listed on	or exempt from the
US. EPA CERCLA Hazardou	s Substances (40 CFR	302)		
not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 E	xtremely Hazardous Su	ubstance		
Unless specific chemicals are	identified under this se	ection, this produ	ict is Not Ap	plicable under this regulation
SARA Title III Section 313 T	ovic Chemicals:			
Unless specific chemicals are		ation this produ	at is Not An	nliashla undar this regulation
Chemical Name	identified under tills se	CAS		Weight percent
ZINC COMPOUNDS		68187	7-51-9	1.00 - 5.00
Canadian Regulations:				
National Pollutant Rele	ease Inventory (NPRI)			
Chemical Name		CAS-No.	Weight percent	
Zinc ferrite brown spinel (C 119)	C.I. Pigment Yellow	68187-51-9	1.00 - 5	
WHMIS Classification	n : D2B			
WHMIS Ingredient Di	sclosure List			

PolyOne

MATERIAL SAFETY DATA SHEET CARA APPLE PP3 DC

Version Number 1.1 Revision Date 03/30/2014 Page 6 of 6 Print Date 4/9/2014

CAS-No. 150-13-0		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.