PolvOne

MATERIAL SAFETY DATA SHEET C BLACK STREAK 4

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 6 Print Date 4/6/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	C BLACK STREAK 4		
Product code	:	CC10144065		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use		Industrial Applications		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Iron chromite brown spinel	12737-27-8	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET C BLACK STREAK 4

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne

MATERIAL SAFETY DATA SHEET C BLACK STREAK 4

Version Number 1.1 Revision Date 03/29/2014 Page 3 of 6 Print Date 4/6/2014

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.		
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Components Iron chromite brown spinel	Value 0.5 mg/m3	Exposure time Recommended exposure limit (REL):	Exposure type as Cr	List: NIOSH		
Iron chromite brown		Recommended exposure				
Iron chromite brown	0.5 mg/m3 0.5 mg/m3	Recommended exposure limit (REL):	as Cr as Cr	NIOSH		
Iron chromite brown	0.5 mg/m3 0.5 mg/m3	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo	as Cr as Cr DPERTIES uration rate : No	NIOSH OSHA Z1 t applicable		
Iron chromite brown spinel Form Appearance	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif	as Cr as Cr DPERTIES uration rate : No ic Gravity : No	NIOSH OSHA Z1		
Iron chromite brown spinel Form Appearance Colour	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specifi CK Bulk d	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No	NIOSH OSHA Z1 t applicable t determined t established		
Iron chromite brown spinel Form Appearance Colour Odour	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not	NIOSH OSHA Z1 t applicable t determined t established applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou letermined Vapou	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not r density : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou letermined Vapou pplicable pH	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not r density : not	NIOSH OSHA Z1 t applicable t determined t established applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou letermined Vapou pplicable pH	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not r density : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a : insol	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou letermined Vapou pplicable pH	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not r density : not : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a : insol 10. S	Recommended exposure limit (REL): PEL: PEL: CAL AND CHEMICAL PRO Evapo ts Specifi CK Bulk di faint Vapou letermined Vapou pplicable pH uble Description	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not r density : not : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a : insol 10. S : T	Recommended exposure limit (REL): PEL: PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou determined Vapou pplicable pH uble STABILITY AND REACTIV	as Cr as Cr DPERTIES uration rate : No ic Gravity : No ensity : No r pressure : not r density : not : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable applicable		

Incompatible Materials : Incompatible with strong acids and oxidizing agents.

MATERIAL SAFETY DATA SHEET C BLACK STREAK 4

Version Number 1.1 Revision Date 03/29/2014 Page 4 of 6 Print Date 4/6/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12737-27-8	Iron chromite brown	Irritant	Eyes, Skin, Respiratory
	spinel		system.

Additional Health Hazard Information:

Iron chromite brown spinel 12737-27-8 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET C BLACK STREAK 4

ion Number 1.1 sion Date 03/29/2014						P	Page 5 Print Date 4/6/2
ICAO/IATA	:	Refer to specific re	egulatior	1.			
IMO/IMDG (maritime)	:	Refer to specific re	egulatior	1.			
	15	. REGULATORY	INFOR	MATIO	N		
US Regulations:							
OSHA Status	:	Classified as hazar	dous ba	sed on co	mponen	ts.	
TSCA Status	:	All components of TSCA Inventory.	f this pro	oduct are	listed or	n or exem	npt from the
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302	2)				
not applicable							
65 SARA Title III Section 302 Ex	xtrem	ely Hazardous Subs	tance				
Unless specific chemicals are	identi	fied under this section	on, this j	product is	s Not Ap	plicable	under this regula
SARA Title III Section 313 To				CAS-No	•	Weight	
Unless specific chemicals are Chemical Name CHROMIUM III COMPOU COMPOUNDS	JNDS	CHROMIUM		12737-27	-8	10.00 -	30.00
Chemical Name CHROMIUM III COMPOU COMPOUNDS	JNDS	CHROMIUM		12737-27	-8	10.00	
Chemical Name CHROMIUM III COMPOU COMPOUNDS Canadian Regulations:				12737-27	-8	10.00	
Chemical Name CHROMIUM III COMPOU COMPOUNDS		nventory (NPRI)			Weigh	t	
Chemical Name CHROMIUM III COMPOU COMPOUNDS Canadian Regulations: National Pollutant Rele		nventory (NPRI)]			t t	30.00

WHMIS Classification : D2B

PolyOne

MATERIAL SAFETY DATA SHEET C BLACK STREAK 4

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/6/2014

WHMIS Ingredient Dis	WHMIS Ingredient Disclosure List					
CAS-No. 12737-27-8						
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Not determined				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Not determined				
Philippines PICCS	:	Not determined				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.