PolvOne

#### MATERIAL SAFETY DATA SHEET C BLACK STREAK 5

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 6 Print Date 4/6/2014

1. PRODUCT AND COMPANY IDENTIFICATION					
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	C BLACK STREAK 5			
Product code	:	CC10144066			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Iron chromite brown spinel	12737-27-8	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET C BLACK STREAK 5

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne

## MATERIAL SAFETY DATA SHEET C BLACK STREAK 5

Version Number 1.1 Revision Date 03/29/2014 Page 3 of 6 Print Date 4/6/2014

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8. EXPOSURE CONTROLS/PERSONAL PROTECTION						
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.		
ye/Face Protection : Safety glasses with side-shields						
Hand protection	: Protective gloves					
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Components Iron chromite brown spinel	Value 0.5 mg/m3	Exposure time Recommended exposure limit (REL):	Exposure type as Cr	List: NIOSH		
Iron chromite brown		Recommended exposure				
Iron chromite brown	0.5 mg/m3 0.5 mg/m3	Recommended exposure limit (REL):	as Cr as Cr	NIOSH		
Iron chromite brown spinel	0.5 mg/m3 0.5 mg/m3 9. PHYSIC	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO	as Cr as Cr DPERTIES	NIOSH OSHA Z1		
Iron chromite brown spinel	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo	as Cr as Cr DPERTIES uration rate : Not	NIOSH OSHA Z1		
Iron chromite brown spinel Form Appearance	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not	NIOSH OSHA Z1 t applicable t determined		
Iron chromite brown spinel Form Appearance Colour	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specifi CK Bulk d	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not	NIOSH OSHA Z1 t applicable t determined t established		
Iron chromite brown spinel Form Appearance Colour Odour	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not r pressure : not	NIOSH OSHA Z1 t applicable t determined t established applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not of	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou determined Vapou	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not r pressure : not r density : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not of	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou letermined Vapou pplicable pH	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not r pressure : not r density : not	NIOSH OSHA Z1 t applicable t determined t established applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a : insol	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou letermined Vapou pplicable pH	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not ensity : Not r pressure : not r density : not : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable		
Iron chromite brown spinel Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a : insol 10. §	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specifi CK Bulk d faint Vapou letermined Vapou pplicable pH uble	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not r pressure : not r density : not : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable applicable		
Iron chromite brown	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : solid : pelle : BLA : very : Not c : not a : insol 10. S : T	Recommended exposure limit (REL): PEL: CAL AND CHEMICAL PRO Evapo ts Specif CK Bulk d faint Vapou determined Vapou pplicable pH uble	as Cr as Cr DPERTIES uration rate : Not ic Gravity : Not ensity : Not r pressure : not r density : not : not	NIOSH OSHA Z1 t applicable t determined t established applicable applicable applicable		

Incompatible Materials : Incompatible with strong acids and oxidizing agents.

#### MATERIAL SAFETY DATA SHEET C BLACK STREAK 5

Version Number 1.1 Revision Date 03/29/2014 Page 4 of 6 Print Date <u>4/6/2014</u>

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12737-27-8	Iron chromite brown	Irritant	Eyes, Skin, Respiratory
	spinel		system.

#### Additional Health Hazard Information:

Iron chromite brown spinel 12737-27-8 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **C BLACK STREAK 5**

on Number 1.1 sion Date 03/29/2014					F	Page 5 Print Date 4/6/2
CAO/IATA	: Refer to	specific regulation	on.			
MO/IMDG (maritime)	: Refer to	specific regulation	on.			
	15. REGUI	LATORY INFO	RMATIO	ON		
US Regulations:						
OSHA Status	: Classifie	ed as hazardous b	ased on c	omponen	ts.	
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.						
US. EPA CERCLA Hazardo	us Substances (4	0 CFR 302)				
not applicable						
California Proposition 65 SARA Title III Section 302 F						
Unless specific chemicals are	·		product	is Not An	plicable	under this regula
SARA Title III Section 313 7			1	1	1	
SARA Thue III Section 313 I			product	is Not An	nlicabla	under this regula
Inless specific chemicals are	, inclution anac					
Unless specific chemicals are Chemical Name			CAS-N	0.	weight	percent
		IUM	CAS-N 12737-2		10.00 -	percent 30.00
Chemical Name CHROMIUM III COMPO COMPOUNDS		IUM				
Chemical Name CHROMIUM III COMPO COMPOUNDS	UNDSCHROM					
CHROMIUM III COMPO COMPOUNDS Canadian Regulations:	UNDSCHROM		12737-2	7-8 Weight	10.00 -	
Chemical Name CHROMIUM III COMPO COMPOUNDS Canadian Regulations: National Pollutant Ref	UNDSCHROM	(NPRI)	0.	7-8	10.00 -	- 30.00

WHMIS Classification : D2B

PolyOne

### MATERIAL SAFETY DATA SHEET C BLACK STREAK 5

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/6/2014

	WHMIS Ingredient Discl	osu	re List
	CAS-No. 12737-27-8		
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Nation	al Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Not determined
	Europe EINECS	:	Listed
	Japan ENCS	:	Not determined
	Korea KECI	:	Not determined
	Philippines PICCS	:	Not determined
			16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.