PolvOne

MATERIAL SAFETY DATA SHEET IMBIOL 145204

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 6 Print Date 4/6/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	IMBIOL 145204	
Product code	:	CC10145204	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
		Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Sulfonic acids, C10-18-alkane, sodium salts	68037-49-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET *IMBIOL 145204*

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: None known.			
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIREFIGHTING MEASURES			
Flash point	: not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET *IMBIOL 145204*

Version Number 1.1				
Revision Date	03/29/2014			

Page 3 of 6 Print Date 4/6/2014

			ry and tightly closed to avoi . Keep in a dry, cool place	
8. EXI	POSUR	E CONTROLS/P	PERSONAL PROTECTIO	DN
Respiratory protection	:]	No personal respir	ratory protective equipment	normally required.
Eye/Face Protection	: :	Safety glasses witl	h side-shields	
Hand protection	: 1	Protective gloves		
Skin and body protection	: 1	Long sleeved cloth	hing	
Additional Protective Measures	: :	Safety shoes		
General Hygiene Considerations			nce with good industrial hy ands before breaks and at the	
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
- ···	. PHYSI	CAL AND CHE	MICAL PROPERTIES	
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: soli : pell : NO : very : Not : not	d	MICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	: soli : pell : NO : very : Not : not : insc	d ets PIGMENT y faint t determined applicable oluble	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: soli : pell : NO : ver : Not : not : insc 10.	d PIGMENT y faint determined applicable oluble STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	: soli : pell : NO : very : Not : not : insc 10.	d PIGMENT y faint determined applicable oluble STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: soli : pell : NO : very : Not : not : insc 10. : '	d lets PIGMENT y faint : determined applicable oluble STABILITY AN The product is stal Will not occur.	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY ble if stored and handled as	: Not determined : Not established : not applicable : not applicable : not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: soli : pell : NO : ver : Not : not : insc 10. : .	d PIGMENT y faint determined applicable oluble STABILITY AN The product is stal Will not occur. Keep away from o decomposition, do	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY ble if stored and handled as	 Not determined Not established not applicable not applicable not applicable prescribed. ame. To avoid thermal

PolyOne

MATERIAL SAFETY DATA SHEET *IMBIOL 145204*

Version Number 1.1 Revision Date 03/29/2014

Page 4 of 6 Print Date 4/6/2014

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68037-49-0	Sulfonic acids, C10-18-	Irritant	Eyes, Skin, Respiratory
	alkane, sodium salts		system, digestive system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
J.S. DOT Classification	: Not regulated for transportation.
CAO/IATA	: Refer to specific regulation.
MO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
JS Regulations:	
JS Regulations:	

4/6

PolyOne.

MATERIAL SAFETY DATA SHEET *IMBIOL 145204*

Version Number 1.1 Revision Date 03/29/2014	Page 5 of 6 Print Date <i>4/6/2014</i>
Revision Date 03/29/2014	Finit Date 4/0/2014
OSHA Status	Classified as hazardous based on components.
TSCA Status	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)
not applicable	
California Proposition 65	Not applicable
SARA Title III Section 302 Extre	nely Hazardous Substance
Unless specific chemicals are ider	tified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic	Chemicals:
Unless specific chemicals are ider	tified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release	Inventory (NPRI)
not applicable	
WHMIS Classification	Not controlled.
DSL	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
Australia AICS	Not determined
China IECS	Not determined
Europe EINECS	Not determined
Japan ENCS	Not determined
Korea KECI	Not determined
Philippines PICCS	Not determined

PolyOne

MATERIAL SAFETY DATA SHEET IMBIOL 145204

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/6/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.