## MATERIAL SAFETY DATA SHEET **TRANSP RUBY RED SPD3**

Version Number 1.1 Revision Date 03/29/2014 Page 1 of 6 Print Date 4/6/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSP RUBY RED SPD3
Product code	:	CC10145209
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANSP RUBY RED SPD3**

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANSP RUBY RED SPD3**

Version Number 1.1 Revision Date 03/29/2014 Page 3 of 6 Print Date 4/6/2014

		Keep containers dry and tightly and contamination. Keep in a contamination.			
8. EXI	POSUR	E CONTROLS/PERSONAL	PROTECTIO	DN	
Respiratory protection	:	No personal respiratory protect	tive equipment	normally required.	
Eye/Face Protection	:	Safety glasses with side-shields			
Hand protection	:	Protective gloves			
Skin and body protection	:	Long sleeved clothing			
Additional Protective Measures	:	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
-	us comp	onents above regulatory thresho	olds in this pro	oduct.	
There are no known hazardou 9.	. PHYS	CAL AND CHEMICAL PRO	OPERTIES		
There are no known hazardou 9. Form	. PHYS : sol	CAL AND CHEMICAL PRO	OPERTIES	: Not applicable	
There are no known hazardou 9. Form Appearance	. PHYS : sol : pel	CAL AND CHEMICAL PRO	OPERTIES ouration rate fic Gravity	: Not applicable : Not determined	
There are no known hazardou 9. Form Appearance Colour	. <b>PHYS</b> : sol : pel : RE	CAL AND CHEMICAL PRO d Evapo ets Special D Bulk of	OPERTIES	<ul><li>Not applicable</li><li>Not determined</li><li>Not established</li></ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	. PHYS : sol : pel : RE : ver	CAL AND CHEMICAL PRO d Evapo ets Specifi D Bulk o r faint Vapo	OPERTIES ouration rate fic Gravity density	: Not applicable : Not determined	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYS : sol : pel : RE : ver : No : not	CAL AND CHEMICAL PRO d Evapo ets Specifi D Bulk of r faint Vapor determined Vapor applicable pH	OPERTIES ouration rate fic Gravity density ur pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	PHYS : sol : pel : RE : ver : No : not	CAL AND CHEMICAL PRO d Evapo ets Specifi D Bulk of faint Vapor determined Vapor	OPERTIES ouration rate fic Gravity density ur pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHYS : sol : pel : RE : ver : No : not : ins	CAL AND CHEMICAL PRO d Evapo ets Specifi D Bulk of r faint Vapor determined Vapor applicable pH	OPERTIES ouration rate fic Gravity density ur pressure ur density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	. PHYS : sol : pel : RE : ver : No : not : ins 10.	CAL AND CHEMICAL PR L Evapo ets Specifi D Bulk of r faint Vapor determined Vapor applicable pH luble	OPERTIES ouration rate fic Gravity density ur pressure ur density VITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHYS : sol : pel : RE : ver : No : not : ins 10.	CAL AND CHEMICAL PRed         d       Evapo         ets       Special         D       Bulk of         r faint       Vapor         determined       Vapor         applicable       pH         luble       STABILITY AND REACTION	OPERTIES ouration rate fic Gravity density ur pressure ur density VITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	. PHYS : sol : pel : RE : ver : No : not : ins 10.	CAL AND CHEMICAL PRO         d       Evapo         ets       Specifi         D       Bulk of         r faint       Vapoo         determined       Vapoo         applicable       pH         luble       STABILITY AND REACTION         The product is stable if stored a	OPERTIES OUTATION FATE DUTATION FATE OUTATION FATE OUTATIO	: Not applicable : Not determined : Not established : not applicable : not applicable : not applicable prescribed.	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	. PHYS : sol : pel : RE : ver : No : not : ins 10. : :	CAL AND CHEMICAL PR         d       Evapo         ets       Specifie         D       Bulk of the product is stable if stored a         STABILITY AND REACTION         The product is stable if stored a         Will not occur.         Keep away from oxidizing agen	OPERTIES Duration rate fic Gravity density ur pressure ur density VITY and handled as nts and open fl t.	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul> prescribed. lame. To avoid thermal	

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANSP RUBY RED SPD3**

Version Number 1.1 Revision Date 03/29/2014 Page 4 of 6 Print Date 4/6/2014

	12	. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

PolvOn<u>e</u>

## MATERIAL SAFETY DATA SHEET **TRANSP RUBY RED SPD3**

Version Number 1.1 Revision Date 03/29/2014 Page 5 of 6 Print Date 4/6/2014

not applicable

California Proposition : Not applicable 65

#### SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determine	d
China IECS	: Not determined	d
Europe EINECS	: Listed	
Japan ENCS	: Not determine	d
Korea KECI	: Not determined	d
Philippines PICCS	: Not determined	d

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANSP RUBY RED SPD3**

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/6/2014