### NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 PolyOne

Page 1 of 16 Print Date 10/24/2018

# SAFETY DATA SHEET

#### NYLON YELLOW UV

Section 1. Identification	n	
GHS product identifier	:	NYLON YELLOW UV
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10145808
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> 33587 Walker Road, Avon Lake, OH 44012
		55507 Walker Road, 110h Lake, 011 11012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

# NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 <u>PolyOne</u>

Page 2 of 16 Print Date 10/24/2018

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10145808

CAS number/other identifiers

Ingredient name	%	CAS number
Cadmium zinc sulfide ((Cd,Zn)S)	5 - 10	12442-27-2
Poly[[6-[(1,1,3,3-tetramethylbutyl)amino]-1,3,5-triazine-2,4- diyl][(2,2,6,6-tetramethyl-4-piperidinyl)imino]-1,6- hexanediyl[(2,2,6,6-tetramethyl-4-piperidinyl)imino]]	1 - 3	Not available.
Cadmium zinc sulfide yellow	0.3 - 1	8048-07-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary first aid measures

# NYLON YELLOW UV

ŀ	bh	vOne.
_		

Version Number 1.5	Page 3 of 16
Revision Date 10/10/2018	Print Date 10/24/2018

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects			
Eye contact	:	No known significant effects or critical hazards.	
Inhalation	:	No known significant effects or critical hazards.	
Skin contact	:	No known significant effects or critical hazards.	
Ingestion	:	No known significant effects or critical hazards.	
Over-exposure signs/symptoms			
Eye contact	:	No specific data.	
Inhalation	:	No specific data.	
Skin contact	:	No specific data.	
Ingestion	:	No specific data.	
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Specific treatments	:	No specific treatment.	
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.	

See toxicological information (Section 11)

# NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018



### Page 4 of 16 Print Date 10/24/2018

# **Section 5. Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and



# NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 Page 5 of 16 Print Date 10/24/2018

Large spill

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# **Section 7. Handling and storage**

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Cadmium zinc sulfide yellow	None.
Poly[[6-[(1,1,3,3- tetramethylbutyl)amino]-1,3,5-triazine- 2,4-diyl][(2,2,6,6-tetramethyl-4- piperidinyl)imino]-1,6- hexanediyl[(2,2,6,6	None.



# NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018

Cadmium zinc sulfide ((Cd,Zn)S)		ACGIH TLV (1994-09-01) TWA 0.01 mg/m3 (as Cd) Form: Inhalable fraction TWA 0.002 mg/m3 (as Cd) Form: Respirable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

### NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018

# <u>PolyOne</u>

Page 7 of 16 Print Date 10/24/2018

#### Appearance

Physical state	:	solid [Pellets.]
Color	:	YELLOW
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



# NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018

Page 8 of 16 Print Date 10/24/2018

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Remarks - Oral:	No applicable toxic	No applicable toxicity data		
<b>Remarks - Inhalation:</b>	No applicable toxic	city data		
<b>Remarks - Dermal:</b>	No applicable toxic	city data		
Poly[[6-[(1,1,3,3-tetramethylbi	utyl)amino]-1,3,5-tri	azine-2,4-diyl][(2,2,6	,6-tetramethyl-4-piperi	dinyl)imino]-1,6-
hexanediyl[(2,2,6,6-tetramethy	l-4-piperidinyl)imin	o]]		
	LD50 Oral	Rat	9,910 mg/kg	-
	LC50 Inhalation	Rat	0.112 Mg/l	4 h
<b>Remarks - Dermal:</b>	No applicable toxicity data			
Cadmium zinc sulfide ((Cd,Zn	)S)			
Remarks - Oral:	No applicable toxic	city data		
<b>Remarks - Inhalation:</b>	No applicable toxicity data			
Remarks - Dermal:	No applicable toxic	No applicable toxicity data		
Conclusion/Summary	: Mixtu	re.Not fully tested.		

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Poly[[6-[(1,1,3,3-	Skin - Mild	Rabbit			-
tetramethylbutyl)amino]-	irritant				
1,3,5-triazine-2,4-					
diyl][(2,2,6,6-tetramethyl-4-					
piperidinyl)imino]-1,6-					
hexanediyl[(2,2,6,6-					
tetramethyl-4-					
piperidinyl)imino]]					
Conclusion/Summary					
Skin		ixture.Not ful	•		
Eyes	: Mixture.Not fully tested.				
Respiratory	: M	ixture.Not ful	ly tested.		
<b>Sensitization</b>					
Conclusion/Summary					
Skin	: M	ixture.Not ful	ly tested.		
		8/16			



# NYLON YELLOW UV

Version Number 1.5	
Revision Date 10/10/2018	

Page 9 of 16 Print Date 10/24/2018

Respiratory	:	Mixture.Not fu	lly tested.	
<b>Mutagenicity</b>				
Conclusion/Summary	:	Mixture.Not fu	lly tested.	
<b>Carcinogenicity</b>				
Conclusion/Summary Classification	:	Mixture.Not fu	lly tested.	
Product/ingredient name	OSHA	IARC	NTP	
Cadmium zinc sulfide yellow		1		
Cadmium zinc sulfide ((Cd,Zn)S)	+	1		
<b>Reproductive toxicity</b>				
Conclusion/Summary	:	Mixture.Not fu	lly tested.	
<b>Teratogenicity</b>				
Conclusion/Summary	:	Mixture.Not fu	lly tested.	
Specific target organ toxicity Not available.	<u> (single expo</u>	<u>osure)</u>		
Specific target organ toxicity Not available.	(repeated e	<u>xposure)</u>		
Aspiration hazard Not available.				
Information on likely routes of exposure	of :	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	::	No known sign No known sign	ificant effects or critical hazards ificant effects or critical hazards ificant effects or critical hazards ificant effects or critical hazards	

### Symptoms related to the physical, chemical and toxicological characteristics

# PolyOne

# NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 Page 10 of 16 Print Date 10/24/2018

Eye contact	: No specific data	•
Inhalation	: No specific data	•
Skin contact	: No specific data	•
Ingestion	: No specific data	•

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		

#### Acute toxicity estimates

Not available.

# Section 12. Ecological information

#### **Toxicity**

Result	Species	Exposure
No applicable toxicity data		
No applicable toxicity data		
	No applicable toxicity data	No applicable toxicity data



### NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 Page 11 of 16 Print Date 10/24/2018

invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Poly[[6-[(1,1,3,3-tetramethylbu	utyl)amino]-1,3,5-triazine-2,4-diyl][(2,2,6,6-tetramethyl-4-piperidinyl)imino]-1,6-
hexanediyl[(2,2,6,6-tetramethy	
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
<b>Remarks - Chronic -</b>	No applicable toxicity data
Aquatic invertebrates.:	
Cadmium zinc sulfide ((Cd,Zn	
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.: NYLON YELLOW UV	
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.
invertebrates.:	Chemicals are not readily available as mey are bound within the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
Conclusion/Summary	polymer matrix.
	porjiner maark.
Persistence and degradability	Ŷ
	-
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
	polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Cadmium zinc sulfide yellow	-	1,345.00	high

### NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018

Page 12 of 16 Print Date 10/24/2018

Soil/water partition coefficient (KOC) Other adverse effects

: No known significant effects or critical hazards.

Not available.

# Section 13. Disposal considerations

:

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

**U.S. Federal regulations** 

: United States - TSCA 12(b) - Chemical export notification: None

12/16

### NYLON YELLOW UV

Version Numbe	er 1.5
Revision Date	10/10/2018

of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc sulfide Cadmium zinc sulfide ((Cd,Zn)S) Cadmium zinc sulfide yellow United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:
Hazardous Air Pollutants (HAPs)	
Clean Air Act Section 602 Class I	:
Substances	
Clean Air Act Section 602 Class II	:
Substances	
DEA List I Chemicals (Precursor	:
Chemicals)	
DEA List II Chemicals (Essential	:
Chemicals)	

- Listed
- Not listed
- Not listed
- Not listed
- : Not listed

# PolyOne

### NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 Page 14 of 16 Print Date 10/24/2018

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

**Composition/information on ingredients** 

Name	%	Classification
Cadmium zinc sulfide yellow	0.3 - 1	СН
Poly[[6-[(1,1,3,3-	1 - 3	AH
tetramethylbutyl)amino]-1,3,5-		
triazine-2,4-diyl][(2,2,6,6-		
tetramethyl-4-piperidinyl)imino]-		
1,6-hexanediyl[(2,2,6,6-		
tetramethyl-4-piperidinyl)imino]]		
Cadmium zinc sulfide ((Cd,Zn)S)	5 - 10	СН

#### SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Zinc sulfide	1314-98-3	5 - 10
	Cadmium zinc sulfide ((Cd,Zn)S)	12442-27-2	5 - 10
	Cadmium zinc sulfide yellow	8048-07-5	0.3 - 1
Supplier notification	Zinc sulfide	1314-98-3	5 - 10
	Cadmium zinc sulfide yellow	8048-07-5	0.3 - 1
	Cadmium zinc sulfide ((Cd,Zn)S)	12442-27-2	5 - 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed:
	Cadmium zinc sulfide ((Cd,Zn)S)
	Cadmium zinc sulfide yellow

14/16

# NYLON YELLOW UV



Version Number 1.5	Page 15 of 16
Revision Date 10/10/2018	Print Date 10/24/2018

New Jersey	:	The following components are listed: Barium sulfate Zinc sulfide Cadmium zinc sulfide ((Cd,Zn)S) Cadmium zinc sulfide yellow
Pennsylvania	:	The following components are listed: Barium sulfate
		Zinc sulfide
		Cadmium zinc sulfide ((Cd,Zn)S)
		Cadmium zinc sulfide yellow

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

:	All components are listed or exempted.
:	Not determined.
:	All components are listed or exempted.
:	Not determined.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	Not determined.
:	All components are listed or exempted.
:	Not determined.
:	Not determined.
:	All components are listed or exempted.
:	Not determined.
:	All components are listed or exempted.
	:

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0



### NYLON YELLOW UV

Version Number 1.5 Revision Date 10/10/2018 Page 16 of 16 Print Date 10/24/2018

Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Illstol y</u>		
Date of printing	:	10/24/2018
Date of issue/Date of revision	:	10/10/2018, 10/10/2018
Date of previous issue	:	01/09/2018
Version	:	1, 1.5, 5
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.