

Page 1 of 11

SAFETY DATA SHEET

TPE GREY 431U

Version Number 1.2 Revision Date 08/31/2015 Print Date 09/01/2015

SAFETY DATA SHEET

TPE GREY 431U

Section 1. Identification

TPE GREY 431U **GHS** product identifier

Chemical name Mixture **CAS** number Mixture Other means of identification CC10145932

Product type solid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

Supplier's details POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,

exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status

Classification of the substance or

mixture

GHS label elements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.



TPE GREY 431U

Version Number 1.2 Page 2 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Precautionary statements

General
Prevention
Response
Storage
Disposal

Supplemental label elements

Hazards not otherwise classified : Not available.

Section 3. Composition/information on ingredients

Substance/mixture :

Chemical name : Mixture **Other means of identification** : CC10145932

CAS number/other identifiers

Ingredient name	%	CAS number
Calcium carbonate	14.955	1317-65-3
Titanium dioxide	14.0309	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Inhalation : Skin contact : Ingestion :



TPE GREY 431U

Version Number 1.2 Page 3 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Inhalation : Skin contact : Ingestion :

Over-exposure signs/symptoms

Eye contact
Inhalation
Skin contact
Ingestion

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Specific treatments :

Protection of first-aiders :

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Unsuitable extinguishing media :

Specific hazards arising from the

chemical

Hazardous thermal decomposition products

Special protective actions for fire-

fighters

Special protective equipment for

fire-fighters

Section 6. Accidental release measures



TPE GREY 431U

Version Number 1.2 Page 4 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :

Environmental precautions

Methods and materials for containment and cleaning up

Small spill Large spill

Section 7. Handling and storage

Precautions for safe handling

Protective measures
Advice on general occupational

Advice on general occupational

hygiene

Conditions for safe storage, including any incompatibilities

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Calcium carbonate	OSHA PEL 1989 (1989-03-01)	
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust	
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable	
	fraction	
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust	
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable	
	fraction	
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust	
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable	
	fraction	
	OSHA PEL (1993-06-30)	
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust	
	4/44	



TPE GREY 431U

Version Number 1.2 Revision Date 08/31/2015 Page 5 of 11 Print Date 09/01/2015

T	
PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable	
fraction	
PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust	
PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable	
fraction	
NIOSH REL (1994-06-01)	
Time Weighted Average (TWA) 10 mg/m3 Form: Total	
Time Weighted Average (TWA) 5 mg/m3 Form: Respirable fraction	
OSHA PEL 1989 (1989-03-01)	
PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust	
OSHA PEL (1993-06-30)	
PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust	
ACGIH TLV (1996-05-18)	
TLV-TWA: Threshold Limit Value - Time weighted average PEL:	
1 LV-1 WA: Threshold Limit value - Time weighted average PEL:	
Permissible Exposure Level 10 mg/m3	

Appropriate engineering controls
Environmental exposure controls

Individual protection measures

Hygiene measures Eye/face protection

Skin protection

Hand protection
Body protection
Other skin protection
Respiratory protection

Section 9. Physical and chemical properties

Appearance

Physical state
Color
GREY
Odor
Faint odor.
Odor threshold
pH
Not available.
Melting point
Not available.
Boiling point
Not available.
Flash point
Not available.
Not available.
Not available.

5/11



TPE GREY 431U

Version Number 1.2 Page 6 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Burning time: Not available.Burning rate: Not available.Evaporation rate: Not available.Flammability (solid, gas): Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: insoluble in water.

Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity :
Chemical stability :
Possibility of hazardous reactions :
Conditions to avoid :
Incompatible materials :
Hazardous decomposition :

products

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-



TPE GREY 431U

Version Number 1.2 Revision Date 08/31/2015 Page 7 of 11 Print Date 09/01/2015

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Classification			
Product/ingredient	OSHA	IARC	NTP
name			
Titanium dioxide		2B	

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture. Not fully tested.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Aspiration hazard

Information on the likely routes of : Not available.

exposure

Potential acute health effects



TPE GREY 431U

Version Number 1.2 Page 8 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Eye contact Inhalation Skin contact Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact
Inhalation
Skin contact
Ingestion

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General :
Carcinogenicity :
Mutagenicity :
Teratogenicity :
Developmental effects :
Fertility effects :

Numerical measures of toxicity

Acute toxicity estimates

Not available.



TPE GREY 431U

Version Number 1.2 Page 9 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Mummichog	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fathead minnow	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
TPE GREY 431U			
Remarks - Acute - Aquatic	c Chemicals are not readily available as they are bound within the polymer matrix.		
invertebrates.:			

Conclusion/Summary : Chemicals are not readily available as they are bound within the

polymer matrix.

Persistence and degradability

Conclusion/Summary : Chemicals are not readily available as they are bound within the

polymer matrix.

Conclusion/Summary: Chemicals are not readily available as they are bound within the

polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

Mobility in soil

Soil/water partition coefficient

: Not available.

(KOC)

Other adverse effects



TPE GREY 431U

Version Number 1.2 Page 10 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

Section 13. Disposal considerations

Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Not classified as dangerous good under transport regulations.

IMO/IMDG (maritime) : Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations
DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

SARA 311/312

Classification : Acute Health Hazard

Chronic Health Hazard

Composition/information on ingredients

Name	%	Classification
Calcium carbonate	14.955	F
Titanium dioxide	14.0309	СН

SARA 313

Not applicable.

State regulations

International regulations



TPE GREY 431U

Version Number 1.2 Page 11 of 11 Revision Date 08/31/2015 Print Date 09/01/2015

International lists :
Chemical Weapons Convention :
List Schedule I Chemicals
Chemical Weapons Convention :
List Schedule II Chemicals
Chemical Weapons Convention :
List Schedule III Chemicals

Section 16. Other information

History

Date of printing: 09/01/2015Date of issue/Date of revision: 08/31/2015Date of previous issue: 03/27/2014

Version : 1.2

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.