PolyOne

## MATERIAL SAFETY DATA SHEET **RED 146086**

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 7 Print Date 3/27/2014

1.	DUCT AND COMPANY IDENTIFICATION			
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	<ul> <li>1 (440) 930-1000 or 1 (866) POLYONE</li> <li>CHEMTREC 1-800-424-9300 (24hrs for spill, leal or accident).</li> </ul>	۲, fire, exposure		
Product name Product code	: RED 146086 : CC10146086			
Chemical Name CAS-No. Product Use	<ul><li>Mixture</li><li>Mixture</li><li>Industrial Applications</li></ul>			

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	1 - 5
Amines, bis(hydrogenated tallow alkyl), oxidized	143925-92-2	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.



# MATERIAL SAFETY DATA SHEET **RED 146086**

ion Number 1.1 sion Date 03/13/2014	Page 2 Print Date 3/27/2
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in



# MATERIAL SAFETY DATA SHEET **RED 146086**

			Print	t Date 3/27/2	
	n	lastic, cardboard or metal conta	iners for disposal		
	p.	lastic, cardboard of metal conta	uners for disposal.		
	7.	HANDLING AND STORAG	E		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8.	EXPOSURE	CONTROLS/PERSONAL P	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with appropri propriate exhaust ventilation a		. Provide	
Exposure limit(s)					
	Value	Exposure time	Exposure type	List:	
Exposure limit(s) Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: ACGIH	
Components	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Total dust.	ACGIH OSHA Z1	
Components	10 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1A	
Components	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Total dust. Total dust. as Ti	ACGIH OSHA Z1 OSHA Z1A MX OEL	
Components	10 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average	Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1A	
Components	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit	Total dust. Total dust. as Ti as Ti	ACGIH OSHA Z1 OSHA Z1A MX OEL	
Components	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	Total dust. Total dust. as Ti as Ti PERTIES	ACGIH OSHA Z1 OSHA Z1A MX OEL MX OEL	
Components Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. Total dust. as Ti as Ti PERTIES Iration rate : No	ACGIH OSHA Z1 OSHA Z1A MX OEL	
Components Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : RED	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. Total dust. as Ti as Ti PERTIES rration rate : No c Gravity : No ensity : No	ACGIH OSHA Z1 OSHA Z1A MX OEL MX OEL	
Components Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : RED : very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. Total dust. as Ti as Ti PERTIES Iration rate : No c Gravity : No ensity : No pressure : no	ACGIH OSHA Z1 OSHA Z1A MX OEL MX OEL	



# MATERIAL SAFETY DATA SHEET **RED 146086**

#### Version Number 1.1 Revision Date 03/13/2014

Page 4 of 7 Print Date 3/27/2014

Boiling Point: Water solubility	: not applicable pH : not applicable : insoluble	
	10. STABILITY AND REACTIVITY	
Stability	: The product is stable if stored and handled as prescribed.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products	Irritant	Eyes, Skin, Respiratory system.
143925-92-2	Amines, bis(hydrogenated tallow alkyl), oxidized	sensitizer	Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-	Oral LD50	> 2,000 mg/kg	rat
	bis(2,2,6,6-tetramethyl-4-	Dermal LD50	> 3,000 mg/kg	rat
	piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-			
	triazine, reaction products			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP

PolyOne.

### MATERIAL SAFETY DATA SHEET RED 146086

sion Number 1.1 ision Date 03/13/2014			Print	Page 5 Date 3/27/2
13463-67-7 Titaniu	ım dioxide	no	2B	no
IARC Carcinogen Classificatio 1 - The component is carcinoge 2A - The component is probabl 2B - The component is possibly NTP Carcinogen Classification 1 - The component is known to 2 - The component is reasonabl	enic to humans. y carcinogenic to humans v carcinogenic to humans. s: be a human carcinogen.			
	12. ECOLOGICAL I	NFORMATION		
Persistence and degradability	: Not readily biodegr	adable.		
Environmental Toxicity	: Chemicals are not r polymer matrix.	eadily available a	s they are bound w	vithin the
Bioaccumulation Potential	: Chemicals are not r polymer matrix.	eadily available a	s they are bound w	vithin the
Additional advice	: no data available			
	13. DISPOSAL CON	SIDERATIONS		
Product	: Like most thermopl possible recycling is generator of wasten classification, transp applicable federal, s	s preferred to disp material has the re portation and disp	oosal or incineratio esponsibility for pr oosal in accordance	n. The oper waste with
Contaminated packaging	: Recycling is preferr material has the res transportation and d state/provincial and	ponsibility for pro lisposal in accord	oper waste classific ance with applicab	ation,
	14. TRANSPORT IN	FORMATION		
U.S. DOT Classification	: Not regulated for tra	ansportation.		
ICAO/IATA	: Refer to specific reg	gulation.		
	: Refer to specific reg			

US Regulations:

**OSHA Status** 

: Classified as hazardous based on components.

blv0<u>ne</u>

### MATERIAL SAFETY DATA SHEET **RED 146086**

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 7 Print Date 3/27/2014

**TSCA Status** All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A DSL All components of this product are on the Canadian Domestic · Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS : Listed Europe EINECS Listed : Japan ENCS Not determined : Korea KECI Not determined : Philippines PICCS : Not determined **16. OTHER INFORMATION** 

PolyOne

### MATERIAL SAFETY DATA SHEET **RED 146086**

Version Number 1.1 Revision Date 03/13/2014

Page 7 of 7 Print Date 3/27/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.