PolyOne

MATERIAL SAFETY DATA SHEET *MATPE 146566*

Version Number 1.1 Revision Date 03/27/2014 Page 1 of 6 Print Date 4/3/2014

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORATI 33587 Walker Road, Avo		OH 44012
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MATPE 146566
Product code	:	CC10146566
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Quartz	14808-60-7	0.1 - 1
Calcium carbonate	1317-65-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET *MATPE 146566*

Version Number 1.1 Revision Date 03/27/2014 Page 2 of 6 Print Date 4/3/2014

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET *MATPE 146566*

Revision Date 03/27/2014	er 1.1
	03/27/2014

Page 3 of 6 Print Date 4/3/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Quartz	0.025 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	0.05 mg/m3	Recommended exposure limit (REL):	Respirable dust.	NIOSH
	0.1 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	0.1 mg/m3	Time Weighted Average (TWA):	Respirable.	Z3
	0.3 mg/m3	Time Weighted Average (TWA):	Total dust.	Z3
	0.1 mg/m3	Time Weighted Average (TWA):		MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : solid : pellets Evapouration rate Specific Gravity Not applicableNot determined

MATERIAL SAFETY DATA SHEET MATPE 146566

Version Number 1.1 Revision Date 03/27/2014

Colour Odour Melting point/range Boiling Point: Water solubility	 NO PIGMENT very faint Not determined not applicable insoluble 	Bulk density Vapour pressure Vapour density pH	 Not established not applicable not applicable not applicable
	10. STABILITY AN	D REACTIVITY	
Stability Hazardous Polymerization	: The product is stat	ble if stored and handled as	s prescribed.
mazardous r orymerization	. will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	g agents.
Hazardous decomposition products		O2), carbon monoxide (CC dous materials, and smoke	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	no

IARC Carcinogen Classifications:

- 1 The component is carcinogenic to humans.
- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Page 4 of 6 Print Date 4/3/2014

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET *MATPE 146566*

Version Number 1.1 Revision Date 03/27/2014 Page 5 of 6 Print Date 4/3/2014

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET *MATPE 146566*

Version Number 1.1 Revision Date 03/27/2014

_

Page 6 of 6 Print Date 4/3/2014

Unless specific Canadian Regu Nationa not applica WHMI DSL National Inven Austral China I	ulations: al Pollutant Relea ble IS Classification atories: lia AICS IECS EINECS ENCS	lenti se Ir :	fied under this section, this product is Not Applicable under this regulation
Unless specific Canadian Regu Nationa not applica WHMI DSL National Inven Austral China I	e chemicals are id ulations: al Pollutant Relea ble (S Classification atories: lia AICS IECS	lenti se Ir :	fied under this section, this product is Not Applicable under this regulation nventory (NPRI) D2A All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed
Unless specific Canadian Regu Nationa not applica WHMI DSL National Inven Austral	c chemicals are id ulations: al Pollutant Relea ble (S Classification atories:	lenti se Ir :	fied under this section, this product is Not Applicable under this regulation nventory (NPRI) D2A All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
Unless specific Canadian Regu Nationa not applica WHMI DSL National Inven	e chemicals are id ulations: al Pollutant Relea ble (S Classification	lenti se Ir :	fied under this section, this product is Not Applicable under this regulation nventory (NPRI) D2A All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Unless specific Canadian Regu Nationa not applica WHMI DSL	e chemicals are id ulations: al Pollutant Relea ble (S Classification	lenti se Ir	fied under this section, this product is Not Applicable under this regulation nventory (NPRI) D2A All components of this product are on the Canadian Domestic
Unless specific Canadian Regu Nationa not applica WHMI	e chemicals are id 1lations: 1l Pollutant Relea ble	lenti se Ir	fied under this section, this product is Not Applicable under this regulation ventory (NPRI)
Unless specific Canadian Regu Nationa not applica	e chemicals are id 1lations: 1l Pollutant Relea ble	lenti se Ir	fied under this section, this product is Not Applicable under this regulation to the section of
Unless specific Canadian Regu Nationa	e chemicals are id ulations: al Pollutant Relea	lenti	fied under this section, this product is Not Applicable under this regulation
Unless specific Canadian Regu	c chemicals are id alations:	lenti	fied under this section, this product is Not Applicable under this regulati
SARA Title II	I Section 313 Tox	cic C	Chemicals:
Unless specific	c chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
SARA Title II	I Section 302 Ext	rem	ely Hazardous Substance
Califor 65	nia Proposition	:	WARNING! This product contains a chemical known to the State of California to cause cancer.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.