PolyOne

MATERIAL SAFETY DATA SHEET FRPE 146696

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 7 Print Date 4/6/2014

POLYONE CORPORATI 33587 Walker Road, Avor		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FRPE 146696
Product code	:	CC10146696
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-, polymers with morpholine-2,4,6-trichloro-1,3,5-triazine reaction pr	193098-40-7	5 - 10
Antimony trioxide	1309-64-4	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET *FRPE 146696*

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 7 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: 1	None known.
		4. FIRST AID MEASURES
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin		Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	. FIREFIGHTING MEASURES
Flash point	: 1	not applicable
Flammable Limits		
Upper explosion limit	: 1	not applicable
Lower explosion limit	: 1	not applicable
Auto-ignition temperature	: 1	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures]	pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion Hazards		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. AC	CIDENTAL RELEASE MEASURES
Personal precautions		Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions		Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up		Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	-	. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET FRPE 146696

Version Number 1.1 Revision Date 03/29/2014	Page 3 of 7 Print Date 4/6/2014
Handling :	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields
Hand protection :	Protective gloves
Skin and body protection :	Long sleeved clothing
Additional Protective : Measures	Safety shoes
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
 pellets
 NO PIGMENT
 very faint
 Not determined
 not applicable
 insoluble
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable
 not applicable

PolvOne.

MATERIAL SAFETY DATA SHEET FRPE 146696

Version Number 1.1 Revision Date 03/29/2014

Page 4 of 7 Print Date 4/6/2014

	10. STABILITY AND REACTIVITY
Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
193098-40-7	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-, polymers with morpholine-2,4,6- trichloro-1,3,5-triazine reaction pr	Irritant	Eyes, Respiratory system.
		Toxic	Refer to LC50 / LD50 Data on MSDS
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
193098-40-7	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-, polymers with morpholine-2,4,6- trichloro-1,3,5-triazine reaction pr	LC50	2.8 mg/l	rat
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne.

MATERIAL SAFETY DATA SHEET FRPE 146696

Version Number 1.1 Revision Date 03/29/2014 Page 5 of 7 Print Date <u>4/6/2014</u>

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

D 1 1 1 1 1 1 1	
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the
	polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the
	polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Whe
	possible recycling is preferred to disposal or incineration. The
	generator of waste material has the responsibility for proper waste
	classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	applicable rederal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste
	material has the responsibility for proper waste classification,
	transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	state provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **FRPE 146696**

Version Number 1.1 Revision Date 03/29/2014

Page 6 of 7 Print Date 4/6/2014

	10. RECEENT	ORY INFORMAT	ION			
US Regulations:						
OSHA Status	: Classified as	s hazardous based or	n componen	ts.		
TSCA Status	: All compor TSCA Inver	nents of this product ntory.	are listed or	ı or exem	npt from the	
US. EPA CERCLA Hazardous	Substances (40 C	FR 302)				
not applicable						
	: WARNING	! This product conta	ains a chemi	ical know	on to the State	e of
California Proposition 65	California to	o cause cancer.				
-						
65 SARA Title III Section 302 Ext	remely Hazardou	s Substance	ct is Not Ar	oplicable	under this res	gulat
65	remely Hazardou	s Substance	ct is Not Ap	pplicable	under this reg	gulat
65 SARA Title III Section 302 Ext	remely Hazardou	s Substance	ct is Not Ap	pplicable	under this reg	gulat
65 SARA Title III Section 302 Ext Unless specific chemicals are io	remely Hazardou lentified under thi	s Substance	ct is Not Ap	pplicable	under this reg	gulat
65 SARA Title III Section 302 Ext Unless specific chemicals are ic SARA Title III Section 313 To:	remely Hazardou lentified under thi xic Chemicals:	s Substance as section, this produ	_	-		-
65 SARA Title III Section 302 Ext Unless specific chemicals are ic SARA Title III Section 313 To Unless specific chemicals are ic Chemical Name	remely Hazardou lentified under thi kic Chemicals: lentified under thi	s Substance is section, this produ is section, this produ CAS-	<u>ct is Not Ap</u> No.	plicable Weight	under this reg	-
65 SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id	remely Hazardou lentified under thi kic Chemicals: lentified under thi	s Substance is section, this produ is section, this produ	<u>ct is Not Ap</u> No.	plicable	under this reg	-
65 SARA Title III Section 302 Ext Unless specific chemicals are ic SARA Title III Section 313 To Unless specific chemicals are ic Chemical Name	remely Hazardou lentified under thi kic Chemicals: lentified under thi	s Substance is section, this produ is section, this produ CAS-	<u>ct is Not Ap</u> No.	plicable Weight	under this reg	-
65 SARA Title III Section 302 Ext Unless specific chemicals are ic SARA Title III Section 313 To: Unless specific chemicals are ic Chemical Name ANTIMONY COMPOUNDS Canadian Regulations:	remely Hazardou lentified under thi xic Chemicals: lentified under thi	s Substance is section, this produ is section, this produ CAS- 1309-0	<u>ct is Not Ap</u> No.	plicable Weight	under this reg	-
65 SARA Title III Section 302 Ext Unless specific chemicals are io SARA Title III Section 313 To: Unless specific chemicals are io Chemical Name ANTIMONY COMPOUNDS	remely Hazardou lentified under thi xic Chemicals: lentified under thi	s Substance is section, this produ is section, this produ CAS- 1309-0	ct is Not Ap No. 54-4	plicable Weight 10.00 -	under this reg	-
65 SARA Title III Section 302 Ext Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Chemical Name ANTIMONY COMPOUNDS Canadian Regulations: National Pollutant Relea	remely Hazardou lentified under thi xic Chemicals: lentified under thi	s Substance is section, this produ is section, this produ CAS- 1309-0 RI)	<u>ct is Not Ap</u> No. 64-4 Weigh percen	plicable Weight 10.00 -	under this reg percent 30.00	-

PolvOne

MATERIAL SAFETY DATA SHEET FRPE 146696

Version Number 1.1 Revision Date 03/29/2014

Page 7 of 7 Print Date 4/6/2014 Substances List (DSL) or are exempt. National Inventories: Australia AICS : Not determined China IECS Not determined : Europe EINECS : Listed Japan ENCS Not determined : Korea KECI Not determined : **Philippines PICCS** Not determined :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.