# MATERIAL SAFETY DATA SHEET **BLUE TINT 141**

#### Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/27/2014

# I. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Telephone : 1 (440) 930-1000 or 1 (866) POLYONE Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : BLUE TINT 141 Product code : CC10147141

Product code:CC10147141Chemical Name:MixtureCAS-No.:MixtureProduct Use:Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact		
: Resin particles, like other inert materials, can be mechanically irritating.		
: May be harmful if swallowed.		
: Resin particles, like other inert materials, are mechanically irritating to eyes.		
: Experience shows no unusual dermatitis hazard from routine handling.		
: Refer to Section 11 for Toxicological Information.		

PolyOne.

# MATERIAL SAFETY DATA SHEET **BLUE TINT 141**

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/27/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET **BLUE TINT 141**

#### Version Number 1.1 Revision Date 03/13/2014

Page 3 of 6 Print Date 3/27/2014

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. EXI	POSUR	E CONTROLS/PE	RSONAL PROTECTIO	DN	
Respiratory protection	:	No personal respirato	ory protective equipment	normally required.	
Eye/Face Protection	:	Safety glasses with si	ide-shields		
Hand protection	:	: Protective gloves			
Skin and body protection	:	Long sleeved clothing			
Additional Protective Measures	:	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
• · ·	us comp	onents above regulate	ory thresholds in this pro	duct.	
	. PHYS	ICAL AND CHEMI	ICAL PROPERTIES		
There are no known hazardou 9. Form	. PHYS	ICAL AND CHEMI	<b>ICAL PROPERTIES</b> Evapouration rate	: Not applicable	
There are no known hazardou 9. Form Appearance	. PHYS : soli : pell	ICAL AND CHEMI id lets	<b>ICAL PROPERTIES</b> Evapouration rate Specific Gravity	: Not applicable : Not determined	
There are no known hazardou 9. Form Appearance Colour	. PHYS : soli : pell : BL	ICAL AND CHEMI id lets UE	<b>Evapouration rate</b> Specific Gravity Bulk density	<ul><li>Not applicable</li><li>Not determined</li><li>Not established</li></ul>	
There are no known hazardou 9. Form Appearance Colour Odour	. PHYS : soli : pell : BL : ver	ICAL AND CHEMI id lets UE y faint	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	. PHYS : soli : pell : BL : ver : Not	ICAL AND CHEMI id lets UE y faint t determined	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour	PHYS : soli : pell : BL : ver : Not : not	ICAL AND CHEMI id lets UE y faint	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHYS : soli : pell : BL : ver : Not : inso	ICAL AND CHEMI id lets UE y faint t determined applicable	<b>EVAPOPERTIES</b> Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	. PHYS : soli : pell : BL : ver : Not : not : insc 10.	ICAL AND CHEMI id lets UE y faint t determined applicable oluble STABILITY AND	<b>EVAPOPERTIES</b> Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	. PHYS : soli : pell : BL : ver : Not : not : inso 10.	ICAL AND CHEMI id lets UE y faint t determined applicable oluble STABILITY AND	ICAL PROPERTIES         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	. PHYS : soli : pell : BL : ver : Not : not : inso 10. : :	ICAL AND CHEMI id lets UE y faint t determined applicable oluble STABILITY AND The product is stable Will not occur.	ICAL PROPERTIES         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH         REACTIVITY         if stored and handled as         dizing agents and open fl	: Not applicable : Not determined : Not established : not applicable : not applicable : not applicable	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	. PHYS : soli : pell : BL : ver : Not : inso 10. : :	ICAL AND CHEMI id lets UE y faint t determined applicable oluble <b>STABILITY AND</b> The product is stable Will not occur. Keep away from oxid decomposition, do no	ICAL PROPERTIES         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH         REACTIVITY         if stored and handled as         dizing agents and open fl	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul> prescribed. ame. To avoid thermal	

PolyOne.

# MATERIAL SAFETY DATA SHEET **BLUE TINT 141**

## Version Number 1.1 Revision Date 03/13/2014

Page 4 of 6 Print Date 3/27/2014

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

## MATERIAL SAFETY DATA SHEET BLUE TINT 141

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/27/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Rutile, antimony chromium buff	68186-90-3	0.10 - 1.00	

WHMIS Classification	:	Not controlled.	

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

DSL

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **BLUE TINT 141**

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/27/2014

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.