PolyOne

MATERIAL SAFETY DATA SHEET LMPE 147526

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 7 Print Date 3/27/2014

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LMPE 147526
Product code	:	CC10147526
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

Components	CAS-No.	Weight percent
Antimony trioxide	1309-64-4	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET LMPE 147526

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 7 Print Date 3/27/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET *LMPE 147526*

Version Number 1.1 Revision Date 03/13/2014

Page 3 of 7 Print Date 3/27/2014

Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

: pellets
: NO PIGMENT
: very faint
: Not determined
: not applicable

: insoluble

: solid

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

Stability

: The product is stable if stored and handled as prescribed.

MATERIAL SAFETY DATA SHEET LMPE 147526

Version Number 1.1 Revision Date 03/13/2014

Page 4 of 7 Print Date 3/27/2014

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET *LMPE 147526*

ion Number 1.1 sion Date 03/13/2014			Page 5 Print Date 3/27/2	
Persistence and degradability	: Not rea	adily biodegradable.		
Environmental Toxicity		Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential		cals are not readily availer matrix.	lable as they are bound within the	
Additional advice	: no data	available		
	13. DISP	OSAL CONSIDERAT	IONS	
Product	possibl generat classifi	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	materia transpo	al has the responsibility	ossible. The generator of waste for proper waste classification, accordance with applicable federal, lations.	
	14. TRA	NSPORT INFORMAT	TION	
U.S. DOT Classification	: Not reg	gulated for transportation	n.	
ICAO/IATA	: Refer t	o specific regulation.		
IMO/IMDG (maritime)	: Refer t	o specific regulation.		
	15. REGU	LATORY INFORMA	TION	
US Regulations:				
OSHA Status	: Classif	ied as hazardous based	on components.	
TSCA Status		mponents of this produc Inventory.	et are listed on or exempt from the	
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)		
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product	
Antimony trioxide	1309-64-4	1,000 lbs	1,541 LB	

PolyOne.

MATERIAL SAFETY DATA SHEET *LMPE 147526*

on Number 1.1 ion Date 03/13/2014			Dr	Page int Date 3/27
1011 Date 03/13/2014			FI	
California Propositior 65	1 : WARNING! T California to ca	his product contain	s a chemical knov	vn to the State
05	Camorina to ca	use cancer.		
SARA Title III Section 302 E	Extremely Hazardous Su	ıbstance		
Jnless specific chemicals are	identified under this se	ction, this product	is Not Applicable	under this regu
ARA Title III Section 313 T	oxic Chemicals			
Jnless specific chemicals are		ction this product	is Not Applicable	under this requ
Chemical Name	CAS-N	o. Weight	percent	
ANTIMONY COMPOUNDS		1309-64	-4 60.00 -	100.00
Canadian Regulations:				
	ease Inventory (NPRI)			1
Chemical Name		CAS-No.	Weight percent	NPRI ID#
Antimony trioxide		1309-64-4	60.00 - 100.00	
WHMIS Ingredient Di CAS-No. 1309-64-4 DSL	: All component	s of this product ar		Domestic
	Substances List	(DSL) or are exem	ıpt.	
National Inventories:				
Australia AICS	: Listed			
	: Listed			
China IECS				
China IECS Europe EINECS	: Listed			
	: Listed : Not determined			
Europe EINECS				
Europe EINECS Japan ENCS	: Not determined			

PolyOne

MATERIAL SAFETY DATA SHEET LMPE 147526

Version Number 1.1 Revision Date 03/13/2014 Page 7 of 7 Print Date 3/27/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.