PolyOne

MATERIAL SAFETY DATA SHEET UV YELLOW PP

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 6 Print Date 4/7/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	UV YELLOW PP	
Product code	:	CC10148453	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Formamide, N,N'-1,6-hexanediylbis[N-	124172-53-8	1 - 5
(2,2,6,6-tetramethyl-4-piperidinyl)-		
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET UV YELLOW PP

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/7/2014

Medical Conditions : None known. Aggravated by Exposure:		
Aggravated by Exposure:		
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits		
Upper explosion limit	: not applicable	
Lower explosion limit	: not applicable	
Auto-ignition temperature	: not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.	1
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat	ł



MATERIAL SAFETY DATA SHEET UV YELLOW PP

			Prir	nt Date 4/7/		
	о	nly in areas with appropriate e	xhaust ventilation.			
Storage		Leep containers dry and tightly nd contamination. Keep in a d		e absorption		
8.1	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type			
	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Total dust.	ACGIH OSHA Z		
	10 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust.	ACGIH OSHA Z OSHA Z1		
	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Total dust. Total dust. as Ti	ACGIH OSHA Z OSHA Z1 MX OEI		
	10 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average	Total dust. Total dust.	ACGIH OSHA Z OSHA Z1 MX OEI		
	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit	Total dust. Total dust. as Ti as Ti	ACGIH OSHA Z OSHA Z1 MX OEI		
Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. Total dust. as Ti as Ti DPERTIES uration rate : Not ic Gravity : Not	ACGIH OSHA Z OSHA Z1 MX OEI MX OEI t applicable t determined		
Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : YEL	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. Total dust. as Ti as Ti DPERTIES uration rate : Not ic Gravity : Not lensity : Not	ACGIH OSHA Z OSHA Z1 MX OEI MX OEI MX OEI		
Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : YEL : very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapo ts Specif LOW Bulk d faint Vapou	Total dust. Total dust. as Ti as Ti DPERTIES uration rate : Not ic Gravity : Not lensity : Not r pressure : not	ACGIH OSHA Z OSHA Z1 MX OEI MX OEI t applicable t determined		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIO : solid : pelle : YEL : very : Not of	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapo ts Specif LOW Bulk d faint Vapou	Total dust. Total dust. as Ti as Ti DPERTIES uration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	ACGIH OSHA Z OSHA Z1 MX OEI MX OEI MX OEI		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIO : solid : pelle : YEL : very : Not of	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO ts Specif LOW Bulk d faint Vapou upplicable	Total dust. Total dust. as Ti as Ti DPERTIES uration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	ACGIH OSHA Z OSHA Z1 MX OEL MX OEL t applicable t determined t established applicable applicable		

MATERIAL SAFETY DATA SHEET UV YELLOW PP

Version Number 1.1 Revision Date 03/29/2014

Page 4 of 6 Print Date *4/7/2014*

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
124172-53-8	Formamide, N,N'-1,6-	Irritant	Eyes.
	hexanediylbis[N-(2,2,6,6-		
	tetramethyl-4-piperidinyl)-		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
124172-53-8	Formamide, N,N'-1,6- hexanediylbis[N-(2,2,6,6- tetramethyl-4-piperidinyl)-	LC50 Oral LD50	> 5.0 mg/l > 2,000 mg/kg	rat rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

PolyOne.

MATERIAL SAFETY DATA SHEET UV YELLOW PP

Version Number 1.1 Revision Date 03/29/2014 Page 5 of 6 Print Date 4/7/2014

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET UV YELLOW PP

Version Number 1.1		Page 6 of 6 Print Date 4/7/2014
Revision Date 03/29/2014		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extre	eme	ely Hazardous Substance
Unless specific chemicals are iden	nti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic	c C	hemicals:
Unless specific chemicals are iden	nti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	e In	ventory (NPRI)
not applicable		
WHMIS Classification	:	D2A
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16 OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.