PolyOne

# MATERIAL SAFETY DATA SHEET **MUSTARD 110**

#### Version Number 1.1 Revision Date 03/29/2014

Page 1 of 7 Print Date 4/7/2014

1. PRODUCT AND COMPANY IDENTIFICATION         POLYONE CORPORATION         33587 Walker Road, Avon Lake, OH 44012				
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	MUSTARD 110		
Product code	:	CC10148813		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Rutile, antimony chromium buff	68186-90-3	1 - 5
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **MUSTARD 110**

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 7 Print Date 4/7/2014

Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>	
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	



# MATERIAL SAFETY DATA SHEET *MUSTARD 110*

Version Number 1.1	
Revision Date 03/29/2014	ł

Page 3 of 7 Print Date 4/7/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: N	o personal respiratory protective equipment normally required.
Eye/Face Protection	: Sa	afety glasses with side-shields
Hand protection	: P1	rotective gloves
Skin and body protection	: L	ong sleeved clothing
Additional Protective Measures	: Sa	afety shoes
General Hygiene Considerations		andle in accordance with good industrial hygiene and safety actice. Wash hands before breaks and at the end of workday.
Engineering measures		eat only in areas with appropriate exhaust ventilation. Provide oppropriate exhaust ventilation at machinery.
$\mathbf{E}_{\mathbf{r}}$		

Exposure limit(s)

PolyOne.

## **MATERIAL SAFETY DATA SHEET MUSTARD 110**

Version Number 1.1 Revision Date 03/29/2014 Page 4 of 7 Print Date 4/7/2014

Components	Value	Exposure time	Exposure type	List:
Rutile, antimony 0.5 mg/ chromium buff		Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	sc
Appearance	:	p
Colour	:	Y
Odour	:	v
Melting point/range	:	Ν
Boiling Point:	:	n
Water solubility	:	in

:	solid
:	pellets
:	YELLOW
:	very faint
:	Not determined
:	not applicable
:	insoluble

Evapouration rate Specific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicable pH

- : Not applicable

- not applicable :

## **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

## MATERIAL SAFETY DATA SHEET MUSTARD 110

Version Number 1.1 Revision Date 03/29/2014 Page 5 of 7 Print Date 4/7/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin, Respiratory	
	chromium buff		system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,

PolyOne.

# MATERIAL SAFETY DATA SHEET *MUSTARD 110*

sion Number 1.1 ision Date 03/29/2014				Page 6 Print Date 4/7/2
	state/provinc	cial and local regulati	ons.	
	14. TRANSPO	ORT INFORMATIC	DN	
U.S. DOT Classification	: Not regulate	d for transportation.		
ICAO/IATA	: Refer to spec	cific regulation.		
IMO/IMDG (maritime)	: Refer to spec	cific regulation.		
	15. REGULAT	ORY INFORMATI	ON	
US Regulations:				
OSHA Status	: Classified as	hazardous based on	components.	
TSCA Status	: All compon TSCA Inven	ents of this product a atory.	re listed on or ex	kempt from the
US. EPA CERCLA Hazardou	is Substances (40 Cl	FR 302)		
not applicable				
California Propositior 65	n : Not applicat	ble		
SARA Title III Section 302 E	Extremely Hazardous	s Substance		
Unless specific chemicals are	identified under this	s section, this produc	t is Not Applical	ole under this regul
SARA Title III Section 313 T				
Unless specific chemicals are Chemical Name	identified under this	s section, this produc CAS-N		ble under this regul
CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU	ſΥ			- 5.00
Canadian Regulations:				
National Pollutant Rel	ease Inventory (NDI	81)		
Chemical Name	cuse inventory (1411	CAS-No.	Weight percent	NPRI ID#

PolyOne

# MATERIAL SAFETY DATA SHEET *MUSTARD 110*

Version Number 1.1 Revision Date 03/29/2014

Pa Print Date	age 7 of 7
Print Date	4/7/2014

WHMIS Classification       :       D2A         WHMIS Ingredient Disclosure List	
CAS-No.	
CAS-No.       68186-90-3         DSL       All components of this product are on the Canadian Dom Substances List (DSL) or are exempt.         ational Inventories:       Not determined         China IECS       Isted         Europe EINECS       Isted         Japan ENCS       Not determined	
CAS-No.       68186-90-3         DSL       :       All components of this product are on the Canadian Dom Substances List (DSL) or are exempt.         ational Inventories:       .         Australia AICS       :       Not determined         China IECS       :       Listed         Europe EINECS       :       Listed         Japan ENCS       :       Not determined	
68186-90-3         DSL       :       All components of this product are on the Canadian Dom Substances List (DSL) or are exempt.         ational Inventories:       .         Australia AICS       :       Not determined         China IECS       :       Listed         Europe EINECS       :       Listed         Japan ENCS       :       Not determined	
DSL       : All components of this product are on the Canadian Dom Substances List (DSL) or are exempt.         National Inventories:       .         Australia AICS       : Not determined         China IECS       : Listed         Europe EINECS       : Listed         Japan ENCS       : Not determined	
Jational Inventories:       Substances List (DSL) or are exempt.         Australia AICS       :         Australia AICS       :         China IECS       :         Europe EINECS       :         Japan ENCS       :	
National Inventories:Australia AICS:Australia AICS:China IECS:Europe EINECS:Japan ENCS:Not determined	omestic
Australia AICS:Not determinedChina IECS:ListedEurope EINECS:ListedJapan ENCS:Not determined	
China IECS:ListedEurope EINECS:ListedJapan ENCS:Not determined	
Europe EINECS:ListedJapan ENCS:Not determined	
Japan ENCS : Not determined	
1	
Korea KECI : Not determined	
Philippines PICCS : Not determined	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.