PolyOne

## MATERIAL SAFETY DATA SHEET **PAPE 148897**

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 6 Print Date 4/7/2014

POLYONE CORPORATI 33587 Walker Road, Avor		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
		or accident).
Product name	:	PAPE 148897
Product code	:	CC10148897
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

Components	CAS-No.	Weight percent
Calcium stearate	1592-23-0	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PAPE 148897**

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/7/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET **PAPE 148897**

Version Number 1.1					
<b>Revision Date</b>	03/29/2014				

Page 3 of 6 Print Date 4/7/2014

Storage       : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8. ]	EXPOSURE	E CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protect	tive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shield	S		
Hand protection	: P	Protective gloves			
Skin and body protection	: L	long sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		Handle in accordance with goo ractice. Wash hands before b			
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide	
ComponentsValueExposure timeExposure typeList:Calcium stearate10 mg/m3Time Weighted Average (TWA):ACGIH					
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES		
Form	: solic : pelle		fic Gravity : Not	t applicable t determined	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: very : Not	faintVapodeterminedVapoapplicablepH	ur pressure : not ur density : not	t established applicable applicable applicable	
Colour Odour Melting point/range Boiling Point:	: very : Not : not a : insol	faintVapodeterminedVapoapplicablepH	ur pressure : not ur density : not : not	applicable applicable	
Colour Odour Melting point/range Boiling Point:	: very : Not : not a : insol	faint Vapo determined Vapo applicable pH luble	ur pressure : not ur density : not : not VITY	applicable applicable applicable	
Colour Odour Melting point/range Boiling Point: Water solubility	: very : Not : not a : inso 10.5 : T	faint Vapo determined Vapo applicable pH luble	ur pressure : not ur density : not : not VITY	applicable applicable applicable	
Colour Odour Melting point/range Boiling Point: Water solubility Stability	: very : Not : not a : insol 10.5 : T n : V : k	faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI The product is stable if stored a	ur pressure : not ur density : not : not VITY and handled as prescribed nts and open flame. To a	applicable applicable applicable	

blvOn<u>e</u>

## MATERIAL SAFETY DATA SHEET **PAPE 148897**

#### Version Number 1.1 Revision Date 03/29/2014

Page 4 of 6 Print Date 4/7/2014

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS No. Chamical Nama Effect Target Organ				
CAS-NO. Chemical Name Effect larget Organ	CAS-No.	Chemical Name	Effect	Target Organ

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : no data available         13. DISPOSAL CONSIDERATIONS	CAS-No.	Chemical Name	Route	Value	Species
Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Chemicals are not readily available as they are bound within the polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : no data available <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.	1592-23-0	Calcium stearate	Oral LD50	> 10 gm/kg	rat
Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Chemicals are not readily available as they are bound within the polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : no data available <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.		12. ECOLOGIC	AL INFORMAT	ON	
polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : no data available         13. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.	Persistence and degrada	ability : Not readily bi	odegradable.		
polymer matrix.         Additional advice       : no data available         13. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Lite TRANSPORT INFORMATION       : Not regulated for transportation.					
<b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. <b>14. TRANSPORT INFORMATION</b> U.S. DOT Classification       : Not regulated for transportation.					
Product       : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.	Additional advice	: no data availa	ble		
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.		13. DISPOSAL	CONSIDERATIO	ONS	
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         14. TRANSPORT INFORMATION         U.S. DOT Classification       : Not regulated for transportation.	Product	possible recyc generator of w classification,	ling is preferred to vaste material has t transportation and	disposal or incinerat he responsibility for disposal in accordan	tion. The proper waste ace with
U.S. DOT Classification : Not regulated for transportation.	Contaminated packagin	material has the transportation	ne responsibility fo and disposal in acc	r proper waste classi cordance with applic	fication,
		14. TRANSPOL	RT INFORMATI	ON	
ICAO/IATA : Refer to specific regulation.	U.S. DOT Classificatio	n : Not regulated	for transportation.		
	ICAO/IATA	: Refer to speci	fic regulation.		

PolyOne.

# MATERIAL SAFETY DATA SHEET **PAPE 148897**

Version Number 1.1 Revision Date 03/29/2014

\_

Page 5 of 6 Print Date 4/7/2014

	15.	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	tances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	reme	ly Hazardous Substance
		ely Hazardous Substance
	lentif	ied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox	lentif xic Cl	ied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are id SARA Title III Section 313 Tox	lentif xic Cl	ied under this section, this product is Not Applicable under this regulation hemicals:
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id	lentif xic Cl lentif	Tied under this section, this product is Not Applicable under this regulation the
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations:	lentif xic Cl lentif	Tied under this section, this product is Not Applicable under this regulation the
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Releas	lentif xic Cl lentif .se In	Tied under this section, this product is Not Applicable under this regulation hemicals: Tied under this section, this product is Not Applicable under this regulation ventory (NPRI)
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable	lentif xic Cl lentif .se In	Tied under this section, this product is Not Applicable under this regulat hemicals: Tied under this section, this product is Not Applicable under this regulat ventory (NPRI)
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification	lentif xic Cl lentif .se In	Tied under this section, this product is Not Applicable under this regulat hemicals: Tied under this section, this product is Not Applicable under this regulation ventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL	dentif kic Cl dentif sse In :	Tied under this section, this product is Not Applicable under this regulat hemicals: Tied under this section, this product is Not Applicable under this regulation ventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Unless specific chemicals are id SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories:	lentif kic Cl lentif se In : :	Tied under this section, this product is Not Applicable under this regulation hemicals: Tied under this section, this product is Not Applicable under this regulation ventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

P	bh	0	ne.
	-		

## MATERIAL SAFETY DATA SHEET **PAPE 148897**

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/7/2014

Japan ENCS:ListedKorea KECI:ListedPhilippines PICCS:Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.