P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET **FRPLA**

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/27/2014

POLYONE CORPORAT 33587 Walker Road, Avo		OH 44012	
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYO CHEMTREC 1-800-424-9300 (24h) or accident).	
Product name	:	FRPLA	
Product code	:	CC10149322	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	
		ITION/INFORMATION ON INGR	

Components	CAS-No.	Weight percent
1,3-Propanediamine, N,N"-1,2-	191680-81-6	30 - 60
ethanediylbis-, reaction products with		
cyclohexane and peroxidized N-butyl-		
2,2,6,6-tetramethyl-4-piper		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **FRPLA**

Version Number	er 1.1
Revision Date	03/13/2014

Page 2 of 6 Print Date 3/27/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature Suitable extinguishing media	not applicableCarbon dioxide blanket, Water spray, Dry powder, Foam.
Suitable extinguishing media	. Carbon dioxide blanket, water spray, Dry powder, Poani.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET **FRPLA**

sion Date 03/13/2014		Page Print Date 3/27/	
Handling		prevent the build up of electrostatic charge. Heat appropriate exhaust ventilation.	
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
8. EX	POSURE CONTROLS/	PERSONAL PROTECTION	
Respiratory protection	: No personal resp.	iratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses wi	th side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clo	thing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ance with good industrial hygiene and safety ands before breaks and at the end of workday.	
	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Engineering measures			
Engineering measures Exposure limit(s)	appropriate exhan		
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhan	ust ventilation at machinery.	
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhan D. PHYSICAL AND CHI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable	EMICAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable	
Exposure limit(s)	appropriate exhan D. PHYSICAL AND CHI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY A	EMICAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable	
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhan D. PHYSICAL AND CHI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY A	EMICAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable MD REACTIVITY	
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhan D. PHYSICAL AND CHI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY A : The product is sta : Will not occur.	EMICAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable ND REACTIVITY able if stored and handled as prescribed. oxidizing agents and open flame. To avoid therma	

PolyOne

MATERIAL SAFETY DATA SHEET **FRPLA**

Version Number 1.1 Revision Date 03/13/2014

Page 4 of 6 Print Date 3/27/2014

Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. Chemical Name		Effect	Target Organ		
	12. ECOLOGICA	L INFORMATION	N		
Persistence and degradability: Not readily biodegradable.Environmental Toxicity: Chemicals are not readily available as they are bound within the					
Environmental Toxicity	polymer matrix		as they are bound within the		
Bioaccumulation Potentia		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: no data availab	: no data available			
	13. DISPOSAL C	CONSIDERATION	8		
Product	possible recycl generator of wa classification, t	ing is preferred to dis aste material has the r ransportation and dis	e product can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.		
Contaminated packaging	material has the transportation a	e responsibility for p	e. The generator of waste roper waste classification, dance with applicable federal, s.		
	14. TRANSPOR	T INFORMATION			
U.S. DOT Classification	: Not regulated f	or transportation.			
ICAO/IATA	: Refer to specifi	c regulation.			
IMO/IMDG (maritime)	: Refer to specifi	c regulation.			
	15. REGULATO	RY INFORMATIO	N		
US Regulations:					

4/6

PolyOne.

MATERIAL SAFETY DATA SHEET **FRPLA**

Version Number 1.1 Revision Date 03/13/2014	Page 5 of 6 Print Date 3/27/2014
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extrem	ely Hazardous Substance
Unless specific chemicals are identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic C	Chemicals:
Unless specific chemicals are identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release In	nventory (NPRI)
not applicable	
WHMIS Classification :	Not controlled.
DSL :	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
Australia AICS :	Not determined
China IECS :	Not determined
Europe EINECS :	Not determined
Japan ENCS :	Not determined
Korea KECI :	Not determined
Philippines PICCS :	Not determined

PolyOne

MATERIAL SAFETY DATA SHEET **FRPLA**

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/27/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.