PolvOne

## MATERIAL SAFETY DATA SHEET LWPMMA 150063

#### Version Number 1.1 Revision Date 03/29/2014

Chemical Name

CAS-No.

Product Use

### Page 1 of 6 Print Date <u>4/7/2014</u>

1. PRODUCT AND COMPANY IDENTIFICATION				
POLYONE CORPORAT	ION			
33587 Walker Road, Avon	n Lake,	OH 44012		
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	LWPMMA 150063		
Product code	:	CC10150063		

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

: Industrial Applications

: Mixture

: Mixture

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET *LWPMMA 150063*

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/7/2014

Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	

PolyOne.

# MATERIAL SAFETY DATA SHEET LWPMMA 150063

Version Number 1.1		
Revision Date 03/29/2014		

Page 3 of 6 Print Date 4/7/2014

		ry and tightly closed to avoid moisture absorption . Keep in a dry, cool place.
8. EX	POSURE CONTROLS/P	ERSONAL PROTECTION
Respiratory protection	: No personal respir	atory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	n side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved cloth	ning
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		nce with good industrial hygiene and safety nds before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
•	us components above regu	atory thresholds in this product.
There are no known hazardou	us components above regul	
There are no known hazardou 9 Form	• PHYSICAL AND CHE	MICAL PROPERTIES Evapouration rate : Not applicable
There are no known hazardou 9 Form Appearance	• PHYSICAL AND CHE : solid : pellets	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined
9. Form Appearance Colour	. PHYSICAL AND CHE : solid : pellets : NO PIGMENT	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established
There are no known hazardou 9 Form Appearance Colour Odour	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	MICAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable
There are no known hazardou 9 Form Appearance Colour Odour Melting point/range	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable
There are no known hazardou 9 Form Appearance Colour Odour	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	MICAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable
There are no known hazardou 9 Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable
There are no known hazardou 9 Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable
There are no known hazardou 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         D REACTIVITY
There are no known hazardou 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN <ul> <li>The product is state</li> <li>Will not occur.</li> </ul>	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         D REACTIVITY         ble if stored and handled as prescribed.         xidizing agents and open flame. To avoid thermal
There are no known hazardou 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEI</li> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN <ul> <li>The product is state</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>	MICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         D REACTIVITY         ble if stored and handled as prescribed.         xidizing agents and open flame. To avoid thermal

PolyOne.

## MATERIAL SAFETY DATA SHEET LWPMMA 150063

Version Number 1.1 Revision Date 03/29/2014 Page 4 of 6 Print Date 4/7/2014

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

PolvOne

## MATERIAL SAFETY DATA SHEET LWPMMA 150063

Version Number 1.1 Revision Date 03/29/2014 Page 5 of 6 Print Date 4/7/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne.

## MATERIAL SAFETY DATA SHEET LWPMMA 150063

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/7/2014