PolvOne

MATERIAL SAFETY DATA SHEET **DARK RED BROWN 6**

Version Number 1.1 Revision Date 10/19/2012 Page 1 of 6 Print Date <u>10/22/2</u>012

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Product name	:	DARK RED BROWN 6		
Product code	:	CC10150862		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Iron chromite brown spinel	12737-27-8	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact				
: Resin particles, like other inert materials, can be mechanically irritating.				
: May be harmful if swallowed.				
: Resin particles, like other inert materials, are mechanically irritating to eyes.				
: Experience shows no unusual dermatitis hazard from routine handling.				
: Refer to Section 11 for Toxicological Information.				

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK RED BROWN 6**

Version Number 1.1 Revision Date 10/19/2012 Page 2 of 6 Print Date 10/22/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK RED BROWN 6**

Version Number 1.1 Revision Date 10/19/2012 Page 3 of 6 Print Date 10/22/2012

Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8.]	EXPOSURE	CONTROLS/PERSONAL I	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	: Protective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	: Safety shoes			
General Hygiene Considerations		Iandle in accordance with good ractice. Wash hands before br			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Iron chromite brown spinel	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH	
	0.5 mg/m3	PEL:	as Cr	OSHA Z1	
	9. PHYSI	CAL AND CHEMICAL PRO	PERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: not a : insol	ets Specifi DWN Bulk d faint Vapou determined Vapou applicable pH uble	ic Gravity : Not ensity : Not r pressure : not r density : not : not	applicable determined established applicable applicable applicable	
Appearance Colour Odour Melting point/range Boiling Point:	: pelle : BRC : very : Not : not a : insol	ets Specifi DWN Bulk d faint Vapou determined Vapou upplicable pH	ic Gravity : Not ensity : Not r pressure : not r density : not : not	determined established applicable applicable	
Appearance Colour Odour Melting point/range Boiling Point:	: pelle : BRC : very : Not : not a : insol	ets Specifi DWN Bulk d faint Vapou determined Vapou applicable pH uble	ic Gravity : Not ensity : Not r pressure : not r density : not : not	determined established applicable applicable applicable	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: pelle : BRC : very : Not a : not a : insol 10. \$: T	ets Specifi DWN Bulk d faint Vapou determined Vapou upplicable pH uble	ic Gravity : Not ensity : Not r pressure : not r density : not : not	determined established applicable applicable applicable	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: pelle : BRC : very : Not a : not a : insol 	tts Specifi DWN Bulk d faint Vapou determined Vapou upplicable pH uble STABILITY AND REACTIV The product is stable if stored at	ic Gravity : Not ensity : Not r pressure : not r density : not : not /ITY nd handled as prescribed	determined established applicable applicable	

MATERIAL SAFETY DATA SHEET **DARK RED BROWN 6**

Version Number 1.1 Revision Date 10/19/2012 Page 4 of 6 Print Date 10/22/2012

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12737-27-8	Iron chromite brown	Irritant	Eyes, Skin, Respiratory
	spinel		system.

Additional Health Hazard Information:

Iron chromite brown spinel 12737-27-8 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK RED BROWN 6**

ion Number 1.1 sion Date 10/19/2012						Prir	Page 5 ht Date 10/22/2
ICAO/IATA	:	Refer to specific	e regulatio	on.			
IMO/IMDG (maritime)	:	Refer to specific	regulation	on.			
	15	5. REGULATOR	Y INFO	RMATIO	N		
US Regulations:							
OSHA Status	:	Classified as haz	zardous b	ased on co	mponent	s.	
TSCA Status	:	All components TSCA Inventory		roduct are	listed on	or exen	npt from the
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 3	302)				
not applicable							
California Proposition 65	:	Not applicable					
SARA Title III Section 302 Ex Unless specific chemicals are in				s product is	s Not Ap	plicable	under this regula
SARA Title III Section 313 To Unless specific chemicals are in Chemical Name CHROMIUM III COMPOU	denti	fied under this se	ction, this	s product is CAS-No 12737-27	•		percent
COMPOUNDS Canadian Regulations:							
-		NIDDI)					<u>, </u>
National Pollutant Relea	ase I	inventory (NPRI)	CAS-N	lo.	Weight		NPRI ID#
National Pollutant Relea	ase I	iventory (INPRI)	CAS-N 12737-		Weight percent 30.00 -	t	NPRI ID#

WHMIS Ingredient Disclosure List

PolyOne

MATERIAL SAFETY DATA SHEET **DARK RED BROWN 6**

Version Number 1.1 Revision Date 10/19/2012 Page 6 of 6 Print Date 10/22/2012

CAS-No. 12737-27-8	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Not determined
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.